

	<b>Control</b>	<b>MBG 50nM</b>	<b>MBG 100nM</b>	<b>MBG 1000nM</b>
<b>Ca<sup>2+</sup> transient parameters No Change</b>				
<b>Beat Interval [ms]</b>	540.1±80.84 (N=6)	717.28±105.82 (N=6)	594.72±66.24 (N=6)	1038.62±354.99 (N=4)
<b>Beat Interval SD [ms]</b>	133.08±28.64 (N=6)	188.56±51.02 (N=6)	116.9±21.58 (N=6)	645.94±500.08 (N=4)
<b>Time to peak [ms]</b>	144.64±22.08 (N=6)	218.55±60.95 (N=6)	171.42±25.9 (N=6)	193.88±73.88 (N=4)
<b>Time to 50% relaxation [ms]</b>	227.55±49.87 (N=6)	328.71±78.1 (N=6)	284±54.33 (N=6)	328.52±149.66 (N=4)
<b>Time to 90% relaxation [ms]</b>	340.34±71.61 (N=6)	466.1±89.45 (N=6)	423.48±79.13 (N=6)	460.32±212.07 (N=4)
<b>Spontaneous diastolic LCR Characteristics No Change</b>				
<b>50% spark duration [ms]</b>	34.69±0.55 (N=187)	42.53±1.84** (N=178)	38.57±0.86** # (N=110)	42.2±1.17** ^ (N=110)
<b>Normalized amplitude [N.U]</b>	1.74±0.12 (N=187)	2.03±0.15 (N=178)	1.97±0.22 (N=110)	2.54±0.23** (N=110)
<b>Amplitude difference [N.U]</b>	4.48±0.4 (N=187)	9.71±0.63** (N=175)	0.25±0.38** ## (N=110)	-0.29±0.48** ## (N=110)
<b>Spark length [um]</b>	5.09±0.18 (N=187)	4.71±0.15 (N=178)	4.33±0.2** (N=110)	5.67±0.21* ## ^^ (N=110)
<b>LCR period [ms]</b>	281.52±10.91 (N=186)	372.47±16.8** (N=177)	351.99±15.12** (N=104)	676.48±72.87** ## ^^ (N=101)
<b>Number of LCR [1/sec*um]</b>	31.16±6.77 (N=6)	29.66±8.41 (N=6)	18.33±5.16* # (N=6)	27.5±7.84 (N=4)
<b>Ca<sup>2+</sup> signal of individual LCR (ms*um*F/F0)</b>	305.82±29.04 (N=187)	368.52±29.6 (N=178)	299.06±35.69 (N=110)	669.62±86.86** ## ^^ (N=110)