The emerging role of galectins and O-GlcNAc homeostasis in processes of

cellular differentiation


Rada Tazhitdinova and Alexander V. Timoshenko

Department of Biology, The University of Western Ontario, London, Ontario, Canada, N6A 5B7


Galectin name	Concentration
Galectin-1	19 µg/L
Galectin-2	n.d.
Galectin-3	2.3 μg/L
Galectin-4	92 ng/L
Galectin-7	3.7 μg/L
Galectin-8	n.d.
Galectin-9	n.d.
Galectin-10	240 ng/L
Galectin-12	n.d.
Galectin-13	n.d.
Galectin-14	n.d.
Galectin-16	n.d.

Table S1. Galectins detected in the human plasma by mass spectrometry


Notes: The data were extracted (June 28, 2020) from The Human Protein Atlas portal (https://www.proteinatlas.org/humanproteome/blood/proteins+detected+in+ms); n.d., no data.




B




С






Ε










Figure S1. Galectin protein expression patterns in normal human tissues. The data were extracted from The Human Protein Atlas portal, Protein Atlas version 19.3 (<u>https://www.proteinatlas.org/</u>). **A**, galectin-1, low tissue specificity; **B**, galectin-2, group enriched tissue specificity; **C**, galectin-3, low tissue specificity; **D**, galectin-4, group enriched tissue specificity; **E**, galectin-7, group enriched tissue specificity; **F**, galectin-8, low tissue specificity; **G**, galectin-9, low tissue*/tissue enhanced specificity; **H**, galectin-10, tissue enhanced specificity. The Human Protein Atlas does not list data on the expression of galectins 12, 13, 14, and 16 at protein levels. The primary reference: Uhlén M et al, 2015. **Tissue-based map of the human proteome.** *Science* PubMed: 25613900 DOI: 10.1126/science.1260419