



Editorial Special Issue "Salinization of Water Resources: Ongoing and Future Trends"

Nicolò Colombani 回

Department of Science and Engineering of Materials, Environmental Sciences and Urban Planning, Polytechnic University of Marche, Via Brecce Bianche 12, 60131 Ancona, Italy; n.colombani@univpm.it; Tel.: +39-071-220-4743

1. Introduction

All over the Earth, more and more studies have shown the effects of climate changes generated by anthropic release of greenhouse gasses on the hydrological cycle [1,2]. These have induced changes in precipitation patterns as well as changes in actual and potential evapotranspiration [3], which in turn may decrease the recharge rates towards the aquifers while increasing the surface runoff towards the oceans [4–6]. Within this changing framework, the salinization of water resources has been already recognized as a widespread phenomenon affecting many areas throughout the globe, especially in coastal environments [7–9]. The already increased demand of freshwater triggered by climate change and the consequent land use changes, has intensified the research on water resources salinization and the feasible techniques aimed at mitigating such effects, such as for example the wastewater reuse via managed aquifer recharge systems [10,11]. Recently the research efforts on the effects of climate change have seen a shift from the above ground components towards the subsurface components of the hydrologic cycle [12]. Nevertheless, substantial gaps have to be filled yet to fully understand the impact of climate change on groundwater quality and the interconnected groundwater dependent ecosystems. To tackle this complex problem holistic approaches can be employed using different techniques such as remote sensing, hydrogeological, geophysical and geochemical techniques. The different kind of acquired data can then be employed to calibrate and validate process based numerical models, which are robust tools to improve our subsurface conceptual models necessary to manage the ongoing and future water resources use. The limited understanding of the ongoing and future effects of climate change on groundwater quality has therefore motivated the conception of this Special Issue.

2. Contributions

The principal objective of this Special Issue of Water is to present the latest research on the quantification of surface and groundwater salinization processes in the surface water–soil–aquifer continuum. The most susceptible zones to such processes are coastal areas, which are also the most populated regions of the Earth. In such areas, the significant increases in sea level and atmospheric temperatures due to climate change could exacerbate water resources salinization. However, even areas distant from the sea can be threatened by water resource salinization, for example: in arid areas evapoconcentration processes can lead to salt accumulation and soil salinization; while in mining areas formation waters are pumped away for excavation purposes can threaten surface waters. From its first announcement, and after being thoroughly peer-reviewed, seven papers have been accepted for publication [13–19]. The contributions come from field studies scattered around the world, with 3 papers from Italy, 1 from Australia, 1 from China, 1 from Ecuador and 1 from Argentina; highlighting that these problems are already affecting the whole world. To obtain a full comprehension of the ideas collected by this Special Issue, a brief synopsis of each published paper is reported here below.



Citation: Colombani, N. Special Issue "Salinization of Water Resources: Ongoing and Future Trends". *Water* 2022, *14*, 1806. https://doi.org/ 10.3390/w14111806

Received: 31 May 2022 Accepted: 2 June 2022 Published: 3 June 2022

Publisher's Note: MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



Copyright: © 2022 by the author. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (https:// creativecommons.org/licenses/by/ 4.0/).

A field and numerical study on the actual and predicted salinization processes in the Volturno River mouth (Southern Italy), which hosts a fragile nature reserve highly sensitive to salinity variations has been published as the first paper of this Special Issue [13]. The results of this study highlighted that the predicted changes in recharge or evapotranspiration will not dramatically increase the groundwater salinization at this site, while an increase of the seawater wedge is forecasted by forcing the model with the higher range of IPCC predicted sea level rise. Another field study located in the low-lying coastal area of Ravenna (North-eastern Italy) focused on statistical analysis of the water drainage longtime series (1971–2017) to identify and assess salinization factors [14]. The results showed that subsidence rates and seepage from the unconfined aquifer are the most significant salinization factors. The trend data analysis also indicated that the climate, played a minor role during the studied time interval, while over pumping for land reclamation could exacerbate water salinization. The third paper published in this Special Issue provided a background to the salinity issue in the Murray–Darling Basin (Australia), then reviewed the salinity management strategies, the various actions that have been implemented through these strategies to control salinity, and the role of the recent Basin Plan in salinity management [15]. Another contribution of this Special Issue tackled soil salinity determination via hyperspectral data measured using an analytical spectral device field spectrometer and satellite sensor visible shortwave infrared advanced hyperspectral imager. The comparison of the two techniques were consistent when the soil salinity was relatively low (1-10 g/kg)and thus providing promising results to obtain cost effective mapping of soil salinity in inaccessible areas [16]. On a different line of research, the study presented by Carrión-Mero et al. [17] analyzed the Manglaralto coastal aquifer (Ecuador), which is affected by water resource scarcity, with a variable density flow and transport model individuating the key zones for artificial recharge. Another important contribution of this Special Issue used a holistic approach (lithological, hydrochemical, isotopic and geophysical surveys) to study the salinization processes affecting Pleistocene and Holocene beach ridges of the northern Patagonian coast [19]. Finally, a field study located between the margin of the Southern Venice lagoon and the Northern Po delta (Italy), closes this Special Issue. This study proposed a new vulnerability assessment method to land salinization, combining the depth of the freshwater/saltwater interface and the electrical resistivity of the shallow subsoil that could be widely used in low ling areas [19].

I sincerely hope that, with the papers published in this Special Issue, the topic of salinization of water resources will collect more and more consideration by the specialized and general scientific community throughout the world.

Funding: This research received no external funding.

Institutional Review Board Statement: Not applicable.

Informed Consent Statement: Not applicable.

Conflicts of Interest: The author declares no conflict of interest.

References

- Padrón, R.S.; Gudmundsson, L.; Decharme, B.; Ducharne, A.; Lawrence, D.M.; Mao, J.; Peano, D.; Krinner, G.; Kim, H.; Seneviratne, S.I. Observed changes in dry-season water availability attributed to human-induced climate change. *Nat. Geosci.* 2020, 13, 477–481. [CrossRef]
- 2. Dai, A. Increasing drought under global warming in observations and models. Nat. Clim. Change 2013, 3, 52–58. [CrossRef]
- Dai, A.; Zhao, T.; Chen, J. Climate Change and Drought: A Precipitation and Evaporation Perspective. *Curr. Clim. Chang. Rep.* 2018, 4, 301–312. [CrossRef]
- Havril, T.; Tóth, Á.; Molson, J.; Galsa, A.; Mádl-Szőnyi, J. Impacts of predicted climate change on groundwater flow systems: Can wetlands disappear due to recharge reduction? *J. Hydrol.* 2018, 563, 1169–1180. [CrossRef]
- 5. Taylor, R.G.; Scanlon, B.; Döll, P.; Rodell, M.; Van Beek, R.; Wada, Y.; Longuevergne, L.; Leblanc, M.; Famiglietti, J.S.; Edmunds, M.; et al. Ground water and climate change. *Nat. Clim. Chang.* **2013**, *3*, 322–329. [CrossRef]
- 6. Green, T.R.; Taniguchi, M.; Kooi, H.; Gurdak, J.J.; Allen, D.M.; Hiscock, K.M.; Treidel, H.; Aureli, A. Beneath the surface of global change: Impacts of climate change on groundwater. *J. Hydrol.* **2011**, 405, 532–560. [CrossRef]

- Mastrocicco, M.; Colombani, N. The Issue of Groundwater Salinization in Coastal Areas of the Mediterranean Region: A Review. Water 2021, 13, 90. [CrossRef]
- 8. Corwin, D.L. Climate change impacts on soil salinity in agricultural areas. Eur. J. Soil Sci. 2021, 72, 842–862. [CrossRef]
- 9. Chen, J.; Mueller, V. Coastal climate change, soil salinity and human migration in Bangladesh. *Nat. Clim. Chang.* **2018**, *8*, 981–985. [CrossRef]
- 10. Salgot, M.; Folch, M. Wastewater treatment and water reuse. Curr. Opin. Environ. Sci. Health 2018, 2, 64–74. [CrossRef]
- 11. Bixio, D.; Thoeye, C.; De Koning, J.; Joksimovic, D.; Savic, D.; Wintgens, T.; Melin, T. Wastewater reuse in Europe. *Desalination* **2006**, *187*, 89–101. [CrossRef]
- 12. Cuthbert, M.O.; Gleeson, T.; Moosdorf, N.; Befus, K.M.; Schneider, A.; Hartmann, J.; Lehner, B. Global patterns and dynamics of climate–groundwater interactions. *Nat. Clim. Chang.* **2019**, *9*, 137–141. [CrossRef]
- 13. Mastrocicco, M.; Busico, G.; Colombani, N.; Vigliotti, M.; Ruberti, D. Modelling Actual and Future Seawater Intrusion in the Variconi Coastal Wetland (Italy) Due to Climate and Landscape Changes. *Water* **2019**, *11*, 1502. [CrossRef]
- 14. Giambastiani, B.M.S.; Macciocca, V.R.; Molducci, M.; Antonellini, M. Factors Affecting Water Drainage Long-Time Series in the Salinized Low-Lying Coastal Area of Ravenna (Italy). *Water* **2020**, *12*, 256. [CrossRef]
- 15. Hart, B.; Walker, G.; Katupitiya, A.; Doolan, J. Salinity Management in the Murray–Darling Basin, Australia. *Water* 2020, *12*, 1829. [CrossRef]
- 16. Wang, L.; Zhang, B.; Shen, Q.; Yao, Y.; Zhang, S.; Wei, H.; Yao, R.; Zhang, Y. Estimation of Soil Salt and Ion Contents Based on Hyperspectral Remote Sensing Data: A Case Study of Baidunzi Basin, China. *Water* **2021**, *13*, 559. [CrossRef]
- 17. Carrión-Mero, P.; Montalván, F.; Morante-Carballo, F.; de Valgas, C.L.-F.; Apolo-Masache, B.; Heredia, J. Flow and Transport Numerical Model of a Coastal Aquifer Based on the Hydraulic Importance of a Dyke and Its Impact on Water Quality: Manglaralto—Ecuador. *Water* 2021, *13*, 443. [CrossRef]
- Carol, E.; Perdomo, S.; Álvarez, M.D.P.; Tanjal, C.; Bouza, P. Hydrochemical, Isotopic, and Geophysical Studies Applied to the Evaluation of Groundwater Salinization Processes in Quaternary Beach Ridges in a Semiarid Coastal Area of Northern Patagonia, Argentina. *Water* 2021, *13*, 3509. [CrossRef]
- 19. Tosi, L.; Da Lio, C.; Bergamasco, A.; Cosma, M.; Cavallina, C.; Fasson, A.; Viezzoli, A.; Zaggia, L.; Donnici, S. Sensitivity, Hazard, and Vulnerability of Farmlands to Saltwater Intrusion in Low-Lying Coastal Areas of Venice, Italy. *Water* **2022**, *14*, 64. [CrossRef]