

Table S1: Sedimentological dataset

Beach Samples	>4000 $\mu\text{m}$	4000 $\mu\text{m}$	2000 $\mu\text{m}$	1000 $\mu\text{m}$	500 $\mu\text{m}$	250 $\mu\text{m}$	125 $\mu\text{m}$	63 $\mu\text{m}$	32 $\mu\text{m}$	16 $\mu\text{m}$	8 $\mu\text{m}$	%CaCO <sub>3</sub>
OR46SS	0	0	0.08	28.42	69.79	1.7	0.01	0	0	0	0	0.0
OR50BK	0	0.05	0.38	23.97	72.4	3.09	0.09	0.02	0	0	0	0.0
OR72SS	0	0	0.02	16.03	82.94	1.01	0	0	0	0	0	0.0
OR76BK	0	0.32	0.55	23.18	69.3	6.65	0.01	0	0	0	0	0.0
OR76SS	0	0	0.92	25.28	68.37	5.32	0.09	0.03	0	0	0	0.0
OR78BK	0	2.69	1.15	28.09	67.39	0.68	0	0	0	0	0	0.0
ORN17BT	0	0	0.02	1.6	72.17	25.51	0.69	0.02	0	0	0	48.0
ORArb1SE	0	0	0.6	15.78	40.76	33.18	9.37	0.31	0	0	0	5.0
ORArb1BT	0	0	0.11	25.46	62.94	8.36	2.93	0.19	0	0	0	2.0
ORArb2BT	0	0	0.11	2.41	65.03	29.06	3.28	0.07	0	0	0	3.0
ORArb3BT	0	0	0.09	6.3	69.3	17.15	6.79	0.35	0	0	0	1.0
ORArb5SS	0	0.28	0.39	15.33	36.27	16.42	27.88	3.43	0	0	0	11.0
ORArb2SS	0	0	4.12	14.84	22.55	37.79	19.02	1.59	0	0	0	1.0
ORArb9BT	0	0	1.78	42.33	19.55	19.02	16.37	0.95	0	0	0	1.0
ORArb7SE	0	0	1.44	5.86	23.5	30	35.54	3.65	0	0	0	14.0
OR78SS	0	0.16	22.34	35.53	12.36	22.87	6.23	0.52	0	0	0	0.0
ISATR6BK	0	0.25	3.58	28.39	37.51	25.45	4.48	0.35	0	0	0	51.0
ISATR4BK	0	0.21	2.72	31.17	41.21	20.88	3.68	0.13	0	0	0	48.0
ISATR2BK	0	0.45	5	8.92	27.17	47.02	11.36	0.07	0	0	0	42.0
ISATR1BK	0	4.49	19.92	24.91	25.24	22.42	3	0.03	0	0	0	43.0
ISATR3BK	0	0.32	2.65	14.23	41.25	34.43	7.02	0.1	0	0	0	51.0
MLSNBT	0	0.1	3.67	45.71	39.01	10.16	1.34	0.02	0	0	0	55.0
MLNBT	0	0.04	2.81	17.65	59.21	20.19	0.11	0	0	0	0	65.0
MLSSBT	0	1.64	4.11	15.59	45.95	29.08	3.56	0.06	0	0	0	66.0
MLNCBK	0	0.36	1.25	9.4	37.46	40.1	11.25	0.18	0	0	0	69.0
SRTNBT	0	0	0.04	12.97	63.54	16.33	7.06	0.06	0	0	0	66.0

SRTCBT	0	0	0.07	61.56	34.81	2.28	1.28	0	0	0	0	43.0
PZCSS	0	0.02	0.03	0.62	60.14	38.56	0.62	0.01	0	0	0	33.0
PZINBT	0	0.04	0.16	4	61.61	16.81	17.13	0.25	0	0	0	27.0
SG-45A	0	0.58	7.01	29.19	34.53	25.88	2.82	0	0	0	0	46.0
SG-A5	0	0.15	0.58	19.84	57.63	20.47	1.32	0.01	0	0	0	30.0
SG-A6	0	0	1.24	36.85	39.81	20.18	1.91	0	0	0	0	41.0
SG-B6	0	1.2	0.93	12.68	43.87	35.44	5.87	0.02	0	0	0	61.0
SG-B7	0	0.05	1.62	25.96	35.75	29.64	6.97	0	0	0	0	48.0
SG-D5	0	0.15	0.65	17.51	66.84	14.09	0.76	0	0	0	0	23.0
SG-C5	0	2.9	12.76	38.01	31.75	12.01	2.49	0.07	0	0	0	27.0
SG-D6	0	0.1	2.52	35.9	38.88	19.52	3.08	0	0	0	0	39.0
SG-Sot Tor Bat	0	0.13	1.96	35.74	56	5.79	0.39	0	0	0	0	22.0
ma6a	0	0.03	4.51	18.43	41.24	15.27	13.6	5.37	1.51	0.04	0	0.0
ma7a	0	0	1.88	6.55	43.42	22.05	17.83	6.54	1.69	0.04	0	0.0
ma7b	0	0.02	6.77	8.67	40.82	15.82	17.05	8.19	2.57	0.08	0	0.0
OR84SS	0	0.02	0.04	0.24	1.77	31.06	65.07	1.78	0	0	0	0.0
OR62BK	0	0	0.02	0.34	0.68	31.72	66.48	0.76	0	0	0	0.0
ORN26SS	0	0	0.15	0.26	4.59	33.74	43.32	15.19	2.74	0	0	69.0
ORN18SS	0	0.03	0.48	2.56	24	33.11	17.86	17.74	4.21	0	0	70.0
ORN17SS	0	0	0.14	0.71	8.17	18.27	18.46	42.19	12.06	0	0	74.0
ORArb1SS	0	0	0.15	5.34	8	19.9	55.4	11.22	0	0	0	4.0
ORArb3SS	0	0	0.25	0.55	0.7	8.8	78.16	11.54	0	0	0	8.0
ORArb4SS	0	0.18	0.4	6.45	11.97	20.6	55.63	4.78	0	0	0	5.0
ORArb6SS	0	0	0.18	0.69	2.75	20.11	65.33	10.94	0	0	0	6.0
ORArb6SE	0	0	0	0.13	0.3	13.2	79.4	6.97	0	0	0	6.0
ORArb6BT	0	0	0.44	1.39	3.27	6.11	59.28	29.5	0	0	0	23.0
ORArb7SS	0	0.77	1.32	1.98	1.51	4.15	75.93	14.34	0	0	0	24.0
ORArb7BT	0	0.08	0.66	1.8	7.97	14.38	66.06	9.05	0	0	0	7.0
ORArb9SS	0	0.91	5.95	10.1	5.03	13.43	47.96	16.61	0	0	0	2.0
MLNCBT	0	0.24	0.48	2.78	7.17	28.79	57.47	3.07	0	0	0	67.0

MLNNSS	0	0.43	1.27	3.82	11.32	34.7	46.32	2.14	0	0	0	63.0
MLNNBK	0	0	0.07	0.08	3	42.68	53.81	0.35	0	0	0	57.0
SESCSSS	0	0.44	0.84	1.19	1.96	10.65	83.54	1.37	0	0	0	27.0
SESCNBK	0	0	0	0.01	0.04	3.71	95.07	1.17	0	0	0	43.0
SESCNSS	0	0	0.23	1.05	3.72	12.41	81.87	0.72	0	0	0	27.0
SESCSBT	0	0	0	0.02	0.05	4.68	93.23	2.02	0	0	0	17.0
SESCNBT	0	0	0.01	0.1	0.48	4.77	92.05	2.59	0	0	0	2.0
SESCSBK	0	0.88	2.24	3.51	4.76	11.65	75.28	1.68	0	0	0	35.0
SRTNBK	0	0	0	0.02	0.01	2.05	96.47	1.45	0	0	0	53.0
SRTSBT	0	0	0.05	0.26	1.63	14.09	83.32	0.66	0	0	0	72.0
SRTC BK	0	0.14	0.05	0.23	0.64	7.3	89.87	1.77	0	0	0	34.0
SRTNSS	0	0.08	0.35	8.61	21.65	20.39	48.14	0.78	0	0	0	59.0
PZICBK	0	0	0.04	2.95	17.83	16.11	61.88	1.19	0	0	0	36.0
PZISBT	0	0	0.01	0.05	0.3	8.58	89.84	1.22	0	0	0	40.0
PZICBT	0	0.81	3.74	8.52	26.23	9.07	50.33	1.29	0	0	0	36.0
PZINBK	0	0	0	0.69	20.19	21.04	57.08	0.99	0	0	0	30.0
er4e	0	0.11	0.25	0.02	0.94	13.44	16.2	29.82	35.96	3.01	0.25	60.0
er5d	0.52	2.78	4.66	0.14	0.85	14.42	16.24	25.69	31.61	2.82	0.29	52.0
ma9a	0	0	0.04	0.18	19.94	27.64	27.67	17.44	6.89	0.18	0.01	0.0
ma9b	0	0	0.58	0.7	28.02	30.39	25.41	11.11	3.68	0.11	0.01	0.0
ma7d	0	0	0.01	0.56	20.47	24.48	28.48	17.97	7.78	0.24	0.02	69.9
ma9d	0	0.04	0.07	0.78	24.74	26.71	30.49	13	4.03	0.14	0.01	70.4
OR42BK	0	0.25	0.12	0.58	29.46	57.46	12.03	0.1	0	0	0	0.0
OR46BK	0	0.38	0.08	1.27	52.12	42.88	3.25	0.03	0	0	0	0.0
OR86BK	0	0.06	0.08	0.4	14.41	68.83	15.99	0.23	0	0	0	0.0
OR84BK	0	0	0.02	0.03	2.86	69.3	27.23	0.57	0	0	0	0.0
ORN28BT	0	0.11	0.32	0.11	9.12	69.26	20.77	0.31	0	0	0	74.0
ORN34BT	0	0	0.01	0.22	15.8	67.24	16.53	0.19	0	0	0	17.0
ORN18BT	0	0.06	0.22	0.77	29.67	64.95	4.32	0.02	0	0	0	67.0
ORArb2SE	0	0	0.07	0.38	17.98	70.44	10.73	0.4	0	0	0	1.0
ORArb3SE	0	0	0	0.34	46.89	25.77	26.39	0.6	0	0	0	5.0

ORArb4SE	0	0	0	0.74	20.79	46.3	31.76	0.41	0	0	0	3.0
ORArb4BT	0	0.11	0	0.36	23.41	50.95	24.88	0.29	0	0	0	3.0
ORArb5BT	0	0.11	0.1	4.16	50.09	32.28	12.76	0.5	0	0	0	7.0
ORArb5SE	0	0.13	0.14	0.89	23.59	56.77	18.06	0.41	0	0	0	9.0
ORArb9SE	0	0	0	4.81	30.63	38.23	25.19	1.13	0	0	0	3.0
MLSNBK	0	0.33	0.51	5.61	39.02	43.67	10.69	0.18	0	0	0	65.0
MLNSBK	0	0.14	1.07	5	11.71	38.85	41.93	1.31	0	0	0	76.0
MLNSBT	0	0	0	1.39	11.85	52.92	33.54	0.29	0	0	0	64.0
MLSSBK	0	0.05	0.07	0.46	4.18	47.27	46.99	0.98	0	0	0	67.0
SRTCSS	0	0	0	0.35	32.63	31.37	35.24	0.41	0	0	0	60.0
SRTSBK	0	0	0	2.05	36	40.36	21.38	0.21	0	0	0	67.0
PZISSS	0	0	0.01	0.05	19.67	49.22	30.98	0.08	0	0	0	29.0
PZISBK	0	0	0	0.36	56.32	28.09	15	0.23	0	0	0	27.0
PZINSS	0	0.01	0.5	1.82	37.06	57.42	3.17	0.01	0	0	0	33.0
SG-A1	0	0	0	0.01	3.46	58.87	37.54	0.12	0	0	0	84.0
SG-A2	0	0.03	0.03	0.04	11.69	63.74	24.36	0.11	0	0	0	78.0
SG-B1	0	0	0.07	0.11	9.22	66.32	24.11	0.18	0	0	0	73.0
SG-B2	0	0.02	0.04	0.65	19.64	57.51	21.82	0.32	0	0	0	46.0
SG-B3	0	0	0.02	0.12	6.4	55.46	37.17	0.84	0	0	0	69.0
SG-C2	0	0.05	0.05	1.5	33.93	50.11	14.2	0.16	0	0	0	78.0
SG-C3	0	0	0.04	1.63	30.69	56.15	11.49	0	0	0	0	100.0
SG-D3	0	0	0.02	2.88	27.91	54.38	14.69	0.12	0	0	0	86.0
SG-D4	0	0	0	3.12	40.42	52.14	4.32	0	0	0	0	73.0
SG-A3	0	0	0	0	4.71	67.65	27.61	0.03	0	0	0	67.0
SG-A4	0	0	0.02	0.03	2.86	58.14	38.84	0.12	0	0	0	70.0
SG-B4	0	0	0.03	0.98	37.72	50.17	10.98	0.1	0	0	0	69.0
SG-B5	0	0	0	0.05	16.68	64.47	18.61	0.19	0	0	0	82.0
SG-C4	0	0	0	1.25	42.24	49.53	6.97	0.02	0	0	0	78.0
SG-D2	0	0	0	0.32	23.2	58.74	17.69	0.05	0	0	0	76.0
SG-45B	0	0	0.01	1.38	19.43	61.98	17.1	0.1	0	0	0	74.0

SG-Sot Tor Pied Du	0	0	0.09	0.71	27.51	61.74	9.86	0.09	0	0	0	71.0
OR54SS	0	6.29	55.95	12.81	4.55	11.26	6.96	2.18	0	0	0	0.0
OR68BK	0	1.3	50.46	37.32	5.5	3.51	1.03	0.88	0	0	0	0.0
MLNCSS	0	18.18	44.94	30.31	3.94	1.02	1.54	0.06	0	0	0	67.0
er1a	8.89	60.26	30.83	0.01	0	0	0	0	0	0	0	0.0
er1b	4.64	32.57	61.96	0.79	0.05	0	0	0	0	0	0	0.0
er1c	3.59	21.25	70.99	2.47	0.91	0.25	0.28	0.16	0.09	0	0	76.0
er2a	0.3	3.66	85.21	2.24	1.28	2.23	2.02	1.8	1.2	0.06	0	0.0
er2b	2.49	8.17	73.6	2.54	1.8	2.63	2.9	3.12	2.58	0.16	0.01	0.0
er2c	0.89	10.67	73.54	5.78	1.07	2.04	2.17	2.03	1.69	0.11	0.01	6.0
er3a	0.11	7.12	78.29	0.89	1.42	2.9	2.86	3.27	2.97	0.16	0.01	0.0
er3b	0.03	0.68	61.17	3.6	4.2	7.71	8.17	7.94	6.13	0.34	0.02	0.0
er3c	0.22	1.48	59.46	10.03	2.49	5.83	7.02	7.18	5.85	0.41	0.03	19.0
er4a	0	0.14	64.9	7.2	2.74	7.13	6.7	6.67	4.3	0.21	0.01	0.0
er4b	0	0.23	56.94	3.97	3.14	9.83	7.54	9.91	7.95	0.47	0.04	0.0
er4c	0	0.4	50.4	10.52	5.07	8.74	10.32	8.39	5.85	0.29	0.02	25.0
er5a	0.25	2.71	59.01	4.43	2.73	8.57	9.31	8.21	4.56	0.21	0.01	0.0
er5b	0	0.51	90.19	0.33	0.65	2.13	2.15	2.02	1.89	0.13	0.01	0.0
er5c	0.14	2.15	59.43	2.89	2.58	6.98	6.05	9.04	9.95	0.74	0.06	22.0
er6a	0	0.41	58.38	11.61	3.16	6.81	6.63	7	5.68	0.29	0.02	0.0
er6b	0	0.36	39.47	4.18	2.17	10.55	11.55	15.38	15.24	1.01	0.08	0.0
er6c	0.07	1.39	63.7	2.29	4.32	6.82	7.14	7.87	6.04	0.33	0.03	21.0
er7a	0.63	4.06	76.26	11.42	0.93	1.83	2.08	1.74	1	0.05	0	0.0
er7b	0.11	0	88.95	1.67	1.47	2.46	2.71	1.77	0.84	0.03	0	0.0
er7c	0.05	2.08	56.36	4.41	4.88	8.94	9.13	8.1	5.74	0.29	0.02	25.0
er3d	11.05	25.5	54.88	0.28	0.41	1.46	1.77	2.29	2.19	0.17	0.01	6.0
er4d	7.91	9.65	13.45	0.33	2.05	10.26	10.78	19.51	23.97	1.93	0.17	60.0
er7d	1.71	15.91	36.87	0.99	2.73	7.33	9.9	12.36	11.26	0.87	0.07	29.0
ar0a	2.13	4.56	85.87	5.38	0.56	0.39	0.45	0.36	0.27	0.02	0	0.0
ar0b	0	0	78.16	15.69	3.63	0.8	0.94	0.48	0.28	0.02	0	0.0

ar0c	0.07	0.3	89.23	10.15	0.26	0	0	0	0	0	0	0.0
ar1a	0.53	0.69	59.83	36.7	1.22	0.23	0.37	0.24	0.17	0.01	0	0.0
ar1b	0	0.05	53.5	40.56	2.83	0.95	1.13	0.63	0.31	0.02	0	0.0
ar1c	0.13	0.63	83.37	15.61	0.25	0	0	0	0	0	0	0.0
ar2a	0	0.19	82.81	16.23	0.58	0.06	0.09	0.03	0.01	0	0	0.0
ar2b	0.07	1.22	74.1	24.57	0.04	0	0	0	0	0	0	0.0
ar2c	0	0.08	85.06	14.8	0.06	0	0	0	0	0	0	0.0
ar3a	3.93	15.21	76.16	4.68	0.02	0	0	0	0	0	0	0.0
ar3b	0.14	3.91	74.37	21.52	0.07	0	0	0	0	0	0	0.0
ar3c	0	0.59	98.97	0.26	0.18	0	0	0	0	0	0	0.0
ar0d	15.79	10.4	68.18	4.99	0.63	0	0	0	0	0	0	0.0
ar1d	16.2	6.58	53.71	21.96	1.54	0	0	0	0	0	0	0.0
ar2d	2.7	6.28	84.12	6.75	0.14	0	0	0	0	0	0	0.0
ma1a	2.65	16.24	80.77	0.28	0.05	0	0	0	0	0	0	0.0
ma1b	0.37	6.72	92.14	0.74	0.03	0	0	0	0	0	0	0.0
ma1c	0.06	1.63	97.01	1.19	0.11	0	0	0	0	0	0	0.1
ma2a	5.61	8.84	54	26.48	1.71	1.27	1.16	0.67	0.27	0.01	0	0.0
ma2b	0	0.53	75.65	23.79	0.02	0	0	0	0	0	0	0.0
ma2c	0	0.07	71.76	28.05	0.12	0	0	0	0	0	0	0.1
ma3c	0	0.29	66.59	31.65	1.18	0.12	0.12	0.03	0.01	0	0	0.3
ma5c	0.37	0.73	71.99	25.33	1.1	0.19	0.21	0.07	0.02	0	0	2.9
ma8c	0.03	0.57	85.19	12.93	0.6	0.24	0.26	0.13	0.04	0	0	3.0
OR54BK	0	1.56	8.15	72.67	17.6	0.01	0	0	0	0	0	0.0
OR82BK	0	0.4	0.86	68.23	30.24	0.23	0.02	0.01	0	0	0	0.0
OR68SS	0	0	0.58	84.75	14.64	0.03	0	0	0	0	0	0.0
OR62SS	0	1.12	1.33	49.16	47.18	0.8	0.37	0.03	0	0	0	0.0
OR72BK	0	0.35	4.89	80.68	13.99	0.03	0.04	0.03	0	0	0	0.0
OR86SS	0	4.77	13.07	50.76	31.04	0.32	0.04	0.01	0	0	0	0.0
OR82SS	0	7.41	12.22	60.35	19.84	0.12	0.06	0	0	0	0	0.0
OR50SS	0	1.2	30.86	60.35	6.81	0.73	0.05	0	0	0	0	0.0
ORN30BT	0	5.59	21.49	39.04	31.43	1.95	0.42	0.09	0	0	0	71.0

ORN36BT	0	4.48	28.28	27.13	10.62	13.76	14.01	1.72	0	0	0	15.0
ISATR5BK	0	1.62	26.42	54.69	14.01	3.06	0.19	0.02	0	0	0	47.0
MLSNSS	0	7.19	22.94	28.67	18.84	15.32	6.99	0.05	0	0	0	64.0
ma3a	0	0.56	31.98	51.28	11.09	2.03	2.15	0.72	0.19	0.01	0	0.0
ma3b	0	0.08	23.72	71.95	3.26	0.39	0.44	0.13	0.04	0	0	0.0
ma4a	0	0.08	9.43	24.52	38.15	10.09	10.7	5.21	1.77	0.05	0	0.0
ma4b	0	0.1	11.99	47.67	25.39	5.38	6.5	2.29	0.66	0.02	0	0.0
ma4c	0	0.16	21.58	50.79	17.62	3.95	4.19	1.34	0.38	0.01	0	32.2
ma5a	0.25	1.17	14.98	16.18	28.31	14.4	15.3	6.94	2.38	0.1	0	0.0
ma5b	0	0	7.86	41.2	32.38	6.41	7.69	3.46	0.98	0.03	0	0.0
ma6b	0	0	8.76	41.62	28.8	7.8	8.86	3.19	0.93	0.03	0	0.0
ma6c	0	0.15	36.41	36.34	14.63	5.28	4.98	1.66	0.54	0.02	0	20.4
ma8a	0	0.14	12.65	19.73	24.54	14.66	18.46	7.52	2.22	0.07	0	0.0
ma8b	0	0.05	33.19	29.08	14.1	9.25	9.92	3.38	1	0.03	0	0.0
ma9c	0	0.02	15.47	10.67	23.53	18.81	18.32	9.71	3.35	0.11	0.01	52.8
SSDs Samples												
F65-008_04-11	0.0	4.5	10.0	14.3	29.5	34.0	6.8	1.0	0.0	0.0	0.0	28.9
B24	0.0	0.0	0.6	3.1	29.8	47.8	18.3	0.4	0.0	0.0	0.0	35.0
B48	0.0	8.9	8.7	14.0	27.3	32.5	8.0	0.6	0.0	0.0	0.0	18.2
F65-002_0-10	0.0	0.2	1.7	27.0	53.0	16.6	1.5	0.1	0.0	0.0	0.0	6.5
B11	0.0	7.9	9.4	35.6	35.3	10.2	1.4	0.1	0.0	0.0	0.0	9.0
B45	0.0	2.5	8.3	30.3	47.0	6.1	4.5	1.2	0.0	0.0	0.0	32.9
B52	0.0	11.1	11.6	23.1	34.2	16.9	2.9	0.2	0.0	0.0	0.0	3.0
B53	0.0	14.8	3.5	23.1	44.2	8.0	5.1	1.5	0.0	0.0	0.0	13.3
B56	0.0	1.1	3.8	10.0	65.6	17.3	2.1	0.2	0.0	0.0	0.0	60.0
B57	0.0	0.5	3.2	22.0	55.3	16.2	2.6	0.2	0.0	0.0	0.0	64.5
B58bis	0.0	5.2	14.0	39.1	26.8	13.2	1.7	0.1	0.0	0.0	0.0	74.8
B6	0.0	0.4	1.1	2.1	12.3	37.8	40.7	5.5	0.0	0.0	0.0	65.1
B7	0.0	0.1	0.5	1.6	6.5	30.1	53.3	8.0	0.0	0.0	0.0	77.7
B9	0.0	0.1	0.2	0.8	5.5	35.6	53.3	4.4	0.0	0.0	0.0	69.6

B18	0.0	0.1	1.1	2.2	7.9	29.3	50.1	9.4	0.0	0.0	0.0	59.0
B22	0.0	0.0	0.3	0.4	4.2	33.7	57.8	3.6	0.0	0.0	0.0	29.3
B23	0.0	0.0	0.3	1.1	5.0	34.0	56.8	2.9	0.0	0.0	0.0	41.4
B46	0.0	0.3	0.3	1.0	4.2	37.8	49.6	6.8	0.0	0.0	0.0	24.7
B51	0.0	0.0	0.1	0.5	6.0	35.3	50.7	7.4	0.0	0.0	0.0	67.0
F65-007_03-06	0.0	0.0	0.1	0.3	2.1	13.7	56.7	27.0	0.0	0.0	0.0	99.4
F65-006	0.0	0.0	0.2	0.6	2.3	16.6	67.8	12.5	0.0	0.0	0.0	37.7
B10	0.0	0.1	0.5	1.7	5.9	22.6	57.1	12.1	0.0	0.0	0.0	83.2
B12	0.0	0.3	0.8	2.3	5.9	17.8	50.5	22.5	0.0	0.0	0.0	68.1
B19	0.0	0.0	2.2	3.5	4.8	17.9	51.3	20.3	0.0	0.0	0.0	100.0
B20	0.0	0.2	0.9	2.8	4.1	17.1	50.1	24.9	0.0	0.0	0.0	61.5
B25	0.0	0.0	1.0	2.1	3.6	12.0	45.0	36.3	0.0	0.0	0.0	21.7
B27	0.0	0.2	0.6	1.8	4.3	14.8	53.3	24.9	0.0	0.0	0.0	14.7
B28	0.0	1.3	1.3	2.2	3.0	9.8	48.7	33.7	0.0	0.0	0.0	48.5
B29	0.0	0.9	0.5	0.6	2.3	18.6	62.1	15.0	0.0	0.0	0.0	64.4
B30	0.0	0.0	0.1	1.1	4.3	22.6	60.3	11.6	0.0	0.0	0.0	66.0
B31	0.0	0.5	0.7	1.5	2.2	6.8	46.8	41.5	0.0	0.0	0.0	87.7
B43	0.0	0.1	0.7	2.3	4.2	11.0	51.8	29.9	0.0	0.0	0.0	58.0
B44	0.0	0.2	0.7	1.3	3.5	21.7	56.1	16.5	0.0	0.0	0.0	79.0
B47	0.0	0.0	0.9	2.3	3.9	7.7	46.0	39.1	0.0	0.0	0.0	46.6
B49	0.0	1.1	3.2	5.1	7.7	10.1	40.7	32.1	0.0	0.0	0.0	72.3
B32	0.0	0.4	1.4	1.5	1.6	4.5	45.3	45.4	0.0	0.0	0.0	71.9
B33	0.0	0.1	0.3	0.4	0.5	5.6	21.7	71.4	0.0	0.0	0.0	71.8
B34	0.0	1.2	2.2	3.2	2.7	4.3	33.3	53.1	0.0	0.0	0.0	68.5
B35	0.0	0.3	0.5	0.8	1.9	6.4	36.8	53.3	0.0	0.0	0.0	74.3
B36	0.0	0.2	0.2	0.3	0.5	2.0	15.2	81.5	0.0	0.0	0.0	66.6
B37	0.0	0.2	0.4	0.6	1.1	2.3	23.8	71.7	0.0	0.0	0.0	63.1
B38	0.0	0.3	0.5	1.0	1.7	4.9	32.5	59.1	0.0	0.0	0.0	69.5
B39	0.0	0.0	0.0	0.2	0.9	3.2	16.3	79.4	0.0	0.0	0.0	55.5
B40	0.0	0.3	0.6	1.1	1.7	2.9	20.1	73.2	0.0	0.0	0.0	57.2



B41	0.0	0.3	0.3	0.6	1.1	3.9	28.6	65.3	0.0	0.0	0.0	77.8
TR 1-10	0.0	0.0	0.0	0.0	5.9	20.0	67.4	6.7	0.0	0.0	0.0	48.0
TR 1-11	0.0	0.0	0.0	0.0	5.7	21.9	62.0	10.3	0.0	0.0	0.0	56.0
TR 2-8	0.0	0.0	0.0	0.0	7.0	32.3	55.4	5.2	0.0	0.0	0.0	50.0
TR 2-9	0.0	0.0	0.0	0.0	7.1	21.5	56.8	14.5	0.0	0.0	0.0	57.0
TR 2-16	0.0	0.0	0.0	0.0	7.4	24.4	57.4	10.8	0.0	0.0	0.0	75.0
TR 2-18	0.0	0.0	0.0	0.0	7.7	28.6	53.0	10.6	0.0	0.0	0.0	84.0
TR 3-8	0.0	0.0	0.0	0.0	5.5	16.5	64.5	13.4	0.0	0.0	0.0	60.0
TR 3-9	0.0	0.0	0.0	0.0	6.7	20.6	63.2	9.5	0.0	0.0	0.0	68.0
TR 3-11	0.0	0.0	0.0	0.0	5.9	20.0	64.4	9.7	0.0	0.0	0.0	73.0
TR 3-15	0.0	0.0	0.0	0.0	5.8	24.0	62.1	8.1	0.0	0.0	0.0	83.0
F65-003_0-3	0.0	0.0	0.5	0.8	5.5	41.9	47.5	3.8	0.0	0.0	0.0	84.5
B8	0.0	0.1	1.0	1.9	12.2	51.1	31.8	1.9	0.0	0.0	0.0	69.9
B17	0.0	0.0	0.4	1.2	9.8	45.2	41.1	2.3	0.0	0.0	0.0	57.1
B26	0.0	0.0	0.3	1.3	8.6	45.4	41.6	2.8	0.0	0.0	0.0	59.5
B55	0.0	0.0	0.1	1.9	15.2	51.1	30.5	1.1	0.0	0.0	0.0	86.1
B50	0.0	0.7	1.6	3.6	33.5	54.9	4.6	0.9	0.0	0.0	0.0	18.0
B54	0.0	0.1	0.4	2.7	32.2	49.0	14.9	0.6	0.0	0.0	0.0	9.4
TR 1-13 b	0.0	0.0	0.0	0.0	10.0	35.9	51.3	2.8	0.0	0.0	0.0	75.0
TR 2-5 b	0.0	0.0	0.0	0.0	10.7	35.3	52.9	1.1	0.0	0.0	0.0	26.0
TR 2-14 b	0.0	0.0	0.0	0.0	21.5	54.0	23.8	0.5	0.0	0.0	0.0	65.0
TR 2-15	0.0	0.0	0.0	0.0	14.0	46.0	38.1	1.8	0.0	0.0	0.0	73.0
B16	0.0	25.3	15.2	17.4	17.0	14.2	10.3	0.7	0.0	0.0	0.0	57.6
B42	0.0	4.0	17.9	40.9	30.9	5.4	0.7	0.2	0.0	0.0	0.0	6.0
B58	0.0	33.5	11.3	29.4	18.1	6.9	0.7	0.1	0.0	0.0	0.0	61.0
TR 1-1 b	55.8	14.7	3.9	2.2	8.5	7.1	4.8	1.9	0.9	0.1	0.0	0.0
TR 1-5 b	79.2	1.3	1.9	2.0	6.5	3.9	3.1	1.4	0.6	0.1	0.0	0.0
TR 1-6	36.0	1.6	1.3	4.2	24.6	12.2	12.0	5.2	2.6	0.4	0.0	0.0
TR 1-13 a	61.6	1.1	1.0	1.3	3.4	10.8	10.8	4.4	4.5	1.1	0.1	0.0
TR 2-4	71.4	2.2	3.7	2.5	6.4	4.4	5.2	2.3	1.5	0.2	0.0	0.0
TR 3-4 a	73.0	1.8	2.1	4.1	7.6	4.1	4.0	1.6	1.4	0.3	0.0	0.0

TR 1-2	4.5	21.8	22.5	27.5	16.2	2.4	3.0	1.2	0.8	0.2	0.0	0.0
TR 1-8 b	6.5	38.8	39.4	12.8	1.7	0.3	0.3	0.1	0.1	0.0	0.0	0.0
TR 1-9	31.6	26.6	12.9	7.2	12.9	3.2	3.3	1.5	0.8	0.1	0.0	0.0
TR 2-2	22.4	17.7	36.5	14.4	4.6	1.5	1.5	0.6	0.6	0.1	0.0	0.0
TR 2-3	14.6	34.7	22.5	12.4	8.7	2.5	2.4	1.2	0.7	0.1	0.0	0.0
TR 2-7 b	15.7	12.7	19.0	22.4	22.8	2.8	2.7	1.1	0.7	0.1	0.0	0.0
TR 2-11	7.6	15.2	28.3	23.6	19.5	1.9	2.2	1.0	0.7	0.1	0.0	0.0
TR 3-2	10.5	16.5	30.9	26.4	12.4	1.2	1.1	0.6	0.4	0.1	0.0	0.0
TR 3-7	32.5	13.7	23.1	15.8	12.4	0.9	0.8	0.4	0.3	0.1	0.0	0.0
TR 1-4	21.2	6.6	6.9	16.4	33.8	6.1	5.3	2.2	1.2	0.3	0.0	0.0
TR 1-12	16.6	3.4	9.9	37.9	21.0	4.4	4.0	1.5	1.0	0.2	0.0	0.0
TR 1-14 a	11.7	8.8	7.6	30.5	27.7	4.7	5.0	2.3	1.5	0.3	0.0	0.0
TR 1-15	3.5	7.2	6.8	7.7	53.5	7.9	7.7	3.3	2.1	0.4	0.0	0.0
TR 1-16	1.0	0.3	2.8	28.4	42.7	10.6	8.6	3.4	2.0	0.3	0.0	0.0
TR 2-1	0.0	0.6	5.8	24.1	51.1	6.1	6.8	2.9	2.1	0.5	0.0	0.0
TR 2-6	4.9	9.7	21.6	27.8	27.2	3.1	3.4	1.4	0.7	0.1	0.0	0.0
TR 2-7 a	0.7	1.6	12.0	28.9	35.5	7.7	7.3	3.4	2.3	0.4	0.0	0.0
TR 2-10	3.5	11.1	22.6	30.6	24.0	2.7	3.2	1.3	0.8	0.2	0.0	0.0
TR 2-13 a	30.9	3.2	7.4	25.7	19.7	4.9	4.6	2.1	1.3	0.2	0.0	0.0
TR 2-14 a	5.4	3.7	14.2	31.1	37.1	3.3	3.2	1.2	0.7	0.1	0.0	0.0
TR 3-10	4.8	9.1	14.3	18.5	40.3	5.7	4.2	1.7	1.1	0.2	0.0	0.0
TR 3-12	5.3	4.1	3.6	16.2	58.7	4.8	4.1	1.8	1.2	0.2	0.0	0.0
TR 3-13	5.0	8.4	19.8	34.3	24.3	3.8	2.7	1.0	0.6	0.1	0.0	0.0
TR 3-14	2.5	2.6	23.5	40.5	24.8	2.6	2.1	0.8	0.5	0.1	0.0	0.0
TR 4-2	1.2	0.6	10.0	43.5	27.3	5.9	6.0	3.0	2.1	0.4	0.0	0.0