

Supplementary Table S2: Response rates of included patients.

Authors	Total lesions	Response rate (lesions, %)			
		Complete response %	Partial response	Stable disease	Progressive disease
Vernaleone et al. (11)	63	5 (7.9%)	24 (38.1%)	16 (25.4%)	18 (28.6%)
Anstadt et al. (12)	81	45 (55.6%)	17 (21%)	7 (8.6%)	12 (14.8%)
Stintzing et al. (13)	194	107 (65.2%)	22 (13.4%)	27 (16.5%)	9 (5.5%)
Dutta et al. (14)	33	0	3 (17%)	7 (19%)	8 (44.8%)
Berkovic et al. (15)	55	22 (40.7%)	8 (14.8%)	8 (14.8%)	10 (18.5%)
Garcia et al. (16)	17	4 (23.5%)	3 (17.6%)	3 (17.6%)	1 (5.9%)
Vautravers-Dewas et al. (22)	62	41 (38.9%)	8 (13.1%)	5 (8%)	6 (10%)
Stintzing et al. (23)	54	14 (38.9%)	11 (30.5%)	6 (16.7%)	5 (13.9%)
Stintzing et al. (24)	19	0	9 (64.3%)	5 (35.7%)	5 (35.7%)
Ambrosino et al. (25)	27	7 (25.9%)	13 (48.1%)	3 (11.1%)	4 (14.8%)
Total	605	245 (40.5%, 95% CI, 36.66-44.46%)	115 (19.01%, 95% CI, 16.07-22.33%)	87 (14.38%, 95% CI, 11.8-17.41%)	80 (13.22%, 95% CI, 10.74-16.17%)