

Table S1. Search strategy used in the US National Library of Medicine (PubMed) and Medical Literature Analysis and Retrieval System Online (MEDLINE) and adapted to the other sources, according to selected descriptors.

Strategy	Descriptors used
# 1	(suicidal ideation[tiab]) OR (suicide[tiab]) OR (suicide, attempted[tiab]) OR (suicidality[tiab]) OR (parasuicide[tiab]) OR (parasuicidal[tiab]) OR (completed suicide[tiab]) OR (suicidal behavior[tiab]) OR (self-harm[tiab]) OR (self-directed violence[tiab])
# 2	(temporomandibular disorders[tiab]) OR (TMD[tiab]) OR (craniomandibular disorders[tiab]) OR (cranio-mandibular disorders[tiab]) OR (temporo-mandibular disorders[tiab]) OR (TMJ[tiab]) OR (TMJD[tiab]) OR (Costen syndrome[tiab])
# 3	(review[tiab]) OR (narrative review[tiab]) OR (systematic review[tiab]) OR (editorial[tiab]) OR (perspective[tiab]) OR (letter[tiab]) OR (comentary[tiab])
# 5	#1 AND #2 NOT #3
Sort by: Most Recent. Number of papers: 45 Date: 25 March 2022	