

Table S4 Logistic regression analysis including only the female stratum, of the association between symptom clusters (mutually adjusted) and fatigue (yes/ no) as dependent variable (N=245)

Characteristic	OR <sup>1</sup>	95% CI <sup>1</sup>	p-value	q-value <sup>2</sup>
Clustered symptoms: Loss of sense: taste and/ or smell				
0	—	—		
1	2.05	1.02, 4.25	<b>0.049</b>	0.3
Clustered symptoms: Ear, nose and throat	1.01	0.85, 1.19	>0.9	>0.9
Clustered symptoms: Cardiopulmonary	1.21	0.93, 1.57	0.2	0.4
Clustered symptoms: Cognitive and mental	1.45	1.20, 1.76	<b>&lt;0.001</b>	<b>0.002</b>
Clustered symptoms: Locomotor system	1.10	0.81, 1.50	0.5	0.7
Clustered symptoms: Gastrointestinal	0.95	0.72, 1.26	0.7	0.8
Clustered symptoms: Eyes/ Hair/ Skin/ Stings in arms & legs	1.30	0.88, 1.96	0.2	0.4
Age (years)	0.98	0.96, 1.01	0.2	0.4
Body mass index (kg/m <sup>2</sup> )	1.04	0.98, 1.10	0.2	0.4
Smoker status				
Never smoked	—	—		
Ex-smoker	1.49	0.75, 2.95	0.3	0.4
Current smoker	0.53	0.15, 1.65	0.3	0.4
Depression				
0	—	—		
1	1.27	0.43, 3.76	0.7	0.8
Anxiety				
0	—	—		
1	2.14	0.59, 8.08	0.2	0.4

<sup>1</sup>OR = Odds Ratio, CI = Confidence Interval

<sup>2</sup>False discovery rate correction for multiple testing