

**Figure S1.** The protein-coding DNA sequence and amino acid sequence for *B. tabaci* MEAM1 *Lac2* gene. Note: start codon (ATG); stop codon (TGA); glycosylation sites are double-underlined; blue areas are signal peptide site; yellow areas represent copper ion domains

**Figure S1.** The protein-coding DNA sequence and amino acid sequence for *B. tabaci* MEAM1 *Lac2* gene. Note: start codon (ATG); stop codon (TGA); glycosylation sites are double-underlined; blue areas are signal peptide site; yellow areas represent copper ion domains

GATCGACGACATCCCACCAGAGATGTTCTGCAACGGAGACAACAGGCCAGCAGACTGTGGAAGGA  
ACTGTATGTGCACACACAAGGTGGACATTCTCTTCACGCTATTGTAGAGGTCGTTCTCGTCGACGA  
GGTACAACAACCAAACCTTGAGTCATCCGTTCCATTTGCACGGTTACACATTCAATGTCATCGGTATG  
GGTCGATCACCAGACAAGAACGTTAAGAAAATCAACTTGAAACACGCATTAGATCTTGACAGGCG  
AGGACTGTTGGACAGACACTTCAACCTTCCTCCCGGCAAGGACACAATTGCAGTACCAAACAACGG  
ATACGTTGTCTTTAGGTTTAGGGCAGACAATCCAGGTTACTGGTTGTTCCACTGTCATTCTTGTTCC  
ACATTCTCATCGGTATGAACTTAGTCCTTCACGTAGGTACTCACGCCGACCTACCACCAGTGCCAGA  
AGGTTTCCCTCGAT

**Figure S2.** The sequence of the gene region used for dsRNA syhthesis.