

Article

Unveiling the Alloying-Processing-Microstructure Correlations in High-Formability Sheet Magnesium Alloys

Jiyong Yang ¹, Renhai Shi ^{1,2,*} and Alan A. Luo ^{3,4,*}

¹ Beijing Advanced Innovation Center for Materials Genome Engineering, University of Science and Technology Beijing, Beijing 100083, China; yang11654@163.com

² Institute for Materials Intelligent Technology, Liaoning Academy of Materials, Shenyang 110004, China

³ Department of Materials Science and Engineering, the Ohio State University, Columbus, OH 43210, USA

⁴ Department of Integrated Systems Engineering, the Ohio State University, Columbus, OH 43210, USA

* Correspondence: renhai.shi.nick@gmail.com (R.S.); luo.445@osu.edu (A.A.L.)

The data used in this paper are shown as follows:

Mg-Al series [1–21], Mg-Zn series [6,11,15,22–37], Others [32,38–43] (including Mg-RE series, Mg-Ag series, etc.).




Figure S1. Data distribution of the database.

References

- Huang, X.; Suzuki, K.; Chino, Y.; Mabuchi, M. Texture and stretch formability of AZ61 and AM60 magnesium alloy sheets processed by high-temperature rolling. *J. Alloys Compd.* **2015**, *632*, 94–102.
- Bian, M.Z.; Sasaki, T.T.; Suh, B.C.; Nakata, T.; Hono, K. A heat-treatable Mg–Al–Ca–Mn–Zn sheet alloy with good room temperature formability. *Scr. Mater.* **2017**, *138*, 151–155.
- Huang, X.; Suzuki, K.; Chino, Y.; Mabuchi, M. Influence of aluminum content on the texture and sheet formability of AM series magnesium alloys. *Mater. Sci. Eng., A* **2015**, *633*, 144–153.

4. Trang, T.T.T.; Zhang, J.; Kim, J.H.; Zargaran, A.; Hwang, J.H.; Suh, B.-C.; Kim, N.J. Designing a magnesium alloy with high strength and high formability. *Nat. Commun.* **2018**, *9*, 2522.
5. Bian, M.Z.; Sasaki, T.T.; Nakata, T.; Yoshida, Y.; Kawabe, N.; Kamado, S.; Hono, K. Bake-hardenable Mg–Al–Zn–Mn–Ca sheet alloy processed by twin-roll casting. *Acta Mater.* **2018**, *158*, 278–288.
6. Lee, J.-Y.; Yun, Y.-S.; Suh, B.-C.; Kim, N.-J.; Kim, W.-T.; Kim, D.-H. Comparison of static recrystallization behavior in hot rolled Mg–3Al–1Zn and Mg–3Zn–0.5Ca sheets. *J. Alloys Compd.* **2014**, *589*, 240–246.
7. Bian, M.; Huang, X.; Chino, Y. Substantial improvement in cold formability of concentrated Mg–Al–Zn–Ca alloy sheets by high temperature final rolling. *Acta Mater.* **2021**, *220*, 117328.
8. Zhao, H.; Hua, Y.; Dong, X.; Xing, H.; Lu, Y. Influence of trace Ca addition on texture and stretch formability of AM50 magnesium alloy sheet. *Trans. Nonferrous Met. Soc. China* **2020**, *30*, 647–656.
9. Nakata, T.; Xu, C.; Kaibe, K.; Yoshida, Y.; Yoshida, K.; Kamado, S. Improvement of strength and ductility synergy in a room-temperature stretch-formable Mg–Al–Mn alloy sheet by twin-roll casting and low-temperature annealing. *J. Alloys Compd.* **2022**, *10*, 1066–1074.
10. Park, S.J.; Jung, H.C.; Shin, K.S. Analysis of the solidification and deformation behaviors of twin roll cast Mg–6Al–X alloys. *Mater. Mater. Int.* **2016**, *22*, 1055–1064.
11. Chino, Y.; Ueda, T.; Otomatsu, Y.; Sassa, K.; Huang, X.; Suzuki, K.; Mabuchi, M. Effects of Ca on Tensile Properties and Stretch Formability at Room Temperature in Mg–Zn and Mg–Al Alloys. *Mater. Trans.* **2011**, *52*, 1477–1482.
12. He, J.; Jiang, B.; Yu, X.; Xu, J.; Jiang, Z.; Liu, B.; Pan, F. Strain path dependence of texture and property evolutions on rolled Mg–Li–Al–Zn alloy possessed of an asymmetric texture. *J. Alloys Compd.* **2017**, *698*, 771–785.
13. Nakata, T.; Xu, C.; Binti Osman, N.; Geng, L.; Kamado, S. Development of corrosion-resistant Mg–Al–Ca–Mn–Zn alloy sheet with good tensile properties and stretch formability. *J. Alloys Compd.* **2022**, *910*, 164752.
14. Li, Z.; Sasaki, T.T.; Bian, M.Z.; Nakata, T.; Yoshida, Y.; Kawabe, N.; Kamado, S.; Hono, K. Role of Zn on the room temperature formability and strength in Mg–Al–Ca–Mn sheet alloys. *J. Alloys Compd.* **2020**, *847*, 156347.
15. Huang, X.; Bian, M.; Nakatsugawa, I.; Chino, Y.; Sato, M.; Yamazaki, K.; Kido, F.; Ueda, H.; Inoue, M. Simultaneously achieving excellent mechanical properties and high thermal conductivity in a high Mn-containing Mg–Zn–Ca–Al–Mn sheet alloy. *J. Alloys Compd.* **2021**, *887*, 161394.
16. Chino, Y.; Mabuchi, M. Enhanced stretch formability of Mg–Al–Zn alloy sheets rolled at high temperature (723K). *Scr. Mater.* **2009**, *60*, 447–450.
17. Matsuoka, Y.; Bian, M.; Huang, X.; Tsukada, Y.; Koyama, T.; Chino, Y. Simulation-aided analysis on mechanical properties of dilute Mg–Zn–Ca alloy sheets. *J. Alloys Compd.* **2022**, *906*, 164285.
18. Nakata, T.; Hama, T.; Sugiyama, K.; Kamado, S. Understanding room-temperature deformation behavior in a dilute Mg–1.52Zn–0.09Ca (mass%) alloy sheet with weak basal texture. *Mater. Sci. Eng., A* **2022**, *852*, 143638.
19. Li, Z.; Sasaki, T.T.; Bian, M.Z.; Nakata, T.; Kawabe, N.; Kamado, S.; Hono, S. Correction to: Effects of Zn Additions on the Room Temperature Formability and Strength in Mg–1.2Al–0.5Ca–0.4Mn Alloy Sheets. *Magnesium Technol.* **2020** *2020*, https://doi.org/10.1007/978-3-030-36647-6_18
20. Huang, L. Effect of microalloying with Ca and Ce on microstructure and stamping properties of AZ31 alloys. Master Thesis. Chongqing University, Chongqing, China, April, 2018.
21. Ma, D. Investigation on the microstructures and mechanical properties of Mg–xAl–1Mn (x=1, 3, 6, 9) alloy sheets. Master Thesis. Chongqing University, Chongqing, China, May, 2018.
22. Cai, Z.; Jiang, H.; Tang, D.; Ma, Z.; Kang, Q. Texture and stretch formability of rolled Mg–Zn–RE(Y, Ce, and Gd) alloys at room temperature. *Rare Met.* **2013**, *32*, 441–447.
23. Park, S.J.; Jung, H.C.; Shin, K.S. Deformation behaviors of twin roll cast Mg–Zn–X–Ca alloys for enhanced room-temperature formability. *Mater. Sci. Eng., A* **2017**, *679*, 329–339.
24. Yuasa, M.; Miyazawa, N.; Hayashi, M.; Mabuchi, M.; Chino, Y. Effects of group II elements on the cold stretch formability of Mg–Zn alloys. *Acta Mater.* **2015**, *83*, 294–303.
25. Bian, M.; Huang, X.; Mabuchi, M.; Chino, Y. Compositional optimization of Mg–Zn–Sc sheet alloys for enhanced room temperature stretch formability. *J. Alloys Compd.* **2020**, *818*, 152891.
26. Shi, R.; Miao, J.; Luo, A.A. A new magnesium sheet alloy and its multi-stage homogenization for simultaneously improved ductility and strength at room temperature. *Scr. Mater.* **2019**, *171*, 92–97.
27. Nakata, T.; Xu, C.; Kamado, S. Improving tensile properties of a room-temperature formable and heat-treatable Mg–6Zn–0.2Ca (wt.%) alloy sheet via micro-alloying of Al and Mn. *Mater. Sci. Eng., A* **2020**, *772*, 138690.
28. Shi, R.; Miao, J.; Avey, T.; Luo, A.A. A new magnesium sheet alloy with high tensile properties and room-temperature formability. *Sci. Rep.* **2020**, *10*, 10044.
29. Bhattacharjee, T.; Suh, B.C.; Sasaki, T.T.; Ohkubo, T.; Kim, N.J.; Hono, K. High strength and formable Mg–6.2Zn–0.5Zr–0.2Ca alloy sheet processed by twin roll casting. *Mater. Sci. Eng., A* **2014**, *609*, 154–160.
30. Zhou, M.; Huang, X.; Morisada, Y.; Fujii, H.; Chino, Y. Effects of Ca and Sr additions on microstructure, mechanical properties, and ignition temperature of hot-rolled Mg–Zn alloy. *Mater. Sci. Eng., A* **2020**, *769*, 138474.
31. Zhang, Y. The Study on the mechanisms of strengthening and plasticizing and orientation behavior in Mg–Zn magnesium alloys. Ph.D. Thesis. Beijing University of Science and Technology, Beijing, China, July, 2020.
32. Chino, Y.; Huang, X.; Suzuki, K.; Sassa, K.; Mabuchi, M. Influence of Zn concentration on stretch formability at room temperature of Mg–Zn–Ce alloy. *Mater. Sci. Eng., A* **2010**, *528*, 566–572.

33. Wei, X. The investigation of microstructure and mechanical properties for Mg-1.5Zn-0.2Zr(Mn)-0.2Ce(Cu) alloys. Master Thesis. Chongqing University, Chongqing, China, May, 2017.
34. Wang, P. Microstructure control and mechanical properties of wrought Mg-Zn-Ca based alloys with high Zn content. Ph.D. Thesis. Jilin University, Changchun, China, June, 2021.
35. Chino, Y.; Sassa, K.; Mabuchi, M. Texture and stretch formability of a rolled Mg-Zn alloy containing dilute content of Y. *Mater. Sci. Eng., A* **2009**, *513–514*, 394–400.
36. Wang, Z.; Huang, Y.; Srinivasan, A.; Liu, Z.; Kainer, K.U.; Hort, N. Influences of Y Additions on the Hot Tearing Susceptibility of Mg-1.5wt.%Zn Alloys. *Mater. Sci. Forum* **2013**, *765*, 306–310.
37. Luo, A.A.; Avey, T.; Miao, J.; Meier, J.M. Magnesium Alloy Development for Structural and Biomedical Applications. *Magnesium Technol.* **2022**, *2022*, 3-4. https://link.springer.com/chapter/10.1007/978-3-030-92533-8_1
38. Bian, M.; Huang, X.; Chino, Y. A combined experimental and numerical study on room temperature formable magnesium–silver–calcium alloys. *J. Alloys Compd.* **2020**, *834*, 155017.
39. Bian, M.; Huang, X.; Chino, Y. Improving flame resistance and mechanical properties of magnesium–silver–calcium sheet alloys by optimization of calcium content. *J. Alloys Compd.* **2020**, *837*, 155551.
40. Wu, D. Chen, R.S. Han, E.H. Excellent room-temperature ductility and formability of rolled Mg–Gd–Zn alloy sheets. *J. Alloys Compd.* **2011**, *509*, 2856–2863.
41. Huang, X.; Suzuki, K.; Chino, Y. Static recrystallization and mechanical properties of Mg–4Y–3RE magnesium alloy sheet processed by differential speed rolling at 823K. *Mater. Sci. Eng., A* **2012**, *538*: 281–287.
42. Bian, M.; Huang, X.; Chino, Y. A room temperature formable magnesium–silver–calcium sheet alloy with high ductility. *Mater. Sci. Eng., A* **2020**, *774*, 138923.
43. Bian, M.; Zeng, Z.; Xu, S.; Zhu, S.; Zhu, Y.; John Davies, C.H.; Birbilis, N.; Nie, J. Improving Formability of Mg-Ca-Zr Sheet Alloy by Microalloying of Zn. *Adv. Eng. Mater.* **2016**, *18*, 1763–1769.