

Table S3. Serovar typing was performed by microagglutination tests of isolates with sets of monoclonal antibodies (mAb) corresponding to specific serogroups. Five strains could be assigned to serovars but results for strain 782 were inconclusive.

Strain	782	898	1489	1548	1530
Serogroup	Canicola	Icterohaemorrhagiae	Bataviae	Bataviae	Icterohaemorrhagiae
mAb panel	F152C1; 80	F20C3-1; 10240	F129C2-3; 20480	F129C2-3; 20480	F20C3-1; 10
	F152C2; 10	F20C4-3; 20480	F129C3-3; 5120	F129C3-3; 10240	F20C4-3; 10
	F152C5; 10	F52C1-4; 80	F129C4-1; 640	F129C4-1; 320	F52C1-4; 160
	F152C7; 5120	F52C2-4; 10	F129C6-1; 1280	F129C6-1; 20480	F52C2-4; 10
	F152C8; 640	F70C4-5; 2560	F129C7-1; 320	F129C7-1; 20480	F70C4-5; 1280
	F152C10; 20480	F70C13-5; 1280	F129C9-5; 10	F129C9-5; 5120	F70C13-5; 2560
	F152C11; 2560	F70C20-4; 2560	F129C15-3; 10	F129C15-3; 5120	F70C20-4; 640
	F152C13; 10	F70C24-20; 2560	F129C18-1; 10	F129C18-1; 20480	F70C24-20; 10
	F152C14; 2560	F70C26-3; 1280	F129C19-3; 20480	F129C19-3; 20480	F70C26-3; 1280
	F152C17; 10	F82C1-3; 10	F129C20-5; 20480	F129C20-5; 20480	F82C1-3; 1280
	F152C18; 10	F82C2-3; 10	F129C24-3; 20480	F129C24-3; 20480	F82C2-3; 40
		F82C7-3; 10	F129C25-1; 2560	F129C25-1; 20480	F82C7-3; 10
		F82C8-4; 10	F129C26-1; 10	F129C26-1; 1280	F82C8-7; 5120
		F89C3-3; 320			F89C3-3; 5120
		F89C12-6; 640			F89C12-6; 5120
Homologous serovar	To be determined by CAAT	serovar Copenhageni / Icterohaemorrhagiae	serovar Paidjan, strain Paidjan	serovar Bataviae, strain Swart	serovar Yeonchon, strain HM 3