

from <i>H. sapiens</i>														
KF4106 23 <i>T. trichiura</i> from <i>H. sapiens</i>	82,61	99,23	99,49	99,23	99,74	99,74								
MW403 705 <i>Trichuris</i> sp. from <i>M. fuscata</i>	82,10	98,72	98,98	98,72	99,23	99,23	99,49							
MW403 706 <i>Trichuris</i> sp. from <i>M. fuscata</i>	81,84	98,47	98,72	98,47	98,98	98,98	99,23	99,23						
KF4106 34 <i>Trichuris</i> sp. <i>P. hamadryas</i>	82,61	99,23	99,49	99,23	99,74	99,74	100	99,49	99,23					
KF4106 33 <i>Trichuris</i> sp. <i>P. hamadryas</i>	82,86	98,98	99,23	98,98	99,49	99,49	99,74	99,23	98,98	99,74				
KF4106 32 <i>Trichuris</i>	82,61	99,23	99,49	99,23	99,74	99,74	100	99,49	99,23	100	99,74			

<i>s sp. P. hamadry as</i>														
KF4106 31 <i>Trichuri s sp. P. hamadry as</i>	82,35	98,98	99,23	98,98	99,49	99,49	99,74	99,23	98,98	99,74	99,49	99,74		
KF4106 30 <i>Trichuri s sp. P. hamadry as</i>	82,61	98,72	98,98	98,72	99,23	99,23	99,49	98,98	98,72	99,49	99,23	99,49	99,74	
KF4106 29 <i>Trichuri s sp. P. hamadry as</i>	82,86	98,98	99,23	98,98	99,49	99,49	99,74	99,23	98,98	99,74	99,49	99,74	99,49	99,74