



Supplementary Materials: Screening of Antioxidative Properties and Inhibition of Inflammation-Linked Enzymes by Aqueous and Ethanolic Extracts of Plants Traditionally Used in Wound Healing in Poland

Marta Mainka ¹, Monika E. Czerwińska ¹, Ewa Osinska ², Maria Ziaja ³ and Agnieszka Bazyłko ^{1,*}

¹ Department of Pharmacognosy and Molecular Basis of Phytotherapy, Warsaw Medical University, Banacha 1, 02-097 Warsaw, Poland; marta.rogowska@wum.edu.pl (M.M.); monika.czerwinska@wum.edu.pl (M.E.C.)


² Department of Vegetable and Medicinal Plants, Warsaw University of Life Sciences, Nowoursynowska 159, 02-776 Warsaw, Poland; ewa_osinska@sggw.pl

³ Institute of Physical Culture Studies, Rzeszów University, Cicha 2a, 35-326 Rzeszów, Poland; mziaja@ur.edu.pl

* Correspondence: agnieszka.bazylko@wum.edu.pl

Table S1. Timetable for preparing the extracts and conducting the experiments.

Activity.	Start Date	End Date
UHPLC-DAD-MS ⁿ Analysis	08-23-2017	09-12-2017
Preparation of extracts	10-14-2016	12-14-2016
Determination of extracts ability for the scavenging of DPPH	12-20-2016	01-26-2017
Determination of extracts ability for the scavenging of superoxide anion	01-31-2017	03-09-2017
Determination of extracts ability for the scavenging of hydrogen peroxide	09-14-2017	10-03-2017
Determination of extracts effect on the Lipoxigenase activity	04-27-2017	08-24-2017
Determination of extracts effect on the Hyaluronidase activity	10-26-2017	12-21-2017
Determination of total polyphenol content by colorimetric method with Folin'a Ciocalteu reagent	09-05-2017	09-05-2017








Figure S1. Concentration-activity curves of the most active extracts in the test of LOX inhibitory activity. Th EtOH – *Serpylli herba* ethanolic extract, Th H₂O – *Serpylli herba* aqueous extract, K H₂O – *Milefolli herba* aqueous extract, U H₂O – *Urticae herba* aqueous extract.