

Article

Supplementary Materials: Structural Interplays in the Flexible N-Terminus and Scaffolding Domain of Human Membrane protein Caveolin 3

Hae-Jun Park ^{1,†}, Jinhwa Jang ^{1,†}, Kyung-Suk Ryu ², Jinhyuk Lee ^{3,4}, Sung-Hee Lee ¹, Hyung-Sik Won ⁵, Eun-Hee Kim², Min-Duk Seo ^{6,*} and Ji-Hun Kim ^{1,*}

¹ College of Pharmacy, Chungbuk National University, Cheongju, Chungbuk 28160, Republic of Korea; gowns0419@chungbuk.ac.kr (H.-J.P.); zmdidi@naver.com (J.J.); suzukaze@naver.com (S.-H.L.)

² Research Center for Bioconvergence Analysis, Korea Basic Science Institute, 162 Yeongudanji-Ro, Ochang-Eup, Cheongju, Chungbuk 28119, Republic of Korea; ksryu@kbsi.re.kr (K.S.R.); keh@kbsi.re.kr (E.H.K)

³ Genome Editing Research Center, Korea Research Institute of Bioscience and Biotechnology (KRIBB), Gwahak-ro, Yuseong-gu, Daejeon 34141, Republic of Korea; jinyuk@kribb.re.kr

⁴ Department of Bioinformatics, KRIBB School of Bioscience, University of Science and Technology (UST), 217 Gajung-ro, Yuseong-gu, Daejeon 34113, Republic of Korea

⁵ Department of Biotechnology, College of Biomedical and Health Science, Konkuk University, Chungju, Chungbuk 27478, Republic of Korea; wonhs@kku.ac.kr

⁶ College of Pharmacy and Department of Molecular Science and Technology, Ajou University, Suwon, Gyeonggi 16499, Republic of Korea

[†] These authors contributed equally to this work

^{*} Correspondence: mdseo@ajou.ac.kr (M.-D.S.); nmrjhkim@cbnu.ac.kr (J.-H.K.)




Figure S1: Disease-related amino acids of Cav3. HYPCK, HyperCKemia; RMD2, rippling muscle disease-2; LGMD1C, limb-girdle muscular dystrophy (LGMD) type 1C.




Figure S2: HSQC spectra of Cav3 in LPPG micelle with (red)/without (black) cholesterol.