

SAMPLE ID	GROUP	mean value RKIP (µg/mL)	median pRKIP (µg/mL)	RpR score
35	HS	1.4	0.800	1.8
37	HS	1.9	1.110	1.7
38	HS	2.4	1.016	2.4
39	HS	1.3	0.835	1.6
41	HS	2.3	1.055	2.2
42	HS	4.7	1.411	3.4
43	HS	1.8	1.110	1.6
44	HS	3.3	2.177	1.5
45	HS	2.2	1.102	2.0
46	HS	2.9	0.195	14.9
47	HS	2.1	1.600	1.3
67	HR-HS	26.9	1.456	18.5
68	HR-HS	28.4	0.936	30.3
70	HR-HS	1.8	0.718	2.5
71	HR-HS	1.9	0.992	1.9
72	HR-HS	2.8	0.418	6.7
73	HR-HS	28.2	0.883	32.0
74	HR-HS	2.6	0.952	2.8
75	HR-HS	10.8	0.710	15.2
76	HR-HS	70.8	0.721	98.3
77	HR-HS	30.0	1.878	16.0
78	HR-HS	27.6	0.670	41.2
79	HR-HS	10.4	0.896	11.6
80	HR-HS	4.9	0.649	7.6
82	HR-HS	3.7	1.498	2.5
83	HR-HS	20.8	0.192	108.6
84	HR-HS	8.7	1.204	7.2
85	HR-HS	14.5	1.312	11.1
86	HR-HS	3.4	0.892	3.8
87	HR-HS	19.4	0.871	22.3
65	HR-HS	5.8	0.800	7.2
66	HR-HS	5.9	1.800	3.3
90	LC	32.4	0.767	42.2
91	LC	27.6	0.168	164.3
92	LC	28.0	0.599	46.8
93	LC	36.6	0.982	37.3
94	LC	27.6	0.851	32.5
95	LC	28.0	0.801	35.0
96	LC	9.6	0.099	96.8
97	LC	5.9	0.193	30.9
98	LC	33.4	1.291	25.8

99	LC	27.1	1.112	24.4
100	LC	29.2	1.021	28.6
101	LC	31.1	0.819	38.0
104	LC	29.4	0.064	462.3
105	LC	37.1	0.100	370.7
69	LC	1.0	0.565	1.7
81	LC	28.2	0.422	67.0
88	LC	8.8	0.736	12.0
89	LC	3.9	0.400	9.7

Table S4. Mean values of serum RKIP, pRKIP and RpR score recorded by sandwich ELISA for each patient enrolled in phase 1.