

Supplementary Materials

Cellulose Nanofiber Composite with Bimetallic Zeolite Imidazole Framework for Electrochemical Supercapacitors

Hemraj M. Yadav ¹, Jong Deok Park ¹, Hyeong Cheol Kang ¹, Jeonghun Kim ^{2,*} and Jae-Joon Lee ^{1,*}

- ¹ Research Center for Photoenergy Harvesting & Conversion Technology (*phct*), Department of Energy and Materials Engineering, Dongguk University, Seoul 04620, Korea; hemrajy@dongguk.edu (H.M.Y.); whdejr213@dongguk.edu (J.D.P.); knpitw1@dongguk.edu (H.C.K.)
² Department of Chemistry, Kookmin University, 77 Jeongneung-ro, Seongbuk-gu, Seoul 02707, Korea
 * Correspondence: jeonghunkim@kookmin.ac.kr (J.K.); jilee@dongguk.edu (J.-J.L.);
 Tel: +82-10-4659-8255 or +82-2-2260-4979/8513 (J.-J.L.)




Figure S1. (a) Photograph of powder samples (b) FESEM image of CNF (Inset: High magnification) (c) N₂ adsorption-desorption isotherm of HZNPC and 3% CNF-HZNPC.




Figure S2. (a-b) CV and GCD of 3% CNF-HZNPC physical mixture at different scan rate and current density values, respectively. (c) Current density vs specific capacitance for HZNPC and 3% CNF-HZNPC. (d) Cycling performance of 1% CNF-HZNPC and 5% CNF-HZNPC at 10 A/g.