

Electrical Transport in Iron Phosphate-Based Glass-(Ceramics): Insights into the Role of B₂O₃ and HfO₂ from Model-Free Scaling Procedures

Arijeta Bafti ¹, Shiro Kubuki ², Hüseyin Ertap ³, Mustafa Yüksek ⁴, Mevlüt Karabulut ⁵, Andrea Moguš-Milanković ⁶ and Luka Pavić ^{6,*}

- ¹ Faculty of Chemical Engineering and Technology, University of Zagreb, Marulićev trg 19, Zagreb 10000, Croatia; abafti@fkit.hr
- ² Department of Chemistry, Graduate School of Science, Tokyo Metropolitan University, 1-1, Minami-Osawa, Hachi-Oji, Tokyo 192-0397, Japan; kubuki@tmu.ac.jp
- ³ Department of Physics, Kafkas University, Kars 36100, Turkey; huseyinertap@kafkas.edu.tr
- ⁴ Electrical & Electronics Department, Faculty of Engineering and Natural Sciences, İskenderun Technical University, İskenderun 31200, Turkey; mustafa.yukse@iste.edu.tr
- ⁵ Department of Physics, Gebze Technical University, Gebze 41400, Turkey; mevlutk@gtu.edu.tr
- ⁶ Ruđer Bošković Institute, 10000 Zagreb, Croatia; mogus@irb.hr
- * Correspondence: lpavic@irb.hr

Mössbauer spectroscopy

Citation: Bafti, A.; Kubuki, S.; Ertap, H.; Yüksek, M.; Karabulut, M.; Moguš-Milanković, A.; Pavić, L. Electrical Transport in Iron Phosphate-Based Glass-(Ceramics): Insights into the Role of B₂O₃ and HfO₂ from Model-Free Scaling Procedures. *Nanomaterials* **2022**, *12*, 639. <https://doi.org/10.3390/nano12040639>

Academic Editors: Xiang-Hua Zhang and Lothar Wondraczek

Received: 2 December 2021

Accepted: 11 February 2022

Published: 14 February 2022

Publisher's Note: MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



Copyright: © 2022 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).




Figure S1. Mössbauer spectra of selected glass-(ceramics) samples from (a) F– and (b) S–series.

Impedance spectroscopy




Figure S2. Complex impedance plots @30 °C for all studied glass-(ceramic) samples from (a) F- and (b) S-series.