

Supplementary Materials: The Chemical Deposition Method for the Decoration of Palladium Particles on Carbon Nanofibers with Rapid Conductivity Changes

Hoik Lee, Duy-Nam Phan, Myungwoong Kim, Daewon Sohn, Seong-Geun Oh, Seong Hun Kim and Ick Soo Kim




Figure S1. Morphologies of (a) PAN; (b) ST-NFs; (c) CNFs. (d) Their schematic illustration via electrospinning, stabilization, and carbonization.




Figure S2. Simple illustration of hydrogen sensing devices.




Figure S3. Digital photograph of (a) the PAN NF and (b) the ST-NF under mechanical stress.




Figure S4. Digital photograph of the Pd deposition process with different pH conditions. (left) The initial state of the PdCl₂ solution with the CNF, and (right) the PdCl₂ solution after deposition.




Figure S5. SEM images (left) and corresponding to EDX image (right) of (a) 1 h Pd/CNF; (b) 6 h Pd/CNF; and (c) 12 h Pd/CNF.




Figure S6. SEM images of (a) 1 h; (b) 6 h; and (c) 12h Pd/CNF after hydrogen absorption.




Figure S7. Resistance change before (blue) and after (red) hydrogen absorption of CNF, 1 h Pd/CNF, 6 h Pd/CNF, 12 h Pd/CNF.



© 2016 by the authors. Submitted for possible open access publication under the terms and conditions of the Creative Commons Attribution (CC-BY) license (<http://creativecommons.org/licenses/by/4.0/>).