

## **Supplementary material: List of the sample analysed**

- Abou El-Ella, M. Y., Alloush, T. K., El-Shobary, A. M., El-Dien Hafez, N. G., Abd EL-Halim, A. I. & El-Rouby, I. M. (2013). Modification and standardisation of Arabic version of the Comprehensive Aphasia Test. *Aphasiology*, 27(5), 599–614.
- Aerts, A., Batens, K., Santens, P., van Mierlo, P., Huysman, E., Hartsuiker, R., Hemelsoet, D., Duyck, W., Raedt, R., van Roost, D., & de Letter, M. (2015). Aphasia therapy early after stroke: behavioural and neurophysiological changes in the acute and post-acute phases. *Aphasiology*, 29(7), 845–871.
- Anglade, C., le Dorze, G., & Croteau, C. (2019). Service encounter interactions of people living with moderate-to-severe post-stroke aphasia in their community. *Aphasiology*, 33(9), 1061–1082.
- Ansaldi, A. I., Saidi, L. G., & Ruiz, A. (2009). Model-driven intervention in bilingual aphasia: Evidence from a case of pathological language mixing. *Aphasiology*, 24(2), 309–324.
- Antonucci, S. M. (2014). What matters in semantic feature processing for persons with stroke-aphasia: Evidence from an auditory concept-feature verification task. *Aphasiology*, 28(7), 823–839.
- Arantzeta, M., Webster, J., Laka, I., Martínez-Zabaleta, M., & Howard, D. (2018). What happens when they think they are right? Error awareness analysis of sentence comprehension deficits in aphasia. *Aphasiology*, 32(12), 1418–1444.
- Attard, M. C., Loupis, Y., Togher, L., & Rose, M. L. (2018). The efficacy of an inter-disciplinary community aphasia group for living well with aphasia. *Aphasiology*, 32(2), 105–138.
- Attard, M. C., Rose, M. L. & Lanyon, L. (2013). The comparative effects of Multi-Modality Aphasia Therapy and Constraint-Induced Aphasia Therapy-Plus for severe chronic Broca's aphasia: An in-depth pilot study. *Aphasiology*, 27(1), 80–111.
- Attout, L., Van der Kaa, M. A., George, M. & Majerus, S. (2012). Dissociating short-term memory and language impairment: The importance of item and serial order information. *Aphasiology*, 26(3–4), 355–382.
- Azarpazhooh, M. R., Jahangiri, N., & Ghaleh, M. (2010). Subcortical organization of languages in bilingual brain. *Journal of Neurolinguistics*, 23(6), 531–539.
- Baird, A., & Thompson, W. F. (2019). When music compensates language: a case study of severe aphasia in dementia and the use of music by a spousal caregiver. *Aphasiology*, 33(4), 449–465.
- Balasubramanian, V., Cronin, K. L., & Max, L. (2010). Dysfluency levels during repeated readings, choral readings, and readings with altered auditory feedback in two cases of acquired neurogenic stuttering. *Journal of Neurolinguistics*, 23(5), 488–500.
- Bambini, V., Arcara, G., Aiachini, B., Cattani, B., Dichiarante, M. L., Moro, A., Cappa, S. F., & Pistarini, C. (2017). Assessing functional communication: validation of the Italian versions of the Communication Outcome after Stroke (COAST) scales for speakers and caregivers. *Aphasiology*, 31(3), 332–358.
- Barbancho, M. A., Berthier, M. L., Navas-Sánchez, P., Dávila, G., Green-Heredia, C., García-Alberca, J. M., Ruiz-Cruces, R., López-González, M. V., Dawid-Milner, M. S., Pulvermüller, F., & Lara, J. P. (2015). Bilateral brain reorganization with memantine and constraint-induced aphasia therapy in chronic post-stroke aphasia: An ERP study. *Brain and Language*, 145–146, 1–10.
- Barnes, S. (2019). "Accountability" in interaction-focused intervention for aphasia: a conversation-analytic study of therapeutic effects. *Aphasiology*, 33(2), 163–186.
- Basso, A. (2009). "Natural" conversation: A treatment for severe aphasia. *Aphasiology*, 24(4), 466–479.
- Bastiaanse, R., Bamyaci, E., Hsu, C.-J., Lee, J., Duman, T. Y., & Thompson, C. K. (2011). Time reference in agrammatic aphasia: A cross-linguistic study. *Journal of Neurolinguistics*, 24(6), 652–673.

- Batens, K., De Letter, M., Raedt, R., Duyck, W., Vanhoutte, S., Van Roost, D., & Santens, P. (2014). The effects of subthalamic nucleus stimulation on semantic and syntactic performance in spontaneous language production in people with Parkinson's disease. *Journal of Neurolinguistics*, 32, 31–41.
- Beeke, S., Beckley, F., Johnson, F., Heilemann, C., Edwards, S., Maxim, J., & Best, W. (2015). Conversation focused aphasia therapy: investigating the adoption of strategies by people with agrammatism. *Aphasiology*, 29(3), 355–377.
- Beringer, A., Tönsing, K. & Bornman, J. (2013). The self-determined and partner-predicted topic preferences of adults with aphasia. *Aphasiology*, 27(2), 227-251.
- Berthier, M. L., Dávila, G., Green-Heredia, C., Moreno Torres, I., Juárez y Ruiz de Mier, R., De-Torres, I. & Ruiz-Cruces, R. (2013). Massed sentence repetition training can augment and speed up recovery of speech production deficits in patients with chronic conduction aphasia receiving donepezil treatment. *Aphasiology*, 28(2), 188-218.
- Berthier, M. L., Torres-Prioris, M. J., López-Barroso, D., Thurnhofer-Hemsi, K., Paredes-Pacheco, J., Roé-Vellvé, N., Alfaro, F., Perttierra, L., & Dávila, G. (2018). Are you a doctor? . . . *Are you a doctor? I'm not a doctor!* A reappraisal of mitigated echolalia in aphasia with evaluation of neural correlates and treatment approaches. *Aphasiology*, 32(7), 784–813.
- Bhatnagar, S. C., Buckingham, H. W., Puglisi-Creegan, S., & Hacein-Bey, L. (2010). Crossed aphasia in a patient with congenital lesion in the right hemisphere. *Aphasiology*, 25(1), 27–42.
- Biran, M., & Fisher, S. (2015). Structured treatment can improve predicate argument structure impairment. *Aphasiology*, 29(1), 29–56.
- Blankestijn-Wilmsen, J., Damen, I., Voorbraak-Timmerman, V., Hurkmans, J., Brouwer De-Koning, J., Pross, A., & Jonkers, R. (2017). The effect of static versus dynamic depictions of actions in verb and sentence production in aphasia. *Aphasiology*, 31(10), 1166–1182.
- Blom Johansson, M., Carlsson, M., Östberg, P. & Sonnander, K. (2012). Communication changes and SLP services according to significant others of persons with aphasia. *Aphasiology*, 26(8), 1005-1028.
- Blom Johansson, M., Carlsson, M., Östberg, P. & Sonnander, K. (2013). A multiple-case study of a family-oriented intervention practice in the early rehabilitation phase of persons with aphasia. *Aphasiology*, 27(2), 201-226.
- Bose, A., & Schafer, G. (2017). Name agreement in aphasia. *Aphasiology*, 31(10), 1143–1165.
- Breining, B. L., Lala, T., Martínez Cuitiño, M., Manes, F., Peristeri, E., Tsapkini, K., Faria, A. V., & Hillis, A. E. (2015). A brief assessment of object semantics in primary progressive aphasia. *Aphasiology*, 29(4), 488–505.
- Brown, J., Hux, K., & Fairbanks, S. (2016). Reading recovery: a case study using a multicomponent treatment for acquired alexia. *Aphasiology*, 30(1), 23–44.
- Brownsett, S., Ramajoo, K., Copland, D., McMahon, K., Robinson, G., Drummond, K., Jeffree, R., Olson, S., Ong, B., & de Zubiray, G. (2019). Language deficits following dominant hemisphere tumour resection are significantly underestimated by syndrome-based aphasia assessments. *Aphasiology*, 33(10), 1163–1181.
- Buhr, H. R., Hoepner, J. K., Miller, H., & Johnson, C. (2017). AphasiaWeb: development and evaluation of an aphasia-friendly social networking application. *Aphasiology*, 31(9), 999–1020.
- Bullock-Rest, N., Cerny, A., Sweeney, C., Palumbo, C., Kurowski, K. & Blumstein, S. E. (2013). Neural systems underlying the influence of sound shape properties of the lexicon on spoken word production: Do fMRI findings predict effects of lesions in aphasia? *Brain and Language*, 126(2), 159-168.
- Cameron, R. M., Wambaugh, J. L., & Mauszycki, S. C. (2010). Individual variability on discourse measures over repeated sampling times in persons with aphasia. *Aphasiology*, 24(6-8), 671–684.

- Caplan, D., Michaud, J. & Hufford, R. (2013). Dissociations and associations of performance in syntactic comprehension in aphasia and their implications for the nature of aphasic deficits. *Brain and Language*, 127(1), 21-33.
- Carling-Rowland, A., Black, S., McDonald, L., & Kagan, A. (2014). Increasing access to fair capacity evaluation for discharge decision-making for people with aphasia: A randomised controlled trial. *Aphasiology*, 28(6), 750–765.
- Caute, A., Cruice, M., Friede, A., Galliers, J., Dickinson, T., Green, R., & Woolf, C. (2016). Rekindling the love of books – a pilot project exploring whether e-readers help people to read again after a stroke. *Aphasiology*, 1–30.
- Cherney, L. R., Harvey, R. L., Babbitt, E. M., Hurwitz, R., Kaye, R. C., Lee, J. B. & Small, S. L. (2012). Epidural cortical stimulation and aphasia therapy. *Aphasiology*, 26(9), 1192-1217.
- Choe, Y. K. & Stanton, K. (2011). The effect of visual cues provided by computerised aphasia treatment. *Aphasiology*, 25(9), 983-997.
- Cho-Reyes, S. & Thompson, C. K. (2012). Verb and sentence production and comprehension in aphasia: Northwestern Assessment of Verbs and Sentences (NAVS). *Aphasiology*, 26(10), 1250-1277.
- Chue, W. L., Rose, M. L., & Swinburn, K. (2010). The reliability of the Communication Disability Profile: A patient-reported outcome measure for aphasia. *Aphasiology*, 24(6-8), 940–956.
- Ciccone, N., West, D., Cream, A., Cartwright, J., Rai, T., Granger, A., Hankey, G. J., & Godecke, E. (2016). Constraint-induced aphasia therapy (CIAT): a randomised controlled trial in very early stroke rehabilitation. *Aphasiology*, 30(5), 566–584.
- Cordella, C., Dickerson, B. C., Quimby, M., Yunusova, Y., & Green, J. R. (2017). Slowed articulation rate is a sensitive diagnostic marker for identifying non-fluent primary progressive aphasia. *Aphasiology*, 31(2), 241–260.
- Cranfill, T. B., & Wright, H. H. (2010). Importance of health-related quality of life for persons with aphasia, their significant others, and SLPs: Who do we ask? *Aphasiology*, 24(6-8), 957–968.
- Creet, E., Morris, J., Howard, D., & Nickels, L. (2019). Name it again! investigating the effects of repeated naming attempts in aphasia. *Aphasiology*, 33(10), 1202–1226.
- Croot, K., Taylor, C., Abel, S., Jones, K., Krein, L., Hameister, I., Ruggero, L., & Nickels, L. (2015). Measuring gains in connected speech following treatment for word retrieval: a study with two participants with primary progressive aphasia. *Aphasiology*, 29(11), 1265–1288.
- Cruice, M., Hill, R., Worrall, L., & Hickson, L. (2009). Conceptualising quality of life for older people with aphasia. *Aphasiology*, 24(3), 327–347.
- Cupit, J., Leonard, C., Graham, N. L., Seixas Lima, B., Tang-Wai, D., Black, S. E., & Rochon, E. (2017). Analysing syntactic productions in semantic variant PPA and non-fluent variant PPA: how different are they? *Aphasiology*, 31(3), 282–307.
- Cupit, J., Rochon, E., Leonard, C., & Laird, L. (2010). Social validation as a measure of improvement after aphasia treatment: Its usefulness and influencing factors. *Aphasiology*, 24(11), 1486–1500.
- Dai, E. Y. L., Kong, A. P. H. & Weekes, B. S. (2012). Recovery of naming and discourse production: A bilingual anomia case study. *Aphasiology*, 26(6), 737-756.
- Damico, J., Tetnowski, J., Lynch, K., Hartwell, J., Weill, C., Heels, J., & Simmons-Mackie, N. (2015). Facilitating Authentic Conversation: an intervention employing principles of constructivism and conversation analysis. *Aphasiology*, 29(3), 400–421.
- Dean, M. P., della Sala, S., Beschin, N., & Cocchini, G. (2017). Anosognosia and self-correction of naming errors in aphasia. *Aphasiology*, 31(7), 725–740.
- Della Rosa, P. A., Canini, M., Borsa, V. M., Mariën, P., Cappa, S. F. & Abutalebi, J. (2014). Functional recovery in subcortical crossed and standard aphasia. *Journal of Neurolinguistics*, 27(1), 103-118.
- den Ouden, D. B., Galkina, E., Basilakos, A., & Fridriksson, J. (2018). Vowel formant dispersion reflects severity of apraxia of speech. *Aphasiology*, 32(8), 902–921.

- Diéguez-Vide, F., Gich-Fullà, J., Puig-Alcántara, J., Sánchez-Benavides, G. & Peña-Casanova, J. (2012). Chinese–Spanish–Catalan trilingual aphasia: A case study. *Journal of Neurolinguistics*, 25(6), 630–641.
- Dragoy, O., Bergelson, M., Iskra, E., Laurinavichyute, A., Mannova, E., Skvortsov, A., & Statnikov, A. (2016). Comprehension of reversible constructions in semantic aphasia. *Aphasiology*, 30(1), 1–22.
- DuBay, M. F., Laures-Gore, J. S., Matheny, K. & Romski, M. A. (2011). Coping resources in individuals with aphasia. *Aphasiology*, 25(9), 1016–1029.
- Duff, M. C., Hengst, J. A., Gupta, R., Tranel, D., & Cohen, N. J. (2011). Distributed impact of cognitive-communication impairment: Disruptions in the use of definite references when speaking to individuals with amnesia. *Aphasiology*, 25(6–7), 675–687.
- Duman, T. Y., Altinok, N., Özgirgin, N. & Bastiaanse, R. (2011). Sentence comprehension in Turkish Broca's aphasia: An integration problem. *Aphasiology*, 25(8), 908–926.
- Edmonds, L. A., Obermeyer, J., & Kerman, B. (2015). Investigation of pretreatment sentence production impairments in individuals with aphasia: towards understanding the linguistic variables that impact generalisation in Verb Network Strengthening Treatment. *Aphasiology*, 29(11), 1312–1344.
- Estes, C., & Bloom, R. L. (2010). Using voice recognition software to treat dysgraphia in a patient with conduction aphasia. *Aphasiology*, 25(3), 366–385.
- Fabus, R., Sands, E., Springer, C., & Dondorf, K. (2016). The relationship between perceptions of caregiving and carer contributions in an interview situation with a partner with aphasia. *Aphasiology*, 30(9), 1026–1038.
- Falconer, C. & Antonucci, S. M. (2012). Use of semantic feature analysis in group discourse treatment for aphasia: Extension and expansion. *Aphasiology*, 26(1), 64–82.
- Faroqi-Shah, Y., Sampson, M., Pranger, M., & Baughman, S. (2018). Cognitive control, word retrieval and bilingual aphasia: Is there a relationship? *Journal of Neurolinguistics*, 45, 95–109.
- Fitzgerald-DeJean, D. M., Rubin, S. S. & Carson, R. L. (2012). An application of the experience sampling method to the study of aphasia: A case report. *Aphasiology*, 26(2), 234–251.
- Fyndanis, V., Varlokosta, S., & Tsapkini, K. (2010). Exploring wh-questions in agrammatism: Evidence from Greek. *Journal of Neurolinguistics*, 23(6), 644–662.
- Geva, S., Bennett, S., Warburton, E. A., & Patterson, K. (2010). Discrepancy between inner and overt speech: Implications for post-stroke aphasia and normal language processing. *Aphasiology*, 25(3), 323–343.
- Gómez-Ruiz, I., Aguilar-Alonso, Á., & Espasa, M. A. (2012). Language impairment in Catalan–Spanish bilinguals with Alzheimer's disease. *Journal of Neurolinguistics*, 25(6), 552–566.
- Graff-Radford, J., Jones, D. T., Strand, E. A., Rabinstein, A. A., Duffy, J. R., & Josephs, K. A. (2014). The neuroanatomy of pure apraxia of speech in stroke. *Brain and Language*, 129, 43–46.
- Green, D. W., Grogan, A., Crinion, J., Ali, N., Sutton, C., & Price, C. J. (2009). Language control and parallel recovery of language in individuals with aphasia. *Aphasiology*, 24(2), 188–209.
- Greenwood, A., Grassly, J., Hickin, J., & Best, W. (2010). Phonological and orthographic cueing therapy: A case of generalised improvement. *Aphasiology*, 24(9), 991–1016.
- Groenewold, R., Bastiaanse, R., Nickels, L., Wieling, M., & Huiskes, M. (2015). The differential effects of direct and indirect speech on discourse comprehension in Dutch and English listeners with and without aphasia. *Aphasiology*, 29(6), 685–704.
- Groenewold, R., Bastiaanse, R., Nickels, L., Wieling, M., & Huiskes, M. (2014). The effects of direct and indirect speech on discourse comprehension in Dutch listeners with and without aphasia. *Aphasiology*, 28(7), 862–884.
- Güngör, L., Terzi, M., & Onar, M. K. (2011). Does long term use of piracetam improve speech disturbances due to ischemic cerebrovascular diseases? *Brain and Language*, 117(1), 23–27.
- Guo, Y. E., Togher, L., Power, E., & Heard, R. (2017). Validation of the assessment of living with aphasia in Singapore. *Aphasiology*, 31(9), 981–998.

- Guo, Y. E., Togher, L., Power, E., Heard, R., Luo, N., Yap, P., & Koh, G. C. H. (2017). Sensitivity to change and responsiveness of the Stroke and Aphasia Quality-of-Life Scale (SAQOL) in a Singapore stroke population. *Aphasiology*, 31(4), 427–446.
- Haley, K. L. & Jacks, A. (2013). Single-word intelligibility testing in aphasia: Alternate forms reliability, phonetic complexity and word frequency. *Aphasiology*, 28(3), 320–337.
- Haley, K. L., Womack, J. L., Harmon, T. G., McCulloch, K. L., & Faldowski, R. A. (2019). Life activity choices by people with aphasia: repeated interviews and proxy agreement. *Aphasiology*, 33(6), 710–730.
- Hameister, I., Nickels, L., Abel, S., & Croot, K. (2017). “Do you have *mowing the lawn?*” – improvements in word retrieval and grammar following constraint-induced language therapy in primary progressive aphasia. *Aphasiology*, 31(3), 308–331.
- Harris, L., & Humphreys, G. (2015). Semantic impairment and past tense verb production: neighbourhood and frequency modulation of irregular past tense production. *Aphasiology*, 29(7), 799–825.
- Harris, L., Olson, A. & Humphreys, G. (2012). Rehabilitation of past tense verb production and non-canonical sentence production in left inferior frontal non-fluent aphasia. *Aphasiology*, 26(2), 143–161.
- Hashimoto, N., & Thompson, C. K. (2009). The use of the picture–word interference paradigm to examine naming abilities in aphasic individuals. *Aphasiology*, 24(5), 580–611.
- Hengst, J. A., Duff, M. C., & Dettmer, A. (2010). Rethinking repetition in therapy: Repeated engagement as the social ground of learning. *Aphasiology*, 24(6–8), 887–901.
- Hernández-Sacristán, C., Rosell-Clari, V., Serra-Alegre, E. & Quiles-Climent, J. (2012). On natural metalinguistic abilities in aphasia: A preliminary study. *Aphasiology*, 26(2), 199–219.
- Hersh, D., Godecke, E., Armstrong, E., Ciccone, N., & Bernhardt, J. (2016). “Ward talk”: Nurses’ interaction with people with and without aphasia in the very early period poststroke. *Aphasiology*, 30(5), 609–628.
- Hersh, D., Wood, P., & Armstrong, E. (2018). Informal aphasia assessment, interaction and the development of the therapeutic relationship in the early period after stroke. *Aphasiology*, 32(8), 876–901.
- Hesketh, A., Long, A., Bowen, A., & on behalf of the ACTNoW Research St. (2010). Agreement on outcome: Speaker, carer, and therapist perspectives on functional communication after stroke. *Aphasiology*, 25(3), 291–308.
- Hickin, J., Mehta, B., & Dipper, L. (2015). To the sentence and beyond: a single case therapy report for mild aphasia. *Aphasiology*, 29(9), 1038–1061.
- Hilger, A., Ramsberger, G., Gilley, P., Menn, L., & Kong, A. (2014). Analysing speech problems in a longitudinal case study of logopenic variant PPA. *Aphasiology*, 28(7), 840–861.
- Hird, K., & Kirsner, K. (2010). Objective measurement of fluency in natural language production: A dynamic systems approach. *Journal of Neurolinguistics*, 23(5), 518–530.
- Höeg Dembrower, K. E., von Heijne, A., Laska, A. C., & Laurencikas, E. (2017). Patients with aphasia and an infarct in Wernicke’s area benefit from early intensive speech and language therapy. *Aphasiology*, 31(1), 122–128.
- Hoover, E. L., Caplan, D., Waters, G., & Budson, A. (2015). Effects of impairment-based individual and socially oriented group therapies on verb production in aphasia. *Aphasiology*, 29(7), 781–798.
- Huck, A., Thompson, R. L., Cruice, M., & Marshall, J. (2017). Effects of word frequency and contextual predictability on sentence reading in aphasia: an eye movement analysis. *Aphasiology*, 31(11), 1307–1332.
- Hula, W., Donovan, N. J., Kendall, D. L., & Gonzalez-Rothi, L. J. (2010). Item response theory analysis of the Western Aphasia Battery. *Aphasiology*, 24(11), 1326–1341.
- Hunting-Pompon, R., Kendall, D., & Bacon Moore, A. (2011). Examining attention and cognitive processing in participants with self-reported mild anomia. *Aphasiology*, 25(6–7), 800–812.

- Hurkmans, J., Jonkers, R., de Brujin, M., Boonstra, A. M., Hartman, P. P., Arendzen, H., & Reinders-Messelink, H. A. (2015). The effectiveness of Speech–Music Therapy for Aphasia (SMTA) in five speakers with Apraxia of Speech and aphasia. *Aphasiology*, 29(8), 939–964.
- Ivanova, M. V. & Hallowell, B. (2012). Validity of an eye-tracking method to index working memory in people with and without aphasia. *Aphasiology*, 26(3-4), 556–578.
- Ivanova, M. V., Kuptsova, S. V., & Dronkers, N. F. (2017). A comparison of two working memory tasks in aphasia. *Aphasiology*, 31(3), 265–281.
- Ivanova, M., Dragoy, O., Kuptsova, S., Ulicheva, A., & Laurinavichyute, A. (2015). The contribution of working memory to language comprehension: differential effect of aphasia type. *Aphasiology*, 29(6), 645–664.
- Jalil, S. B., Rickard Liow, S. J., & Keng, T. S. (2011). Semantic assessment battery for Malay-speaking adults with aphasia. *Aphasiology*, 25(4), 415–433.
- Jap, B. A., Martinez-Ferreiro, S., & Bastiaanse, R. (2016). The effect of syntactic frequency on sentence comprehension in standard Indonesian Broca’s aphasia. *Aphasiology*, 30(11), 1325–1340.
- Jarema, G., Perlak, D., & Semenza, C. (2009). The processing of compounds in bilingual aphasia: A multiple-case study. *Aphasiology*, 24(2), 126–140.
- Jodache, S., Howe, T., & Siyambalapitiya, S. (2015). Assessment of a Samoan–English speaker with bilingual aphasia: “it’s hard”. *Aphasiology*, 29(7), 872–888.
- Jokel, R., & Wolf, U. (2017). When a duck is not a duck: non-organic bases for aphasia and dementia. *Aphasiology*, 31(1), 100–121.
- Kalinyak-Fliszar, M., Kohen, F. & Martin, N. (2011). Remediation of language processing in aphasia: Improving activation and maintenance of linguistic representations in (verbal) short-term memory. *Aphasiology*, 25(10), 1095–1131.
- Kambanaros, M. & Grohmann, K. K. (2012). BATting multilingual primary progressive aphasia for Greek, English, and Czech. *Journal of Neurolinguistics*, 25(6), 520–537.
- Kambanaros, M. (2009). Action and object naming versus verb and noun retrieval in connected speech: Comparisons in late bilingual Greek–English anomic speakers. *Aphasiology*, 24(2), 210–230.
- Kelly, H., Kennedy, F., Britton, H., McGuire, G., & Law, J. (2016). Narrowing the “digital divide”—facilitating access to computer technology to enhance the lives of those with aphasia: a feasibility study. *Aphasiology*, 1–31.
- Kershenbaum, A., Nicholas, M. L., Hunsaker, E., & Zipse, L. (2019). Speak along without the song: what promotes fluency in people with aphasia? *Aphasiology*, 33(4), 405–428.
- Kim, E. S., Suleman, S., & Hopper, T. (2018). Cognitive effort during a short-term memory (STM) task in individuals with aphasia. *Journal of Neurolinguistics*, 48, 190–198.
- Kim, N. Y., An, Y. S., Shin, J. C., & Kim, Y. W. (2018). Recovery of language function and brain metabolism in a patient with crossed aphasia: 2-year follow-up of brain FDG PET images. *Aphasiology*, 32(9), 1113–1121.
- Kim-Dufor, D. H., Ferragne, E., Dufor, O., Astésano, C. & Nespolous, J. L. (2012). A novel prosody assessment test: Findings in three cases of Landau–Kleffner syndrome. *Journal of Neurolinguistics*, 25(3), 194–211.
- Kiran, S., & Roberts, P. M. (2009). Semantic feature analysis treatment in Spanish–English and French–English bilingual aphasia. *Aphasiology*, 24(2), 231–261.
- Kiran, S., des Roches, C., Villard, S., & Tripodis, Y. (2015). The effect of a sentence comprehension treatment on discourse comprehension in aphasia. *Aphasiology*, 29(11), 1289–1311.
- Kirmess, M. & Lind, M. (2011). Spoken language production as outcome measurement following constraint induced language therapy. *Aphasiology*, 25(10), 1207–1238.
- Kirmess, M., & Maher, L. M. (2010). Constraint induced language therapy in early aphasia rehabilitation. *Aphasiology*, 24(6–8), 725–736.

- Kistner, J., Dipper, L. T., & Marshall, J. (2019). The use and function of gestures in word-finding difficulties in aphasia. *Aphasiology*, 33(11), 1372–1392.
- Knels, C., & Danek, A. (2010). Loss of word-meaning with spared object semantics in a case of mixed primary progressive aphasia. *Brain and Language*, 113(2), 96–100.
- Knoph, M. I., Lind, M., & Simonsen, H. G. (2015). Semantic feature analysis targeting verbs in a quadrilingual speaker with aphasia. *Aphasiology*, 29(12), 1473–1496.
- Kojima, T., Mimura, M., Auchi, K., Yoshino, F., & Kato, M. (2011). Long-term recovery from acquired childhood aphasia and changes of cerebral blood flow. *Journal of Neurolinguistics*, 24(1), 96–112.
- Kristensen, L. F., Steensig, I., Pedersen, A. D., Pedersen, A. R., & Nielsen, J. F. (2015). Constraint-induced aphasia therapy in subacute neurorehabilitation. *Aphasiology*, 29(10), 1152–1163.
- Kristensson, J., Behrns, I., & Saldert, C. (2015). Effects on communication from intensive treatment with semantic feature analysis in aphasia. *Aphasiology*, 29(4), 466–487.
- Kuzmina, E., & Weekes, B. S. (2017). Role of cognitive control in language deficits in different types of aphasia. *Aphasiology*, 31(7), 765–792.
- Lahiri, D., Dubey, S., Ardila, A., Sawale, V. M., Das, G., & Ray, B. K. (2019). Lesion-aphasia discordance in acute stroke among Bengali-speaking patients: Frequency, pattern, and effect on aphasia recovery. *Journal of Neurolinguistics*, 52, 100859.
- Lai, W. V., Silkes, J. P., Minkina, I., & Kendall, D. L. (2019). Generalisation and maintenance across word classes: comparing the efficacy of two anomia treatments in improving verb naming. *Aphasiology*, 33(7), 803–820.
- Laures-Gore, J., Marshall, R. S., & Verner, E. (2010). Performance of individuals with left hemisphere stroke and aphasia and individuals with right brain damage on forward and backward digit span tasks. *Aphasiology*, 25(1), 43–56.
- Lee, J., Fowler, R., Rodney, D., Cherney, L., & Small, S. L. (2009). IMITATE: An intensive computer-based treatment for aphasia based on action observation and imitation. *Aphasiology*, 24(4), 449–465.
- Lee, J., Man, G., Ferreira, V., & Gruberg, N. (2019). Aligning sentence structures in dialogue: evidence from aphasia. *Language, Cognition and Neuroscience*, 34(6), 720–735.
- Legg, C. & Penn, C. (2013). A stroke of misfortune: Cultural interpretations of aphasia in South Africa. *Aphasiology*, 27(2), 126–144.
- Lerman, A., Edmonds, L. A., & Goral, M. (2019). Cross-language generalisation in bilingual aphasia: what are we missing when we do not analyse discourse? *Aphasiology*, 33(9), 1154–1162.
- Lerman, A., Pazuelo, L., Kizner, L., Borodkin, K., & Goral, M. (2019). Language mixing patterns in a bilingual individual with non-fluent aphasia. *Aphasiology*, 33(9), 1137–1153.
- Lorenz, A., & Biedermann, B. (2015). Production of plural nouns in German: evidence from non-fluent aphasia. *Language, Cognition and Neuroscience*, 30(7), 796–815.
- Lubrano, V., Prod'homme, K., Démonet, J. F. & Köpke, B. (2012). Language monitoring in multilingual patients undergoing awake craniotomy: A case study of a German–English–French trilingual patient with a WHO grade II glioma. *Journal of Neurolinguistics*, 25(6), 567–578.
- Mariën, P., van Dun, K., van Dormal, J., Vandenborre, D., Keulen, S., Manto, M., Verhoeven, J., & Abutalebi, J. (2017). Cerebellar induced differential polyglot aphasia: A neurolinguistic and fMRI study. *Brain and Language*, 175, 18–28.
- Mason, C., Nickels, L., McDonald, B., Moses, M., Makin, K., & Taylor, C. (2010). Treatment of word retrieval impairments in aphasia: Evaluation of a self-administered home programme using personally chosen words. *Aphasiology*, 25(2), 245–268.
- Matos, M. A. C., Jesus, L. M. T., & Cruice, M. (2014). Consequences of stroke and aphasia according to the ICF domains: Views of Portuguese people with aphasia, family members and professionals. *Aphasiology*, 28(7), 771–796.

- Mayer, J. F., Mitchinson, S. I., & Murray, L. L. (2017). Addressing concomitant executive dysfunction and aphasia: previous approaches and the new brain budget protocol. *Aphasiology*, 31(7), 837–860.
- Mc Menamin, R., Tierney, E., & Mac Farlane, A. (2015). "Who decides what criteria are important to consider in exploring the outcomes of conversation approaches? A participatory health research study". *Aphasiology*, 29(8), 914–938.
- McCann, C., & Doleman, J. (2011). Verb retrieval in nonfluent aphasia: A replication of Edwards & Tucker, 2006. *Journal of Neurolinguistics*, 24(2), 237–248.
- McCann, C., Lee, T., Purdy, S. C. & Paulin, A. K. (2012). The use of the Bilingual Aphasia Test with a bilingual Mandarin–New Zealand English speaker with aphasia. *Journal of Neurolinguistics*, 25(6), 579–587.
- McCarthy, L. M., Kalinyak-Fliszar, M., Kohen, F., & Martin, N. (2017). Effects of semantic context on access to words of low imageability in deep-phonological dysphasia: a treatment case study. *Aphasiology*, 1–21.
- Medina, J., Norise, C., Faseyitan, O., Coslett, H. B., Turkeltaub, P. E. & Hamilton, R. H. (2012). Finding the right words: Transcranial magnetic stimulation improves discourse productivity in non-fluent aphasia after stroke. *Aphasiology*, 26(9), 1153–1168.
- Meier, E. L., Lo, M., & Kiran, S. (2016). Understanding semantic and phonological processing deficits in adults with aphasia: effects of category and typicality. *Aphasiology*, 30(6), 719–749.
- Meltzer, J. A., Baird, A. J., Steele, R. D., & Harvey, S. J. (2018). Computer-based treatment of poststroke language disorders: a non-inferiority study of telerehabilitation compared to in-person service delivery. *Aphasiology*, 32(3), 290–311.
- Merrett, D. L., Tailby, C., Jackson, G. D., & Wilson, S. J. (2019). Perspectives from case studies in obtaining evidence for music interventions in aphasia. *Aphasiology*, 33(4), 429–448.
- Meyer, A. M., Faria, A. V., Tippett, D. C., Hillis, A. E., & Friedman, R. B. (2017). The relationship between baseline volume in temporal areas and post-treatment naming accuracy in primary progressive aphasia. *Aphasiology*, 31(9), 1059–1077.
- Miller Amberber, A. (2012). Language intervention in French–English bilingual aphasia: Evidence of limited therapy transfer. *Journal of Neurolinguistics*, 25(6), 588–614.
- Miller, N., Taylor, J., Howe, C. & Read, J. (2011). Living with foreign accent syndrome: Insider perspectives. *Aphasiology*, 25(9), 1053–1068.
- Minkina, I., Oelke, M., Bislick, L. P., Brookshire, C. E., Hunting Pompon, R., Silkes, J. P., & Kendall, D. L. (2016). An investigation of aphasic naming error evolution following phonemotor treatment. *Aphasiology*, 30(8), 962–980.
- Morris, J., Franklin, S. & Menger, F. (2011). Returning to work with aphasia: A case study. *Aphasiology*, 25(8), 890–907.
- Muò, R., Rinaudo, M., Rabino, G., Massari, E., Schindler, A., Steni, P., & Iacomussi, T. (2019). Validation of the Italian version of the Kagan scales for people with aphasia and their conversation partners. *Aphasiology*, 33(3), 352–371.
- Murray, L. L. (2017). Design fluency subsequent to onset of aphasia: a distinct pattern of executive function difficulties? *Aphasiology*, 31(7), 793–818.
- Nicholas, M., Hunsaker, E., & Guarino, A. (2017). The relation between language, non-verbal cognition and quality of life in people with aphasia. *Aphasiology*, 31(6), 688–702.
- Okada, R., Okuda, T., Nakano, N., Nishimatsu, K., Fukushima, H., Onoda, M., Otsuki, T., Ishii, K., Murakami, T. & Kato, A. (2013). Brain areas associated with sentence processing: A functional MRI study and a lesion study. *Journal of Neurolinguistics*, 26(4), 470–478.
- Olness, G. S., & Englebretson, E. F. (2011). On the coherence of information highlighted by narrators with aphasia. *Aphasiology*, 25(6–7), 713–726.
- Pagliarin, K. C., Ortiz, K. Z., Parente, M. A. d. M. P., Nespolous, J.-L., Joanette, Y., & Fonseca, R. P. (2014). Individual and sociocultural influences on language processing as assessed by the MTL-BR Battery. *Aphasiology*, 28(10), 1244–1257.

- Park, H., Rogalski, Y., Rodriguez, A. D., Zlatar, Z., Benjamin, M., Harnish, S., Bennett, J., Rosenbek, J. C., Crosson, B. & Reilly, J. (2011). Perceptual cues used by listeners to discriminate fluent from nonfluent narrative discourse. *Aphasiology*, 25(9), 998-1015.
- Park, Y., Goral, M., Verkuilen, J. & Kempler, D. (2013). Effects of noun–verb conceptual/phonological relatedness on verb production changes in Broca’s aphasia. *Aphasiology*, 27(7), 811-827.
- Peñaloza, C., Benetello, A., Tuomiranta, L., Heikius, I. M., Järvinen, S., Majos, M. C., Cardona, P., Juncadella, M., Laine, M., Martin, N., & Rodríguez-Fornells, A. (2015). Speech segmentation in aphasia. *Aphasiology*, 29(6), 724–743.
- Penn, C., Barber, N., & Fridjhon, P. (2017). Early recovery profiles of language and executive functions after left hemisphere stroke in bilingualism. *Aphasiology*, 31(7), 741–764.
- Penn, C., Frankel, T., & Wilkinson, R. (2015). Problems with the understandability of aphasic talk: mentions of persons as a trouble source in interaction. *Aphasiology*, 29(3), 291–314.
- Penn, C., Frankel, T., Watermeyer, J., & Russell, N. (2009). Executive function and conversational strategies in bilingual aphasia. *Aphasiology*, 24(2), 288–308.
- Pilkington, E., Sage, K., Saddy, J. D., & Robson, H. (2019). What can repetition, reading and naming tell us about Jargon aphasia? *Journal of Neurolinguistics*, 49, 45–56.
- Preston, J. L. & Leaman, M. (2013). Ultrasound visual feedback for acquired apraxia of speech: A case report. *Aphasiology*, 28(3), 278-295.
- Pritchard, M., Dipper, L., Morgan, G., & Cocks, N. (2015). Language and iconic gesture use in procedural discourse by speakers with aphasia. *Aphasiology*, 29(7), 826–844.
- Purcell, R., Lambon Ralph, M. A., & Sage, K. (2019). Investigating the language, cognition and self-monitoring abilities of speakers with jargon output. *Aphasiology*, 33(9), 1095–1113.
- Purdy, M., & Wallace, S. E. (2016). Intensive multimodal communication treatment for people with chronic aphasia. *Aphasiology*, 30(10), 1071–1093.
- Purves, B. A., Logan, H., & Marcella, S. (2011). Intersections of literal and metaphorical voices in aphasia. *Aphasiology*, 25(6-7), 688–699.
- Rautakoski, P. (2011a). Partners’ self-perceptions of the use of different communication strategies during total communication intervention. *Aphasiology*, 25(12), 1523-1542.
- Rautakoski, P. (2011b). Training total communication. *Aphasiology*, 25(3), 344–365.
- Rautakoski, P. (2012). Self-perceptions of functional communication performance during total communication intervention. *Aphasiology*, 26(6), 826-846.
- Reilly, J., Troche, J., Paris, A., Park, H., Kalinyak-Fliszar, M., Antonucci, S. M. & Martin, N. (2012). Lexicality effects in word and nonword recall of semantic dementia and progressive nonfluent aphasia. *Aphasiology*, 26(3-4), 404-427.
- Renvall, K., & Nickels, L. (2019). Using treatment to improve the production of emotive adjectives in aphasia: a single-case study. *Aphasiology*, 33(11), 1348–1371.
- Romani, C., Thomas, L., Olson, A., & Lander, L. (2019). Playing a team game improves word production in poststroke aphasia. *Aphasiology*, 33(3), 253–288.
- Rose, M. L., Attard, M. C., Mok, Z., Lanyon, L. E. & Foster, A. M. (2013). Multi-modality aphasia therapy is as efficacious as a constraint-induced aphasia therapy for chronic aphasia: A phase 1 study. *Aphasiology*, 27(8), 938-971.
- Rose, M. L., Mok, Z., Carragher, M., Katthagen, S., & Attard, M. (2016). Comparing multi-modality and constraint-induced treatment for aphasia: a preliminary investigation of generalisation to discourse. *Aphasiology*, 30(6), 678–698.
- Rossiter, C. & Best, W. (2013). “Penguins don’t fly”: An investigation into the effect of typicality on picture naming in people with aphasia. *Aphasiology*, 27(7), 784-798.
- Routhier, S., Bier, N., & Macoir, J. (2016). Smart tablet for smart self-administered treatment of verb anomia: two single-case studies in aphasia. *Aphasiology*, 1–21.

- Ruiter, M. B., Kolk, H. H. J., Rietveld, T. C. M. & Feddema, I. (2013). Combining possibly reciprocally dependent linguistic parameters in the quantitative assessment of aphasic speakers' grammatical output. *Aphasiology*, 27(3), 293-308.
- Ruiter, M. B., Kolk, H. H. J., Rietveld, T. C. M., Dijkstra, N. & Lotgering, E. (2011). Towards a quantitative measure of verbal effectiveness and efficiency in the Amsterdam-Nijmegen Everyday Language Test (ANELT). *Aphasiology*, 25(8), 961-975.
- Sacchett, C., & Black, M. (2010). Drawing as a window to event conceptualisation: Evidence from two people with aphasia. *Aphasiology*, 25(1), 3-26.
- Sajjadi, S. A., Patterson, K., Tomek, M. & Nestor, P. J. (2012). Abnormalities of connected speech in the non-semantic variants of primary progressive aphasia. *Aphasiology*, 26(10), 1219-1237.
- Saldert, C., Backman, E. & Hartelius, L. (2013). Conversation partner training with spouses of persons with aphasia: A pilot study using a protocol to trace relevant characteristics. *Aphasiology*, 27(3), 271-292.
- Saldert, C., Johansson, C., & Wilkinson, R. (2015). An interaction-focused intervention approach to training everyday communication partners: a single case study. *Aphasiology*, 29(3), 378-399.
- Salis, C., & Edwards, S. (2010). Treatment of written verb and written sentence production in an individual with aphasia: A clinical study. *Aphasiology*, 24(9), 1051-1063.
- Sandberg, C. W., Bohland, J. W., & Kiran, S. (2015). Changes in functional connectivity related to direct training and generalization effects of a word finding treatment in chronic aphasia. *Brain and Language*, 150, 103-116.
- Sapolsky, D., Domoto-Reilly, K., & Dickerson, B. C. (2014). Use of the Progressive Aphasia Severity Scale (PASS) in monitoring speech and language status in PPA. *Aphasiology*, 28(8-9), 993-1003.
- Sebastian, R., Thompson, C. B., Wang, N. Y., Wright, A., Meyer, A., Friedman, R. B., Hillis, A. E., & Tippett, D. C. (2018). Patterns of decline in naming and semantic knowledge in primary progressive aphasia. *Aphasiology*, 32(9), 1010-1030.
- Silkes, J. P., & Rogers, M. A. (2010). Perception of visually masked stimuli by individuals with aphasia: A methodological assessment and preliminary theoretical implications. *Aphasiology*, 24(6-8), 763-774.
- Siyambalapitiya, S., Chenery, H. J. & Copland, D. A. (2013). Lexical-semantic representation in bilingual aphasia: Findings from semantic priming and cognate repetition priming. *Aphasiology*, 27(11), 1302-1321.
- Soloukhina, O. A., & Ivanova, M. V. (2018). Investigating comprehension of nouns and verbs: is there a difference? *Aphasiology*, 32(2), 183-203.
- Sullivan, N., Walenski, M., Love, T., & Shapiro, L. P. (2017). The comprehension of sentences with unaccusative verbs in aphasia: a test of the intervener hypothesis. *Aphasiology*, 31(1), 67-81.
- Sung, J. E., Eom, B., & Lee, S. E. (2018). Effects of working memory demands on sentence production in aphasia. *Journal of Neurolinguistics*, 48, 64-75.
- Swinburn, K., Best, W., Beeke, S., Cruice, M., Smith, L., Pearce Willis, E., Ledingham, K., Sweeney, J., & McVicker, S. J. (2019). A concise patient reported outcome measure for people with aphasia: the aphasia impact questionnaire 21. *Aphasiology*, 33(9), 1035-1060.
- Taylor, C., Croot, K., Power, E., Savage, S. A., Hodges, J. R., & Togher, L. (2014). Trouble and repair during conversations of people with primary progressive aphasia. *Aphasiology*, 28(8-9), 1069-1091.
- Thothathiri, M., & Mauro, K. L. (2018). The relationship between short-term memory, conflict resolution, and sentence comprehension impairments in aphasia. *Aphasiology*, 32(3), 264-289.
- Tomkins, B., Siyambalapitiya, S. & Worrall, L. (2013). What do people with aphasia think about their health care? Factors influencing satisfaction and dissatisfaction. *Aphasiology*, 27(8), 972-991.

- Ulmer, E., Hux, K., Brown, J., Nelms, T., & Reeder, C. (2017). Using self-captured photographs to support the expressive communication of people with aphasia. *Aphasiology*, 31(10), 1183–1204.
- Utianski, R. L., Botha, H., Martin, P. R., Schwarz, C. G., Duffy, J. R., Clark, H. M., Machulda, M. M., Butts, A. M., Lowe, V. J., Jack, C. R., Senjem, M. L., Spychalla, A. J., Whitwell, J. L., & Josephs, K. A. (2019). Clinical and neuroimaging characteristics of clinically unclassifiable primary progressive aphasia. *Brain and Language*, 197, 104676.
- Utianski, R. L., Caviness, J. N., Worrell, G. A., Duffy, J. R., Clark, H. M., Machulda, M. M., Whitwell, J. L., & Josephs, K. A. (2019). Electroencephalography in primary progressive aphasia and apraxia of speech. *Aphasiology*, 33(11), 1410–1417.
- van Ewijk, L., Versteegde, L., Raven-Takken, E., & Hilari, K. (2017). Measuring quality of life in Dutch people with aphasia: development and psychometric evaluation of the SAQOL-39NL. *Aphasiology*, 31(2), 189–200.
- van Hees, S. J., Smith, E. R. & Copland, D. A. (2011). Manipulating hemispheric attentional mechanisms to modulate word retrieval in aphasia. *Aphasiology*, 25(12), 1469–1487.
- Venkatesh, M., Edwards, S. & Saddy, J. D. (2012). Production and comprehension of English and Hindi in multilingual transcortical aphasia. *Journal of Neurolinguistics*, 25(6), 615–629.
- Vergis, M. K., Ballard, K. J., Duffy, J. R., McNeil, M. R., Scholl, D. & Layfield, C. (2014). An acoustic measure of lexical stress differentiates aphasia and aphasia plus apraxia of speech after stroke. *Aphasiology*, 28(5), 554–575.
- Vickers, C. P. (2010). Social networks after the onset of aphasia: The impact of aphasia group attendance. *Aphasiology*, 24(6-8), 902–913.
- Waldron, H., Whitworth, A. & Howard, D. (2011). Comparing monitoring and production based approaches to the treatment of phonological assembly difficulties in aphasia. *Aphasiology*, 25(10), 1153–1173.
- Waldron, H., Whitworth, A., & Howard, D. (2010). Therapy for phonological assembly difficulties: A case series. *Aphasiology*, 25(4), 434–455.
- Walker, T., Thomson, J., & Watt, I. (2016). Displays and claims of understanding in conversation by people with aphasia. *Aphasiology*, 30(6), 750–764.
- Wallace, S. E., & Kayode, S. (2017). Effects of a semantic plus multimodal communication treatment for modality switching in severe aphasia. *Aphasiology*, 31(10), 1127–1142.
- Wambaugh, J. L., Wright, S. & Nessler, C. (2012). Modified Response Elaboration Training: A systematic extension with replications. *Aphasiology*, 26(12), 1407–1439.
- Wang, H., & Thompson, C. K. (2016). Assessing syntactic deficits in Chinese Broca's aphasia using the Northwestern Assessment of Verbs and Sentences-Chinese (NAVS-C). *Aphasiology*, 30(7), 815–840.
- Webster, J., Morris, J., Connor, C., Horner, R., McCormac, C. & Potts, A. (2013). Text level reading comprehension in aphasia: What do we know about therapy and what do we need to know? *Aphasiology*, 27(11), 1362–1380.
- Whitwell, J. L., Duffy, J. R., Strand, E. A., Machulda, M. M., Senjem, M. L., Schwarz, C. G., Reid, R., Baker, M. C., Perkerson, R. B., Lowe, V. J., Rademakers, R., Jack, C. R., & Josephs, K. A. (2015). Clinical and neuroimaging biomarkers of amyloid-negative logopenic primary progressive aphasia. *Brain and Language*, 142, 45–53.
- Whitwell, J. L., Duffy, J. R., Strand, E. A., Xia, R., Mandrekar, J., Machulda, M. M., Senjem, M. L., Lowe, V. J., Jack Jr., C. R. & Josephs, K. A. (2013). Distinct regional anatomic and functional correlates of neurodegenerative apraxia of speech and aphasia: An MRI and FDG-PET study. *Brain and Language*, 125(3), 245–252.
- Whitworth, A., Cartwright, J., Beales, A., Leitão, S., Panegyres, P. K., & Kane, R. (2018). Taking words to a new level: a preliminary investigation of discourse intervention in primary progressive aphasia. *Aphasiology*, 32(11), 1284–1309.

- Whitworth, A., Leitão, S., Cartwright, J., Webster, J., Hankey, G., Zach, J., Howard, D., & Wolz, V. (2015). NARNIA: a new twist to an old tale. A pilot RCT to evaluate a multilevel approach to improving discourse in aphasia. *Aphasiology*, 29(11), 1345–1382.
- Wielaert, S. M., Sage, K., Heijenbrok-Kal, M. H., & van de Sandt-Koenderman, M. W. (2016). Candidacy for conversation partner training in aphasia: findings from a Dutch implementation study. *Aphasiology*, 30(6), 699–718.
- Wiley, R. W., & Rapp, B. (2019). Statistical analysis in Small-N Designs: using linear mixed-effects modeling for evaluating intervention effectiveness. *Aphasiology*, 33(1), 1–30.
- Wilshire, C. E., Lukkien, C. C., & Burmester, B. R. (2014). The sentence production test for aphasia. *Aphasiology*, 28(6), 658–691.
- Yadegari, F., Razavi, M., & Azimian, M. (2015). Frame aphasia due to Broca's area impairment: a Persian case report. *Aphasiology*, 29(4), 457–465.
- Yarbay Duman, T., Altinok, N., & Maviş, L. (2016). Grammar and cognition: deficits comprehending counterfactuals in Turkish individuals with Broca's aphasia. *Aphasiology*, 30(7), 841–861.
- Zakariás, L., Keresztes, A., Demeter, G. & Lukács, G. (2013). A specific pattern of executive dysfunctions in transcortical motor aphasia. *Aphasiology*, 27(12), 1426-1439.
- Zakariás, L., Salis, C., & Wartenburger, I. (2018). Transfer effects on spoken sentence comprehension and functional communication after working memory training in stroke aphasia. *Journal of Neurolinguistics*, 48, 47–63.