

Table S1. Report

	Minor								
	E&D			BE&S			Total		
	Mean	N	Std. Deviation	Mean	N	Std. Deviation	Mean	N	Std. Deviation
EAATSD1	3,9444	18	,93760	3,7619	42	,90553	3,8167	60	,91117
EAATSD2	1,1667	18	,38348	2,3333	42	1,05152	1,9833	60	1,04948
EAATSD3	2,2778	18	,89479	3,0476	42	1,08093	2,8167	60	1,08130
EAATSD4	3,8889	18	,67640	3,3333	42	,92833	3,5000	60	,89253
EAATSD5	2,0588	17	1,34493	2,6341	41	,88758	2,4655	58	1,06319
EAATSD6	1,3529	17	,86177	1,9286	42	,89423	1,7627	59	,91612
EAATSD7	1,7778	18	1,16597	2,5714	42	,85946	2,3333	60	1,01958
EAATSD8	2,2778	18	1,36363	3,0000	42	,85540	2,7833	60	1,07501
EAATSD9	3,5556	18	,98352	3,5750	40	1,10680	3,5690	58	1,06148
EAATSD10	1,1667	18	,38348	1,4048	42	,58683	1,3333	60	,54202
EAATSD11	2,7778	18	1,21537	3,3333	42	1,07446	3,1667	60	1,13745
EAATSD12	4,1667	18	1,20049	3,7143	42	1,17465	3,8500	60	1,19071
EAATSD13	3,0556	18	,93760	3,2857	42	,96993	3,2167	60	,95831
EAATSD14	2,2778	18	,75190	2,6190	42	1,03482	2,5167	60	,96536
EAATSD15	3,5000	18	,70711	3,6429	42	1,05510	3,6000	60	,96023
EAATSD16	1,9444	18	,72536	2,5238	42	,63392	2,3500	60	,70890
EAATSD17	4,2778	18	,82644	3,5952	42	1,14890	3,8000	60	1,10162
EAATSD18	3,0556	18	1,10997	3,3659	41	1,01873	3,2712	59	1,04767
EAATSD19	4,0000	18	,90749	3,7381	42	,88509	3,8167	60	,89237
EAATSD20	2,4444	18	,92178	3,4762	42	1,01784	3,1667	60	1,09183
EAATSD21	2,5556	18	1,14903	2,6905	42	1,19935	2,6500	60	1,17639
EAATSD22	2,9444	18	1,05564	3,0952	42	1,37592	3,0500	60	1,28122

Table S2. EAATSD2 * EAATSD4 Crosstabulation

Count		EAATSD4					Total
		Strongly Disagree	2,00	3,00	4,00	Strongly Agree	
EAATSD2	Strongly Disagree	0	2	6	13	4	25
	2,00	0	2	10	3	3	18
	3,00	1	2	3	5	0	11
	4,00	0	0	2	3	0	5
	Strongly Agree	0	0	1	0	0	1
Total		1	6	22	24	7	60

Table S3. Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	17,236 ^a	16	,371
Likelihood Ratio	19,063	16	,265
Linear-by-Linear Association	2,555	1	,110
N of Valid Cases	60		

a. 21 cells (84,0%) have expected count less than 5. The minimum expected count is ,02.

Table S4. EAATSD6 * EAATSD12 Crosstabulation

Count		EAATSD12					Total
		Strongly Disagree	2,00	3,00	4,00	Strongly Agree	
EAATSD6	Strongly Disagree	2	2	5	6	15	30
	2,00	2	1	4	5	4	16
	3,00	0	0	1	6	3	10
	4,00	0	1	0	2	0	3
Total		4	4	10	19	22	59

Table S5. Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	14,973 ^a	12	,243
Likelihood Ratio	15,880	12	,197
Linear-by-Linear Association	,218	1	,640
N of Valid Cases	59		

a. 15 cells (75,0%) have expected count less than 5. The minimum expected count is ,20.

Table S6. EAATSD16 * EAATSD19 Crosstabulation

Count

	EAATSD19					Total
	Strongly Disagree	2,00	3,00	4,00	Strongly Agree	
Strongly Disagree	0	0	1	0	6	7
EAATSD16 2,00	0	1	9	11	5	26
3,00	1	2	5	16	2	26
4,00	0	0	0	1	0	1
Total	1	3	15	28	13	60

Table S7. Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	25,131 ^a	12	,014
Likelihood Ratio	24,373	12	,018
Linear-by-Linear Association	5,265	1	,022
N of Valid Cases	60		

a. 14 cells (70,0%) have expected count less than 5. The minimum expected count is ,02.

Table S8. EAATSD3 * EAATSD9 Crosstabulation

Count

		EAATSD9					Total
		Strongly Disagree	2,00	3,00	4,00	Strongly Agree	
EAATSD3	Strongly Disagree	0	2	1	1	1	5
	2,00	0	2	4	11	4	21
	3,00	0	7	2	9	0	18
	4,00	1	0	0	5	3	9
	Strongly Agree	0	1	1	1	2	5
Total		1	12	8	27	10	58

Table S9. Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	22,280 ^a	16	,134
Likelihood Ratio	25,917	16	,055
Linear-by-Linear Association	,306	1	,580
N of Valid Cases	58		

a. 23 cells (92,0%) have expected count less than 5. The minimum expected count is ,09.