

Spasmolytic activity of 1,3-disubstituted 3,4-dihydroisoquinolines

Miglena Milusheva, Mihaela Stoyanova, Vera Gledacheva, Iliyana Stefanova, Mina Todorova, and Stoyanka Nikolova

Table of Contents:

Figure S1: ¹H-NMR spectrum of compound **5a**, page 2, 3

Figure S2: ¹³C-NMR spectrum of compound **5a**, page 4

Figure S3: ¹H-NMR spectrum of compound **5b**, page 5

Figure S4: ¹³C-NMR spectrum of compound **5b**, page 6


Figure S5: ¹H-NMR spectrum of compound **5c**, page 7

Figure S6: ¹³C-NMR spectrum of compound **5c**, page 8

Figure S7: ¹H-NMR spectrum of compound **5d**, page 9

Figure S8: ¹³C-NMR spectrum of compound **5d**, page 10

Figure S1: ^1H -NMR spectrum of compound **5a**






Figure S2: ^{13}C -NMR spectrum of compound 5a




Figure S3: ^1H -NMR spectrum of compound **5b**




Figure S4: ^{13}C -NMR spectrum of compound **5b**




Figure S5: ^1H -NMR spectrum of compound **5c**




Figure S6: ^{13}C -NMR spectrum of compound 5c




Figure S7: ^1H -NMR spectrum of compound **5d**




Figure S8: ^{13}C -NMR spectrum of compound **5d**

