

Supporting Information

Fabrication of NiO-CuO/RGO composite for lithium storage property

Yuan-Xiang Fu^{1,3*}, Yu-Xin Chen^{1,2}, Fan Wang¹ and Guo-Yong Zhou^{2*}

¹ School of Chemical Engineering & key laboratory of energy chemistry in Guizhou universities, Guizhou Institute of Technology, Guiyang 550003, P. R. China,

² School of Chemical Engineering, Guizhou Minzu University, Guiyang 550025, China,

³ Guangdong Engineering Technology Research Centre for Advanced Thermal Control Material and System Integration (ATCMSI), Guangzhou 510275, P. R. China.

*E-mail: Yuan-Xiang Fu: fuyx8@git.edu.cn; *Guo-Yong Zhou: gyzhou@gzmu.edu.cn




Fig.S1. Low (a) and high (b) magnification SEM images of Ni (OH)₂-Cu (OH)₂/GO sample.




Fig.S2. XRD pattern of Ni (OH)₂-Cu (OH)₂/GO sample.

The sharp diffraction peaks of GO[1] was displayed on the curve, however, the diffraction peaks of Cu (OH)₂[2] and Ni (OH)₂[3] are not obvious in the composite.




Fig.S3 Nyquist plots of NiO-CuO/RGO electrode before and after 400 cycles within 2000 mA/g.

Reference

- [1] D.C. Marcano, D.V. Kosynkin, J.M. Berlin, A. Sinitskii, Z. Sun, A. Slesarev, L.B. Alemany, W. Lu, J.M. Tour, Improved Synthesis of Graphene Oxide, *Acs Nano*, 4 (2010) 4806-4814.
- [2] Xinyu Song, Sixiu Sun, Weimin Zhang, Haiyun Yu, W. Fan, Synthesis of $\text{Cu}(\text{OH})_2$ Nanowires at Aqueous-Organic Interfaces, *J. Phys. Chem. B*, 108 (2004) 5200-5205.
- [3] J. Yan, Z. Fan, W. Sun, G. Ning, T. Wei, Q. Zhang, R. Zhang, L. Zhi, F. Wei, Advanced Asymmetric Supercapacitors Based on $\text{Ni}(\text{OH})_2$ /Graphene and Porous Graphene Electrodes with High Energy Density, *Advanced Functional Materials*, 22 (2012) 2632-2641.