

Organic polymers as Porogenic Structure Matrices for Mesoporous Alumina and Magnesia

Supporting Information

Zimei Chen ^{1,2}, Christian Weinberger ¹, Michael Tiemann ^{1,*} and Dirk Kuckling ^{2,*}

¹ Department of Chemistry - Inorganic Functional Materials, University of Paderborn, Warburger Str. 100, 33098 Paderborn, Germany; zimei.chen@uni-paderborn.de (Z.C.); christian.weinberger@uni-paderborn.de (C.W.)

² Department of Chemistry - Organic and Macromolecular Chemistry, University of Paderborn, Warburger Str. 100, 33098 Paderborn, Germany

* Correspondence: michael.tiemann@uni-paderborn.de (M.T.); dirk.kuckling@uni-paderborn.de (D.K.)




Figure S1. TGA (solid lines) of the Al(OH)₃-PVA composite and of the pure PVA. The DTG curves (dashed lines) are the first derivatives of the TGA curves.




Figure S2. TGA (solid lines) of the Al(OH)_3 -PHPMA composite and of the pure PHPMA. The DTG curves (dashed lines) are the first derivatives of the TGA curves.




Figure S3. TGA (solid lines) of the Al(OH)_3 -PEG composite and of the pure PEG. The DTG curves (dashed lines) are the first derivatives of the TGA curves.