

Table S2. Relative abundance in percentage of strains identified by MALDI-TOF from CDC fermentations in agave juice at 0, 24 and 48 hours of fermentation

	CDC condition																																
Microorganism	1			2			3			4			5			6			7			8			9			10			11		
	0	24	48	0	24	48	0	24	48	0	24	48	0	24	48	0	24	48	0	24	48	0	24	48	0	24	48	0	24	48			
<i>Saccharomyces cerevisiae</i>	0	100	89	94	100	100	100	100	100	100	100	100	100	100	100	100	0	100	17	100	80	0	100	100	0	100	100	80	100	100	67	100	100
<i>Acetobacter cerevisiae</i>	0	0	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
<i>Gluconobacter oxydans</i>	0	0	7	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	20	0	0	0	0	0	0	0	0	0	0	0	
<i>Acinetobacter radioresistens</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	17	0	0	0	0	0	0	0	0	0	0	0	0	0	
<i>Brevibacillus centrosporus</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	0	0	0	0	0	0	0	0	0	0	0	0	0	
<i>Bacillus subtilis</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	20	0	0	33	0	0