

## Supplementary file

# Optimization, In Vitro and Ex Vivo Assessment of Nanotransferosome Gels Infused with a Methanolic Extract of *Solanum xanthocarpum* for the Topical Treatment of Psoriasis

Nilanchala Sahu <sup>1</sup>, Perwez Alam <sup>2,\*</sup>, Asad Ali <sup>3</sup>, Neeraj Kumar <sup>4</sup>, Rama Tyagi <sup>5</sup>, Swati Madan <sup>5</sup>, Ramanpreet Walia <sup>5</sup> and Shikha Saxena <sup>5,\*</sup>

<sup>1</sup> Department of Pharmacy, Sharda School of Pharmacy, Sharda University, Greater Noida 201310, India; nilanchalasahu24@gmail.com

<sup>2</sup> Department of Pharmacognosy, College of Pharmacy, King Saud University, P.O. Box 2457, Riyadh 11451, Saudi Arabia

<sup>3</sup> Department of Pharmaceutics, School of Pharmaceutical Education and Research, Jamia Hamdard, M. B. Road, New Delhi 110062, India; asad97111@gmail.com

<sup>4</sup> Department of Pharmacognosy & Phytochemistry, School of Pharmaceutical Education and Research, Jamia Hamdard, M. B. Road, New Delhi 110062, India; neerajpaswan225@gmail.com

<sup>5</sup> Amity Institute of Pharmacy, Amity University Uttar Pradesh, Noida 201303, India; tyagirama8@gmail.com (R.T.); smadan3@amity.edu (S.M.); rwalia@amity.edu (R.W.)

\* Correspondence: aperwez@ksu.edu.sa (P.A.); skataria@amity.edu (S.S.)


*Regression equation of the fitted quadratic model:*

$$\text{Vesicle size} = +135.51 + 4.72 \times X_1 + 4.19 \times X_2 - 3.44 \times X_3 + 0.5300 \times X_1 \times X_2 - 2.300 \times X_1 \times X_3 + 5.13 \times X_2 \times X_3 + 9.05 \times X_1^2 + 4.32 \times X_2^2 + 15.74 \times X_3^2$$

$$\text{PDI} = +0.2156 + 0.0063 \times X_1 - 0.0002 \times X_2 + 0.0072 \times X_3 - 0.0315 \times X_1 \times X_2 + 0.0373 \times X_1 \times X_3 - 0.0113 \times X_2 \times X_3 + 0.0581 \times X_1^2 + 0.0237 \times X_2^2 + 0.0700 \times X_3^2$$

$$\text{EE} = -913.41425 + 19.22618 \times X_1 + 8.44690 \times X_2 + 8.04700 \times X_3 - 0.120900 \times X_1 \times X_2 - 0.071600 \times X_1 \times X_3 - 0.084000 \times X_2 \times X_3 - 0.091923 \times X_1^2 + 0.274040 \times X_2^2 + 0.024840 \times X_3^2$$

X<sub>1</sub>: p90G (mg), X<sub>2</sub>: Cholesterol (mg), X<sub>3</sub>: Sodium cholate (mg)



**Figure S1.** Drug release kinetic model diagrams of Korsmeyer Peppas Model, First Order Release Model, Zero Order Release Model, and Higuchi Model for SXE-NTF formulation.

### Certificate

This is to certify that the project proposal no **ICP/2023/04** entitled "Phyto-Pharmacognostical Investigation and Nanoparticle Formulation of Bioactives from *Plumbago zeylanica* and *Solanum xanthocarpum* for Diabetic Retinopathic Management" submitted by **Ms. Rama Tyagi** has been approved by the IAEC of Innovative institute of Pharmacy and Project number is **CPCSEA/IAEC/ICP/2023/04** in its meeting held on **03/05/2023** and **48 animals of wistar rats of either sex** have been sanctioned under this proposal for a duration of **next 6 months**.

Authorized by	Name	Signature	Date
Chairman:	Dr. Titiksha S. Sharma		03/05/2023
Member Secretary:	Dr. Anamjyoti Singh		05/05/2023
Main Nominee of CPCSEA:	Dr. Rakesh Gaur		03/05/2023

Innovative College of Pharmacy  
Plot No. 6, Knowledge Park-2,  
Greater Noida

(Kindly make sure that minutes of the meeting duly signed by all the participants are maintained by Office)

Figure S2. Animal Approval Form.