


# Supplementary Materials of: “Keratin/PNIPAM hybrid microgels: preparation, morphology and swelling properties”

Elena Buratti<sup>\*1</sup>, Maddalena Sguizzato<sup>1</sup>, Giovanna Sotgiu<sup>2</sup>, Roberto Zamboni<sup>2</sup>, and Monica Bertoldo<sup>1</sup>


<sup>1</sup>Department of Chemical, Pharmaceutical and Agricultural Sciences, University of Ferrara, via. L. Borsari, 46, 44121, Ferrara, Italy; e-mail@e-mail.com

<sup>2</sup> Institute for Organic Synthesis and Photoreactivity (ISOF), National Research Council, Via Gobetti 101, Bologna, 40129, Italy


\*Correspondence: elena.buratti@unife.it




**Figure S1.** ATR spectrum of PNIPAM




**Figure S2.** ATR spectrum of HYB-P




**Figure S3.** ATR spectrum of HYB-M




**Figure S4.** ATR spectrum of KER




**Figure S5.** <sup>1</sup>H-NMR spectrum of PNIPAM in D<sub>2</sub>O



**Figure S6.** <sup>1</sup>H-NMR spectrum of HYB-P in D<sub>2</sub>O



**Figure S7.** <sup>1</sup>H-NMR spectrum of HYB-M in D<sub>2</sub>O



**Figure S8.** <sup>1</sup>H-NMR spectrum of KER in D<sub>2</sub>O