

Supporting Information for

Metal-Coordinated Dynamics and Viscoelastic Properties of Double-Network Hydrogels

Shilei Zhu ^{1,†}, Yan Wang ^{2,†}, Zhe Wang ², Lin Chen ², Fengbo Zhu ^{2,3}, Yanan Ye ^{2,3,*},
Yong Zheng ^{4,*}, Wenwen Yu ^{2,3} and Qiang Zheng ^{2,5}

¹ College of Physics, Taiyuan University of Technology, Taiyuan 030024, China

² College of Materials Science & Engineering, Taiyuan University of Technology, Taiyuan 030024, China

³ Shanxi-Zheda Institute of Advanced Materials and Chemical Engineering, Taiyuan 030024, China

⁴ Institute for Chemical Reaction Design and Discovery, Hokkaido University, Sapporo 001-0021, Japan

⁵ Ministry of Education Key Laboratory of Macromolecular Synthesis and Functionalization, Department of Polymer Science and Engineering, Zhejiang University, Hangzhou 310027, China

* Correspondence: yeyanan@tyut.edu.cn (Y.Y.), zhengyong@sci.hokudai.ac.jp (Y.Z.)

† These authors contributed equally to this work.




Figure S1. Determination of the yielding stretch ratio λ_y and the yielding stress σ_y for the DN-Zr⁴⁺-0.1 M-E hydrogels without obvious yielding.