


Article

Supplementary Materials: Investigating Evolution and Balance of Grape Sugars and Organic Acids in Some New Pathogen-Resistant White Grapevine Varieties

Tommaso Frioni, Cecilia Squeri, Filippo Del Zozzo, Paolo Guadagna, Matteo Gatti, Alberto Vercesi, and Stefano Poni



Resistant parentals	Parent 1	Parent 2	Parent 1 pedigree	Parent 2 pedigree	Obtained in	Ref.
Bianca	Villard Blanc	Bouvier	<i>V. vinifera</i> , <i>V. berlandieri</i> , <i>V. rupestris</i>	<i>V. vinifera</i>	Hungary	[32]
Kozma 20-3	Sremski Karlovci 77 4- 5	Bianca	<i>V. vinifera</i> , <i>V. amurensis</i>	<i>V. vinifera</i> , <i>V. berlandieri</i> , <i>V. rupestris</i>	Hungary	[33]

Figure S1. Ripe clusters of the five resistant cultivars evaluated in the study and their parentals with respective pedigree.

Table S1. Integrated pest management protocol applied for pathogen-resistant varieties (PRVs) and non-resistant cultivars.

	PRV		Ortrugo and Sauvignon Blanc		Type
	2019	2020	2019	2020	
Fungal diseases					A= Copper oxychloride + Sulphur B= Metalaxil + Penconazole C= Acetamiprid
BBCH15 ¹	B		B	B	
BBCH53		A	B	B	
BBCH57			B	B	
BBCH73			B		
BBCH75	A	A	A	A	
BBCH77			A	A	
Insects and acars					
BBCH73	C	C	C	C	

¹Phenological stages described according to Lorenz et al. [35]