

Centre 1

[illegible]

Cost

[illegible]

Centre 2

Number of contacts

[illegible]

Cost

[illegible]

Centre 3

Number of contacts

	Inherited metabolic disorders (IMD)						Hypothyroidism (CHT)	Sickle Cell Disorder (SCD)		Cystic Fibrosis (CF)	
	medium chain acyl CoA dehydrogenase deficiency (MCADD)	maple syrup urine disease (MSUD)	isovaleric aciduria (IVA)	glutaric aciduria type 1 (GA1)	phenylketonuria (PKU)	homocystinuria (HCU)					
Personnel - Clinical path items								NBS+: Affected	NBS+: Carrier	NBS+: Affected	NBS+: Carrier
CNS - Clinical nurse specialist											
home visit	0	0	0	0	0	0	0	1	0	1	0
surgery/hospital visit	1	1	1	1	1	1	1	0	0	1	0
not face-to-face external interaction	2	2	2	2	2	2	0	1	0	1	2
not face-to-face internal interaction	3	3	3	3	3	3	1	2	0	4	1
Health visitor/midwife											
home visit	0	0	0	0	0	0	0	0	0	0	0
surgery/hospital visit	0	0	0	0	0	0	0	0	0	0	0
not face-to-face external interaction	0	0	0	0	0	0	0	0	1	0	0
not face-to-face internal interaction	0	0	0	0	0	0	1	1	2	2	1
Consumables											
Leaflet											
GP											
home visit	0	0	0	0	0	0	0	0	0	0	0
surgery/hospital visit	0	0	0	0	0	0	0	0	0	0	0
not face-to-face external interaction	0	0	0	0	0	0	0	0	0	0	0
not face-to-face internal interaction	0	0	0	0	0	0	1	1	1	1	1
Consultant (hospital based)											
home visit	0	0	0	0	0	0	0	0	0	0	0
surgery/hospital visit	1	1	1	1	1	1	1	1	0	1	0
not face-to-face external interaction	0	0	0	0	0	0	1	0	0	0	0
not face-to-face internal interaction	2	2	2	2	2	2	2	3	0	2	0

Cost

	Inherited metabolic disorders (IMD)						Hypothyroidism (CHT)	Sickle Cell Disorder (SCD)		Cystic Fibrosis (CF)	
	medium chain acyl CoA dehydrogenase deficiency (MCADD)	maple syrup urine disease (MSUD)	isovaleric aciduria (IVA)	glutaric aciduria type 1 (GA1)	phenylketonuria (PKU)	homocystinuria (HCU)		NBS+: Affected	NBS+: Carrier	NBS+: Affected	NBS+: Carrier
Personnel - Clinical path items											
CNS - Clinical nurse specialist											
home visit	£0	£0	£0	£0	£0	£0	£0	£104	£0	£104	£0
surgery/hospital visit	£65	£65	£65	£65	£65	£65	£65	£0	£0	£65	£0
not face-to-face external interaction	£54	£54	£54	£54	£54	£54	£0	£27	£0	£27	£54
not face-to-face internal interaction	£80	£80	£80	£80	£80	£80	£27	£54	£0	£107	£27
Health visitor/midwife											
home visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
surgery/hospital visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
not face-to-face external interaction	£0	£0	£0	£0	£0	£0	£0	£0	£27	£0	£0
not face-to-face internal interaction	£0	£0	£0	£0	£0	£0	£27	£27	£54	£54	£27
Consumables											
Leaflet	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
GP											
home visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
surgery/hospital visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
not face-to-face external interaction	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
not face-to-face internal interaction	£0	£0	£0	£0	£0	£0	£87	£87	£87	£87	£87
Consultant (hospital based)											
home visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
surgery/hospital visit	£90	£90	£90	£90	£90	£90	£90	£90	£0	£90	£0
not face-to-face external interaction	£0	£0	£0	£0	£0	£0	£37	£0	£0	£0	£0
not face-to-face internal interaction	£75	£75	£75	£75	£75	£75	£75	£112	£0	£75	£0

Centre 4

Number of contacts

	Inherited metabolic disorders (IMD)						Hypothyroidism (CHT)	Sickle Cell Disorder (SCD)		Cystic Fibrosis (CF)	
	medium chain acyl CoA dehydrogenase deficiency (MCADD)	maple syrup urine disease (MSUD)	isovaleric aciduria (IVA)	glutaric aciduria type 1 (GA1)	phenylketonuria (PKU)	homocystinuria (HCU)		NBS+: Affected	NBS+: Carrier	NBS+: Affected	NBS+: Carrier
Personnel - Clinical path items											
CNS - Clinical nurse specialist											
home visit	0	0	0	0	0	0	0	1	0	0	0
surgery/hospital visit	1	1	1	1	1	1	1	1	0	0	0
not face-to-face external interaction	2	2	2	2	2	2	0	0	0	0	2
not face-to-face internal interaction	3	3	3	3	3	3	1	2	0	0	7
Health visitor/midwife											
home visit	0	0	0	0	0	0	0	0	0	0	0
surgery/hospital visit	0	0	0	0	0	0	0	0	0	0	0
not face-to-face external interaction	0	0	0	0	0	0	0	0	0	0	0
not face-to-face internal interaction	0	0	0	0	0	0	0	0	0	0	2
Consumables											
Leaflet											
GP											
home visit	0	0	0	0	0	0	0	0	0	0	0
surgery/hospital visit	0	0	0	0	0	0	0	0	0	0	0
not face-to-face external interaction	0	0	0	0	0	0	0	0	1	0	0
not face-to-face internal interaction	0	0	0	0	0	0	1	0	1	0	2
Consultant (hospital based)											
home visit	0	0	0	0	0	0	0	0	0	0	0
surgery/hospital visit	1	1	1	1	1	1	1	1	0	0	0
not face-to-face external interaction	0	0	0	0	0	0	2	0	0	0	0
not face-to-face internal interaction	2	2	2	2	2	2	3	3	1	0	0

Cost

	Inherited metabolic disorders (IMD)						Hypothyroidism (CHT)	Sickle Cell Disorder (SCD)		Cystic Fibrosis (CF)	
	medium chain acyl CoA dehydrogenase deficiency (MCADD)	maple syrup urine disease (MSUD)	isovaleric aciduria (IVA)	glutaric aciduria type 1 (GA1)	phenylketonuria (PKU)	homocystinuria (HCU)		NBS+: Affected	NBS+: Carrier	NBS+: Affected	NBS+: Carrier
Personnel - Clinical path items											
CNS - Clinical nurse specialist											
home visit	£0	£0	£0	£0	£0	£0	£0	£104	£0	£0	£0
surgery/hospital visit	£65	£65	£65	£65	£65	£65	£65	£65	£0	£0	£0
not face-to-face external interaction	£54	£54	£54	£54	£54	£54	£0	£0	£0	£0	£54
not face-to-face internal interaction	£80	£80	£80	£80	£80	£80	£27	£54	£0	£0	£188
Health visitor/midwife											
home visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
surgery/hospital visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
not face-to-face external interaction	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
not face-to-face internal interaction	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£54
Consumables											
Leaflet	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
GP											
home visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
surgery/hospital visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
not face-to-face external interaction	£0	£0	£0	£0	£0	£0	£0	£0	£87	£0	£0
not face-to-face internal interaction	£0	£0	£0	£0	£0	£0	£87	£0	£87	£0	£175
Consultant (hospital based)											
home visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
surgery/hospital visit	£90	£90	£90	£90	£90	£90	£90	£90	£0	£0	£0
not face-to-face external interaction	£0	£0	£0	£0	£0	£0	£75	£0	£0	£0	£0
not face-to-face internal interaction	£75	£75	£75	£75	£75	£75	£112	£112	£37	£0	£0

Centre 5

Number of contacts

	Inherited metabolic disorders (IMD)						Hypothyroidism (CHT)	Sickle Cell Disorder (SCD)		Cystic Fibrosis (CF)	
	medium chain acyl CoA dehydrogenase deficiency (MCADD)	maple syrup urine disease (MSUD)	isovaleric aciduria (IVA)	glutaric aciduria type 1 (GA1)	phenylketonuria (PKU)	homocystinuria (HCU)		NBS+: Affected	NBS+: Carrier	NBS+: Affected	NBS+: Carrier
Personnel - Clinical path items											
CNS - Clinical nurse specialist											
home visit	0	0	0	0	0	0	0	0	0	0	0
surgery/hospital visit	1	1	1	1	1	1	1	0	0	0	0
not face-to-face external interaction	2	2	2	2	2	2	0	0	0	0	2
not face-to-face internal interaction	3	3	3	3	3	3	3	0	0	0	7
Health visitor/midwife											
home visit	0	0	0	0	0	0	0	0	0	0	0
surgery/hospital visit	0	0	0	0	0	0	0	0	0	0	0
not face-to-face external interaction	0	0	0	0	0	0	0	0	0	0	0
not face-to-face internal interaction	0	0	0	0	0	0	0	0	0	0	2
Consumables											
Leaflet											
GP											
home visit	0	0	0	0	0	0	0	0	0	0	0
surgery/hospital visit	0	0	0	0	0	0	0	0	0	0	0
not face-to-face external interaction	0	0	0	0	0	0	0	0	0	0	0
not face-to-face internal interaction	0	0	0	0	0	0	2	0	0	0	2
Consultant (hospital based)											
home visit	0	0	0	0	0	0	0	0	0	0	0
surgery/hospital visit	1	1	1	1	1	1	1	0	0	0	0
not face-to-face external interaction	0	0	0	0	0	0	1	0	0	0	0
not face-to-face internal interaction	2	2	2	2	2	2	0	0	0	0	0

Cost

	Inherited metabolic disorders (IMD)						Hypothyroidism (CHT)	Sickle Cell Disorder (SCD)		Cystic Fibrosis (CF)	
	medium chain acyl CoA dehydrogenase deficiency (MCADD)	maple syrup urine disease (MSUD)	isovaleric aciduria (IVA)	glutaric aciduria type 1 (GA1)	phenylketonuria (PKU)	homocystinuria (HCU)					
Personnel - Clinical path items								NBS+: Affected	NBS+: Carrier	NBS+: Affected	NBS+: Carrier
CNS - Clinical nurse specialist											
home visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
surgery/hospital visit	£65	£65	£65	£65	£65	£65	£65	£0	£0	£0	£0
not face-to-face external interaction	£54	£54	£54	£54	£54	£54	£0	£0	£0	£0	£54
not face-to-face internal interaction	£80	£80	£80	£80	£80	£80	£80	£0	£0	£0	£188
Health visitor/midwife											
home visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
surgery/hospital visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
not face-to-face external interaction	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
not face-to-face internal interaction	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£54
Consumables											
Leaflet	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
GP											
home visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
surgery/hospital visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
not face-to-face external interaction	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
not face-to-face internal interaction	£0	£0	£0	£0	£0	£0	£175	£0	£0	£0	£175
Consultant (hospital based)											
home visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
surgery/hospital visit	£90	£90	£90	£90	£90	£90	£90	£0	£0	£0	£0
not face-to-face external interaction	£0	£0	£0	£0	£0	£0	£37	£0	£0	£0	£0
not face-to-face internal interaction	£75	£75	£75	£75	£75	£75	£0	£0	£0	£0	£0

Centre 6

Number of contacts

	Inherited metabolic disorders (IMD)						Hypothyroidism (CHT)	Sickle Cell Disorder (SCD)		Cystic Fibrosis (CF)	
	medium chain acyl CoA dehydrogenase deficiency (MCADD)	maple syrup urine disease (MSUD)	isovaleric aciduria (IVA)	glutaric aciduria type 1 (GA1)	phenylketonuria (PKU)	homocystinuria (HCU)					
Personnel - Clinical path items								NBS+: Affected	NBS+: Carrier	NBS+: Affected	NBS+: Carrier
CNS - Clinical nurse specialist											
home visit	0	0	0	0	0	0	0	1	1	0	0
surgery/hospital visit	1	1	1	1	1	1	1	1	0	1	0
not face-to-face external interaction	2	1	2	2	2	2	0	1	0	2	2
not face-to-face internal interaction	2	5	4	4	2	2	0	4	2	4	7
Health visitor/midwife											
home visit	0	0	0	0	0	0	0	0	0	0	0
surgery/hospital visit	0	0	0	0	0	0	0	0	0	0	0
not face-to-face external interaction	0	0	0	0	0	0	0	0	0	0	0
not face-to-face internal interaction	0	1	1	1	0	0	0	1	0	1	2
Consumables											
Leaflet											
GP											
home visit	0	0	0	0	0	0	0	0	0	0	0
surgery/hospital visit	0	0	0	0	0	0	0	0	0	0	0
not face-to-face external interaction	0	0	0	0	0	0	1	0	0	0	0
not face-to-face internal interaction	1	1	1	1	1	1	3	1	1	2	2
Consultant (hospital based)											
home visit	0	0	0	0	0	0	0	0	0	0	0
surgery/hospital visit	1	1	1	1	1	1	1	1	0	1	0
not face-to-face external interaction	0	0	0	0	0	0	1	0	0	0	0
not face-to-face internal interaction	1	1	0	0	1	1	4	1	0	1	0

Cost

	Inherited metabolic disorders (IMD)						Hypothyroidism (CHT)	Sickle Cell Disorder (SCD)		Cystic Fibrosis (CF)	
	medium chain acyl CoA dehydrogenase deficiency (MCADD)	maple syrup urine disease (MSUD)	isovaleric aciduria (IVA)	glutaric aciduria type 1 (GA1)	phenylketonuria (PKU)	homocystinuria (HCU)					
Personnel - Clinical path items								NBS+: Affected	NBS+: Carrier	NBS+: Affected	NBS+: Carrier
CNS - Clinical nurse specialist											
home visit	£0	£0	£0	£0	£0	£0	£0	£104	£104	£0	£0
surgery/hospital visit	£65	£65	£65	£65	£65	£65	£65	£65	£0	£65	£0
not face-to-face external interaction	£54	£27	£54	£54	£54	£54	£0	£27	£0	£54	£54
not face-to-face internal interaction	£54	£134	£107	£107	£54	£54	£0	£107	£54	£107	£188
Health visitor/midwife											
home visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
surgery/hospital visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
not face-to-face external interaction	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
not face-to-face internal interaction	£0	£27	£27	£27	£0	£0	£0	£27	£0	£27	£54
Consumables											
Leaflet	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
GP											
home visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
surgery/hospital visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
not face-to-face external interaction	£0	£0	£0	£0	£0	£0	£87	£0	£0	£0	£0
not face-to-face internal interaction	£87	£87	£87	£87	£87	£87	£262	£87	£87	£175	£175
Consultant (hospital based)											
home visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
surgery/hospital visit	£90	£90	£90	£90	£90	£90	£90	£90	£0	£90	£0
not face-to-face external interaction	£0	£0	£0	£0	£0	£0	£37	£0	£0	£0	£0
not face-to-face internal interaction	£37	£37	£0	£0	£37	£37	£150	£37	£0	£37	£0

Centre 7

Number of contacts

	Inherited metabolic disorders (IMD)						Hypothyroidism (CHT)	Sickle Cell Disorder (SCD)		Cystic Fibrosis (CF)	
	medium chain acyl CoA dehydrogenase deficiency (MCADD)	maple syrup urine disease (MSUD)	isovaleric aciduria (IVA)	glutaric aciduria type 1 (GA1)	phenylketonuria (PKU)	homocystinuria (HCU)		NBS+: Affected	NBS+: Carrier	NBS+: Affected	NBS+: Carrier
Personnel - Clinical path items											
CNS - Clinical nurse specialist											
home visit	0	0	0	0	0	0	0	1	1	0	0
surgery/hospital visit	0	0	0	0	0	0	0	1	0	1	0
not face-to-face external interaction	0	0	0	0	0	0	0	1	0	0	0
not face-to-face internal interaction	0	0	0	0	0	0	0	4	2	3	0
Health visitor/midwife											
home visit	0	0	0	0	0	0	0	0	0	0	1
surgery/hospital visit	0	0	0	0	0	0	0	0	0	0	0
not face-to-face external interaction	0	0	0	0	0	0	0	0	0	0	0
not face-to-face internal interaction	0	0	0	0	0	0	0	1	0	0	2
Consumables											
Leaflet											
GP											
home visit	0	0	0	0	0	0	0	0	0	0	0
surgery/hospital visit	0	0	0	0	0	0	0	0	0	0	0
not face-to-face external interaction	0	0	0	0	0	0	0	0	0	0	0
not face-to-face internal interaction	0	0	0	0	0	0	0	1	1	1	1
Consultant (hospital based)											
home visit	0	0	0	0	0	0	0	0	0	0	0
surgery/hospital visit	0	0	0	0	0	0	0	1	0	1	0
not face-to-face external interaction	0	0	0	0	0	0	0	0	0	1	0
not face-to-face internal interaction	0	0	0	0	0	0	0	1	0	3	0

Cost

	Inherited metabolic disorders (IMD)						Hypothyroidism (CHT)	Sickle Cell Disorder (SCD)		Cystic Fibrosis (CF)	
	medium chain acyl CoA dehydrogenase deficiency (MCADD)	maple syrup urine disease (MSUD)	isovaleric aciduria (IVA)	glutaric aciduria type 1 (GA1)	phenylketonuria (PKU)	homocystinuria (HCU)		NBS+: Affected	NBS+: Carrier	NBS+: Affected	NBS+: Carrier
Personnel - Clinical path items											
CNS - Clinical nurse specialist											
home visit	£0	£0	£0	£0	£0	£0	£0	£104	£104	£0	£0
surgery/hospital visit	£0	£0	£0	£0	£0	£0	£0	£65	£0	£65	£0
not face-to-face external interaction	£0	£0	£0	£0	£0	£0	£0	£27	£0	£0	£0
not face-to-face internal interaction	£0	£0	£0	£0	£0	£0	£0	£107	£54	£80	£0
Health visitor/midwife											
home visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£104
surgery/hospital visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
not face-to-face external interaction	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
not face-to-face internal interaction	£0	£0	£0	£0	£0	£0	£0	£27	£0	£0	£54
Consumables											
Leaflet	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
GP											
home visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
surgery/hospital visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
not face-to-face external interaction	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
not face-to-face internal interaction	£0	£0	£0	£0	£0	£0	£0	£87	£87	£87	£87
Consultant (hospital based)											
home visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
surgery/hospital visit	£0	£0	£0	£0	£0	£0	£0	£90	£0	£90	£0
not face-to-face external interaction	£0	£0	£0	£0	£0	£0	£0	£0	£0	£37	£0
not face-to-face internal interaction	£0	£0	£0	£0	£0	£0	£0	£37	£0	£112	£0

Centre 8

Number of contacts

	Inherited metabolic disorders (IMD)						Hypothyroidism (CHT)	Sickle Cell Disorder (SCD)		Cystic Fibrosis (CF)	
	medium chain acyl CoA dehydrogenase deficiency (MCADD)	maple syrup urine disease (MSUD)	isovaleric aciduria (IVA)	glutaric aciduria type 1 (GA1)	phenylketonuria (PKU)	homocystinuria (HCU)		NBS+: Affected	NBS+: Carrier	NBS+: Affected	NBS+: Carrier
Personnel - Clinical path items											
CNS - Clinical nurse specialist											
home visit	1	0	0	0	1	0	0	1	0	1	0
surgery/hospital visit	1	1	1	1	1	1	1	1	0	1	0
not face-to-face external interaction	0	0	0	0	0	0	0	0	0	0	0
not face-to-face internal interaction	3	2	2	2	3	2	1	2	0	4	1
Health visitor/midwife											
home visit	1	0	0	0	1	0	0	0	1	1	1
surgery/hospital visit	0	0	0	0	0	0	0	0	0	0	0
not face-to-face external interaction	0	0	0	0	0	0	0	0	0	0	0
not face-to-face internal interaction	1	0	0	0	1	0	0	1	2	3	2
Consumables											
Leaflet											
GP											
home visit	0	0	0	0	0	0	0	0	0	0	0
surgery/hospital visit	0	0	0	0	0	0	0	0	0	0	0
not face-to-face external interaction	0	0	0	0	0	0	0	0	0	0	0
not face-to-face internal interaction	0	0	0	0	0	0	1	1	1	1	1
Consultant (hospital based)											
home visit	0	0	0	0	0	0	0	0	0	0	0
surgery/hospital visit	1	1	1	1	1	1	1	1	0	1	0
not face-to-face external interaction	0	1	1	1	0	1	1	0	0	0	0
not face-to-face internal interaction	0	1	1	1	0	1	3	1	0	1	0

Cost

	Inherited metabolic disorders (IMD)						Hypothyroidism (CHT)	Sickle Cell Disorder (SCD)		Cystic Fibrosis (CF)	
	medium chain acyl CoA dehydrogenase deficiency (MCADD)	maple syrup urine disease (MSUD)	isovaleric aciduria (IVA)	glutaric aciduria type 1 (GA1)	phenylketonuria (PKU)	homocystinuria (HCU)		NBS+: Affected	NBS+: Carrier	NBS+: Affected	NBS+: Carrier
Personnel - Clinical path items											
CNS - Clinical nurse specialist											
home visit	£104	£0	£0	£0	£104	£0	£0	£104	£0	£104	£0
surgery/hospital visit	£65	£65	£65	£65	£65	£65	£65	£65	£0	£65	£0
not face-to-face external interaction	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
not face-to-face internal interaction	£80	£54	£54	£54	£80	£54	£27	£54	£0	£107	£27
Health visitor/midwife											
home visit	£104	£0	£0	£0	£104	£0	£0	£0	£104	£104	£104
surgery/hospital visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
not face-to-face external interaction	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
not face-to-face internal interaction	£27	£0	£0	£0	£27	£0	£0	£27	£54	£80	£54
Consumables											
Leaflet	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
GP											
home visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
surgery/hospital visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
not face-to-face external interaction	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
not face-to-face internal interaction	£0	£0	£0	£0	£0	£0	£87	£87	£87	£87	£87
Consultant (hospital based)											
home visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
surgery/hospital visit	£90	£90	£90	£90	£90	£90	£90	£90	£0	£90	£0
not face-to-face external interaction	£0	£37	£37	£37	£0	£37	£37	£0	£0	£0	£0
not face-to-face internal interaction	£0	£37	£37	£37	£0	£37	£112	£37	£0	£37	£0

Centre 9

Number of contacts

	Inherited metabolic disorders (IMD)						Hypothyroidism (CHT)	Sickle Cell Disorder (SCD)		Cystic Fibrosis (CF)	
	medium chain acyl CoA dehydrogenase deficiency (MCADD)	maple syrup urine disease (MSUD)	isovaleric aciduria (IVA)	glutaric aciduria type 1 (GA1)	phenylketonuria (PKU)	homocystinuria (HCU)		NBS+: Affected	NBS+: Carrier	NBS+: Affected	NBS+: Carrier
Personnel - Clinical path items											
CNS - Clinical nurse specialist											
home visit	0	0	0	0	0	0	0	2	0	0	0
surgery/hospital visit	1	1	1	1	1	1	1	1	0	1	0
not face-to-face external interaction	0	0	0	0	0	0	0	0	0	0	0
not face-to-face internal interaction	1	1	1	1	1	1	0	1	0	2	0
Health visitor/midwife											
home visit	0	0	0	0	0	0	1	0	2	2	2
surgery/hospital visit	0	0	0	0	0	0	0	0	0	0	0
not face-to-face external interaction	1	1	1	1	1	1	0	0	0	1	0
not face-to-face internal interaction	1	1	1	1	1	1	1	1	3	2	3
Consumables											
Leaflet											
GP											
home visit	0	0	0	0	0	0	0	0	0	0	0
surgery/hospital visit	0	0	0	0	0	0	0	0	0	0	0
not face-to-face external interaction	0	0	0	0	0	0	0	0	0	0	0
not face-to-face internal interaction	1	1	1	1	1	1	1	2	1	1	1
Consultant (hospital based)											
home visit	0	0	0	0	0	0	0	0	0	0	0
surgery/hospital visit	1	1	1	1	1	1	1	1	0	1	0
not face-to-face external interaction	0	0	0	0	0	0	1	0	0	0	0
not face-to-face internal interaction	1	1	1	1	1	1	1	0	0	0	0

Cost

	Inherited metabolic disorders (IMD)						Hypothyroidism (CHT)	Sickle Cell Disorder (SCD)		Cystic Fibrosis (CF)	
	medium chain acyl CoA dehydrogenase deficiency (MCADD)	maple syrup urine disease (MSUD)	isovaleric aciduria (IVA)	glutaric aciduria type 1 (GA1)	phenylketonuria (PKU)	homocystinuria (HCU)		NBS+: Affected	NBS+: Carrier	NBS+: Affected	NBS+: Carrier
Personnel - Clinical path items											
CNS - Clinical nurse specialist											
home visit	£0	£0	£0	£0	£0	£0	£0	£208	£0	£0	£0
surgery/hospital visit	£65	£65	£65	£65	£65	£65	£65	£65	£0	£65	£0
not face-to-face external interaction	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
not face-to-face internal interaction	£27	£27	£27	£27	£27	£27	£0	£27	£0	£54	£0
Health visitor/midwife											
home visit	£0	£0	£0	£0	£0	£0	£104	£0	£208	£208	£208
surgery/hospital visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
not face-to-face external interaction	£27	£27	£27	£27	£27	£27	£0	£0	£0	£27	£0
not face-to-face internal interaction	£27	£27	£27	£27	£27	£27	£27	£27	£80	£54	£80
Consumables											
Leaflet	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
GP											
home visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
surgery/hospital visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
not face-to-face external interaction	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
not face-to-face internal interaction	£87	£87	£87	£87	£87	£87	£87	£175	£87	£87	£87
Consultant (hospital based)											
home visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
surgery/hospital visit	£90	£90	£90	£90	£90	£90	£90	£90	£0	£90	£0
not face-to-face external interaction	£0	£0	£0	£0	£0	£0	£37	£0	£0	£0	£0
not face-to-face internal interaction	£37	£37	£37	£37	£37	£37	£37	£0	£0	£0	£0

Centre 10

Number of contacts

	Inherited metabolic disorders (IMD)						Hypothyroidism (CHT)	Sickle Cell Disorder (SCD)		Cystic Fibrosis (CF)	
	medium chain acyl CoA dehydrogenase deficiency (MCADD)	maple syrup urine disease (MSUD)	isovaleric aciduria (IVA)	glutaric aciduria type 1 (GA1)	phenylketonuria (PKU)	homocystinuria (HCU)					
Personnel - Clinical path items								NBS+: Affected	NBS+: Carrier	NBS+: Affected	NBS+: Carrier
CNS - Clinical nurse specialist											
home visit	1	0	0	0	1	0	0	1	1	1	0
surgery/hospital visit	1	1	1	1	1	1	1	1	0	1	0
not face-to-face external interaction	0	0	0	0	0	0	0	1	0	0	0
not face-to-face internal interaction	3	2	2	2	3	2	1	5	2	4	0
Health visitor/midwife											
home visit	1	0	0	0	1	0	1	0	0	1	0
surgery/hospital visit	0	0	0	0	0	0	0	0	0	0	0
not face-to-face external interaction	0	0	0	0	0	0	0	1	0	0	1
not face-to-face internal interaction	1	0	0	0	1	0	1	2	0	2	2
Consumables											
Leaflet											
GP											
home visit	0	0	0	0	0	0	0	0	0	0	0
surgery/hospital visit	0	0	0	0	0	0	0	0	0	0	0
not face-to-face external interaction	0	0	0	0	0	0	0	0	0	0	0
not face-to-face internal interaction	0	0	0	0	0	0	0	1	1	0	0
Consultant (hospital based)											
home visit	0	0	0	0	0	0	0	0	0	0	0
surgery/hospital visit	1	1	1	1	1	1	1	1	0	1	0
not face-to-face external interaction	0	1	1	1	0	1	0	0	0	0	0
not face-to-face internal interaction	0	1	1	1	0	1	1	1	0	1	0

Cost

	Inherited metabolic disorders (IMD)						Hypothyroidism (CHT)	Sickle Cell Disorder (SCD)		Cystic Fibrosis (CF)	
	medium chain acyl CoA dehydrogenase deficiency (MCADD)	maple syrup urine disease (MSUD)	isovaleric aciduria (IVA)	glutaric aciduria type 1 (GA1)	phenylketonuria (PKU)	homocystinuria (HCU)		NBS+: Affected	NBS+: Carrier	NBS+: Affected	NBS+: Carrier
Personnel - Clinical path items											
CNS - Clinical nurse specialist											
home visit	£104	£0	£0	£0	£104	£0	£0	£104	£104	£104	£0
surgery/hospital visit	£65	£65	£65	£65	£65	£65	£65	£65	£0	£65	£0
not face-to-face external interaction	£0	£0	£0	£0	£0	£0	£0	£27	£0	£0	£0
not face-to-face internal interaction	£80	£54	£54	£54	£80	£54	£27	£134	£54	£107	£0
Health visitor/midwife											
home visit	£104	£0	£0	£0	£104	£0	£104	£0	£0	£104	£0
surgery/hospital visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
not face-to-face external interaction	£0	£0	£0	£0	£0	£0	£0	£27	£0	£0	£27
not face-to-face internal interaction	£27	£0	£0	£0	£27	£0	£27	£54	£0	£54	£54
Consumables											
Leaflet	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
GP											
home visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
surgery/hospital visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
not face-to-face external interaction	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
not face-to-face internal interaction	£0	£0	£0	£0	£0	£0	£0	£87	£87	£0	£0
Consultant (hospital based)											
home visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
surgery/hospital visit	£90	£90	£90	£90	£90	£90	£90	£90	£0	£90	£0
not face-to-face external interaction	£0	£37	£37	£37	£0	£37	£0	£0	£0	£0	£0
not face-to-face internal interaction	£0	£37	£37	£37	£0	£37	£37	£37	£0	£37	£0

Centre 11

Number of contacts

	Inherited metabolic disorders (IMD)						Hypothyroidism (CHT)	Sickle Cell Disorder (SCD)		Cystic Fibrosis (CF)	
	medium chain acyl CoA dehydrogenase deficiency (MCADD)	maple syrup urine disease (MSUD)	isovaleric aciduria (IVA)	glutaric aciduria type 1 (GA1)	phenylketonuria (PKU)	homocystinuria (HCU)		NBS+: Affected	NBS+: Carrier	NBS+: Affected	NBS+: Carrier
Personnel - Clinical path items											
CNS - Clinical nurse specialist											
home visit	0	0	0	0	0	0	0	1	0	0	0
surgery/hospital visit	1	1	1	1	1	1	1	1	0	1	0
not face-to-face external interaction	0	0	0	0	0	0	0	0	0	0	1
not face-to-face internal interaction	3	3	3	3	3	3	2	5	2	5	3
Health visitor/midwife											
home visit	0	0	0	0	0	0	0	1	1	2	0
surgery/hospital visit	0	0	0	0	0	0	0	0	0	0	0
not face-to-face external interaction	0	0	0	0	0	0	0	1	0	0	0
not face-to-face internal interaction	0	0	0	0	0	0	0	1	0	3	0
Consumables											
Leaflet											
GP											
home visit	0	0	0	0	0	0	0	0	0	0	0
surgery/hospital visit	0	0	0	0	0	0	0	0	0	0	0
not face-to-face external interaction	0	0	0	0	0	0	1	0	0	0	0
not face-to-face internal interaction	1	1	1	1	1	1	1	1	0	1	0
Consultant (hospital based)											
home visit	0	0	0	0	0	0	0	0	0	0	0
surgery/hospital visit	1	1	1	1	1	1	1	1	0	1	0
not face-to-face external interaction	2	2	2	2	2	2	0	0	0	0	0
not face-to-face internal interaction	4	4	4	4	4	4	2	2	0	2	2

Cost

	Inherited metabolic disorders (IMD)						Hypothyroidism (CHT)	Sickle Cell Disorder (SCD)		Cystic Fibrosis (CF)	
	medium chain acyl CoA dehydrogenase deficiency (MCADD)	maple syrup urine disease (MSUD)	isovaleric aciduria (IVA)	glutaric aciduria type 1 (GA1)	phenylketonuria (PKU)	homocystinuria (HCU)		NBS+: Affected	NBS+: Carrier	NBS+: Affected	NBS+: Carrier
Personnel - Clinical path items											
CNS - Clinical nurse specialist											
home visit	£0	£0	£0	£0	£0	£0	£0	£104	£0	£0	£0
surgery/hospital visit	£65	£65	£65	£65	£65	£65	£65	£65	£0	£65	£0
not face-to-face external interaction	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£27
not face-to-face internal interaction	£80	£80	£80	£80	£80	£80	£54	£134	£54	£134	£80
Health visitor/midwife											
home visit	£0	£0	£0	£0	£0	£0	£0	£104	£104	£208	£0
surgery/hospital visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
not face-to-face external interaction	£0	£0	£0	£0	£0	£0	£0	£27	£0	£0	£0
not face-to-face internal interaction	£0	£0	£0	£0	£0	£0	£0	£27	£0	£80	£0
Consumables											
Leaflet	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
GP											
home visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
surgery/hospital visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
not face-to-face external interaction	£0	£0	£0	£0	£0	£0	£87	£0	£0	£0	£0
not face-to-face internal interaction	£87	£87	£87	£87	£87	£87	£87	£87	£0	£87	£0
Consultant (hospital based)											
home visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
surgery/hospital visit	£90	£90	£90	£90	£90	£90	£90	£90	£0	£90	£0
not face-to-face external interaction	£75	£75	£75	£75	£75	£75	£0	£0	£0	£0	£0
not face-to-face internal interaction	£150	£150	£150	£150	£150	£150	£75	£75	£0	£75	£75

Centre 12

Number of contacts

	Inherited metabolic disorders (IMD)						Hypothyroidism (CHT)	Sickle Cell Disorder (SCD)		Cystic Fibrosis (CF)	
	medium chain acyl CoA dehydrogenase deficiency (MCADD)	maple syrup urine disease (MSUD)	isovaleric aciduria (IVA)	glutaric aciduria type 1 (GA1)	phenylketonuria (PKU)	homocystinuria (HCU)		NBS+: Affected	NBS+: Carrier	NBS+: Affected	NBS+: Carrier
Personnel - Clinical path items											
CNS - Clinical nurse specialist											
home visit	0	0	0	0	0	0	0	0	0	2	0
surgery/hospital visit	1	1	1	1	1	1	1	1	0	1	0
not face-to-face external interaction	1	1	1	1	1	1	1	1	0	1	1
not face-to-face internal interaction	4	4	4	4	4	4	5	4	2	6	1
Health visitor/midwife											
home visit	0	0	0	0	0	0	0	0	0	0	0
surgery/hospital visit	0	0	0	0	0	0	0	0	0	0	0
not face-to-face external interaction	0	0	0	0	0	0	0	0	1	0	0
not face-to-face internal interaction	1	1	1	1	1	1	1	1	1	1	0
Consumables											
Leaflet											
GP											
home visit	0	0	0	0	0	0	0	0	0	0	0
surgery/hospital visit	0	0	0	0	0	0	0	0	0	0	0
not face-to-face external interaction	0	0	0	0	0	0	0	0	0	0	0
not face-to-face internal interaction	2	2	2	2	2	2	2	1	0	2	0
Consultant (hospital based)											
home visit	0	0	0	0	0	0	0	0	0	0	0
surgery/hospital visit	1	1	1	1	1	1	1	1	0	1	0
not face-to-face external interaction	0	0	0	0	0	0	0	0	0	0	0
not face-to-face internal interaction	2	2	2	2	2	2	3	2	0	1	0

Cost

	Inherited metabolic disorders (IMD)						Hypothyroidism (CHT)	Sickle Cell Disorder (SCD)		Cystic Fibrosis (CF)	
	medium chain acyl CoA dehydrogenase deficiency (MCADD)	maple syrup urine disease (MSUD)	isovaleric aciduria (IVA)	glutaric aciduria type 1 (GA1)	phenylketonuria (PKU)	homocystinuria (HCU)		NBS+: Affected	NBS+: Carrier	NBS+: Affected	NBS+: Carrier
Personnel - Clinical path items											
CNS - Clinical nurse specialist											
home visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£208	£0
surgery/hospital visit	£65	£65	£65	£65	£65	£65	£65	£65	£0	£65	£0
not face-to-face external interaction	£27	£27	£27	£27	£27	£27	£27	£27	£0	£27	£27
not face-to-face internal interaction	£107	£107	£107	£107	£107	£107	£134	£107	£54	£161	£27
Health visitor/midwife											
home visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
surgery/hospital visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
not face-to-face external interaction	£0	£0	£0	£0	£0	£0	£0	£0	£27	£0	£0
not face-to-face internal interaction	£27	£27	£27	£27	£27	£27	£27	£27	£27	£27	£0
Consumables											
Leaflet	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
GP											
home visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
surgery/hospital visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
not face-to-face external interaction	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
not face-to-face internal interaction	£175	£175	£175	£175	£175	£175	£175	£87	£0	£175	£0
Consultant (hospital based)											
home visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
surgery/hospital visit	£90	£90	£90	£90	£90	£90	£90	£90	£0	£90	£0
not face-to-face external interaction	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
not face-to-face internal interaction	£75	£75	£75	£75	£75	£75	£112	£75	£0	£37	£0

Centre 13

Number of contacts

	Inherited metabolic disorders (IMD)						Hypothyroidism (CHT)	Sickle Cell Disorder (SCD)		Cystic Fibrosis (CF)	
	medium chain acyl CoA dehydrogenase deficiency (MCADD)	maple syrup urine disease (MSUD)	isovaleric aciduria (IVA)	glutaric aciduria type 1 (GA1)	phenylketonuria (PKU)	homocystinuria (HCU)		NBS+: Affected	NBS+: Carrier	NBS+: Affected	NBS+: Carrier
Personnel - Clinical path items											
CNS - Clinical nurse specialist											
home visit	0	0	0	0	0	0	0	0	1	0	1
surgery/hospital visit	1	1	1	1	1	1	1	1	0	1	0
not face-to-face external interaction	0	2	2	2	0	2	0	0	2	1	1
not face-to-face internal interaction	1	3	3	3	1	3	3	0	2	4	3
Health visitor/midwife											
home visit	0	0	0	0	0	0	0	0	0	0	0
surgery/hospital visit	0	0	0	0	0	0	0	0	0	0	0
not face-to-face external interaction	0	0	0	0	0	0	0	0	0	0	0
not face-to-face internal interaction	0	0	0	0	0	0	1	1	2	2	1
Consumables											
Leaflet											
GP											
home visit	0	0	0	0	0	0	0	0	0	0	0
surgery/hospital visit	0	0	0	0	0	0	0	0	0	0	0
not face-to-face external interaction	0	0	0	0	0	0	0	0	0	0	0
not face-to-face internal interaction	0	0	0	0	0	0	2	1	1	3	1
Consultant (hospital based)											
home visit	0	0	0	0	0	0	0	0	0	0	0
surgery/hospital visit	1	1	1	1	1	1	1	1	0	1	0
not face-to-face external interaction	1	0	0	0	1	0	1	0	0	0	0
not face-to-face internal interaction	1	2	2	2	1	2	4	6	0	4	0

Cost

	Inherited metabolic disorders (IMD)						Hypothyroidism (CHT)	Sickle Cell Disorder (SCD)		Cystic Fibrosis (CF)	
	medium chain acyl CoA dehydrogenase deficiency (MCADD)	maple syrup urine disease (MSUD)	isovaleric aciduria (IVA)	glutaric aciduria type 1 (GA1)	phenylketonuria (PKU)	homocystinuria (HCU)		NBS+: Affected	NBS+: Carrier	NBS+: Affected	NBS+: Carrier
Personnel - Clinical path items											
CNS - Clinical nurse specialist											
home visit	£0	£0	£0	£0	£0	£0	£0	£0	£104	£0	£104
surgery/hospital visit	£65	£65	£65	£65	£65	£65	£65	£65	£0	£65	£0
not face-to-face external interaction	£0	£54	£54	£54	£0	£54	£0	£0	£54	£27	£27
not face-to-face internal interaction	£27	£80	£80	£80	£27	£80	£80	£0	£54	£107	£80
Health visitor/midwife											
home visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
surgery/hospital visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
not face-to-face external interaction	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
not face-to-face internal interaction	£0	£0	£0	£0	£0	£0	£27	£27	£54	£54	£27
Consumables											
Leaflet	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
GP											
home visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
surgery/hospital visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
not face-to-face external interaction	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
not face-to-face internal interaction	£0	£0	£0	£0	£0	£0	£175	£87	£87	£262	£87
Consultant (hospital based)											
home visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
surgery/hospital visit	£90	£90	£90	£90	£90	£90	£90	£90	£0	£90	£0
not face-to-face external interaction	£37	£0	£0	£0	£37	£0	£37	£0	£0	£0	£0
not face-to-face internal interaction	£37	£75	£75	£75	£37	£75	£150	£224	£0	£150	£0

Centre 14

Number of contacts

	Inherited metabolic disorders (IMD)						Hypothyroidism (CHT)	Sickle Cell Disorder (SCD)		Cystic Fibrosis (CF)	
	medium chain acyl CoA dehydrogenase deficiency (MCADD)	maple syrup urine disease (MSUD)	isovaleric aciduria (IVA)	glutaric aciduria type 1 (GA1)	phenylketonuria (PKU)	homocystinuria (HCU)		NBS+: Affected	NBS+: Carrier	NBS+: Affected	NBS+: Carrier
Personnel - Clinical path items											
CNS - Clinical nurse specialist											
home visit	0	0	0	0	0	0	0	1	0	1	0
surgery/hospital visit	1	1	1	1	1	1	1	1	0	1	0
not face-to-face external interaction	1	1	1	1	1	1	0	1	2	1	0
not face-to-face internal interaction	4	4	4	4	4	4	0	5	4	5	4
Health visitor/midwife											
home visit	0	0	0	0	0	0	0	0	0	0	1
surgery/hospital visit	0	0	0	0	0	0	0	0	0	0	0
not face-to-face external interaction	0	0	0	0	0	0	0	0	0	0	0
not face-to-face internal interaction	1	1	1	1	1	1	0	1	1	1	2
Consumables											
Leaflet											
GP											
home visit	0	0	0	0	0	0	0	0	0	0	0
surgery/hospital visit	0	0	0	0	0	0	0	0	0	0	0
not face-to-face external interaction	0	0	0	0	0	0	0	0	0	0	0
not face-to-face internal interaction	1	1	1	1	1	1	1	2	1	1	0
Consultant (hospital based)											
home visit	0	0	0	0	0	0	0	0	0	0	0
surgery/hospital visit	1	1	1	1	1	1	1	1	0	1	0
not face-to-face external interaction	0	0	0	0	0	0	1	0	0	0	0
not face-to-face internal interaction	3	3	3	3	3	3	4	3	0	0	0

Cost

	Inherited metabolic disorders (IMD)						Hypothyroidism (CHT)	Sickle Cell Disorder (SCD)		Cystic Fibrosis (CF)	
	medium chain acyl CoA dehydrogenase deficiency (MCADD)	maple syrup urine disease (MSUD)	isovaleric aciduria (IVA)	glutaric aciduria type 1 (GA1)	phenylketonuria (PKU)	homocystinuria (HCU)					
Personnel - Clinical path items								NBS+: Affected	NBS+: Carrier	NBS+: Affected	NBS+: Carrier
CNS - Clinical nurse specialist											
home visit	£0	£0	£0	£0	£0	£0	£0	£104	£0	£104	£0
surgery/hospital visit	£65	£65	£65	£65	£65	£65	£65	£65	£0	£65	£0
not face-to-face external interaction	£27	£27	£27	£27	£27	£27	£0	£27	£54	£27	£0
not face-to-face internal interaction	£107	£107	£107	£107	£107	£107	£0	£134	£107	£134	£107
Health visitor/midwife											
home visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£104
surgery/hospital visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
not face-to-face external interaction	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
not face-to-face internal interaction	£27	£27	£27	£27	£27	£27	£0	£27	£27	£27	£54
Consumables											
Leaflet	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
GP											
home visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
surgery/hospital visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
not face-to-face external interaction	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
not face-to-face internal interaction	£87	£87	£87	£87	£87	£87	£87	£175	£87	£87	£0
Consultant (hospital based)											
home visit	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
surgery/hospital visit	£90	£90	£90	£90	£90	£90	£90	£90	£0	£90	£0
not face-to-face external interaction	£0	£0	£0	£0	£0	£0	£37	£0	£0	£0	£0
not face-to-face internal interaction	£112	£112	£112	£112	£112	£112	£150	£112	£0	£0	£0