

## Supplementary Materials

# The Pathology and Splenic Transcriptome Profiling of *Trionyx sinensis* Challenged with *Bacillus cereus*

Jinbiao Jiao <sup>1</sup>, Jing Chen <sup>1</sup>, Jiayun Yao <sup>1</sup>, Yanli Li <sup>2</sup>, Xuemei Yuan <sup>1</sup>, Lei Huang <sup>1</sup>, Shengqi Su <sup>2,\*</sup> and Haiqi Zhang <sup>1,\*</sup>

<sup>1</sup> Agriculture Ministry Key Laboratory of Healthy Freshwater Aquaculture, Key Laboratory of Fish Health and Nutrition of Zhejiang Province, Zhejiang Institute of Freshwater Fisheries, Huzhou 313001, China

<sup>2</sup> College of Fisheries, Key Laboratory of Freshwater Fish Reproduction and Development (Ministry of Education), Research Center of Fishery Resources and Environment, Southwest University, Chongqing 400715, China

\* Correspondence: sushengqi@swu.edu.cn (S.S.); zmk407@126.com (H.Z.)

**Table S1.** Information on RNA samples.

No.	Sample Name	Concentration (ng/μL)	OD <sub>260/280</sub>	RIN Value
P001	GD1	82.36	2.148	7.2
P002	GD2	114.57	2.122	7.9
P003	GD3	92.09	2.106	8.5
P00A	CK1	285.00	2.124	9.1
P00B	CK2	333.19	2.118	8.8
P00C	CK3	265.41	2.112	8.7