

# Reporting Light Exposure

## Step 1. Upload your spectral power distribution data.

Choose file...

Browse

## Step 2. Tell us more about your data.

My data contains 

absolute

 spectra with wavelength in nm. My measurements are labelled 

Room Lighting

, 

No Filter (+ Background)

 and 

Filter (+ Background)

. Each measurement column contains 

irradiances

 in 

w

 per 

m<sup>2</sup>

.

## Step 3. Check we have understood your input correctly.

Check that we have loaded the correct number of observations. Also check the units of measurement. It may help to compare your spectra to a standard reference spectra. For example, if your measurements were made in daylight, check that they have a similar shape to [CIE Standard Illuminant D65](#). Your data might be easier to read if you change the y-axis scale.


### Y-axis scale

- ☒ Raw data  
☐ Normalised data  
☐ Log10

### Reference spectrum

Reference spectra  

Select a reference spectrum



## Step 4. Download the stimulus specification tables and include them in your report.

☐ Use exponential notation?

☐ Show advanced calculations?

Download CSV

Condition	Room Lighting	No Filter (+ Background)	Filter (+ Background)
Illuminance [lux]	0.8811	27.0953	22.7484
Colour rendering index (CIE Ra)	95.8750	76.6250	75.7500
S-cone-opic irradiance (mW · m <sup>-2</sup> )	0.1466	18.4570	3.3973
M-cone-opic irradiance (mW · m <sup>-2</sup> )	0.9278	37.6039	25.5362
L-cone-opic irradiance (mW · m <sup>-2</sup> )	1.4901	43.7776	37.8960
Rhodopic irradiance (mW · m <sup>-2</sup> )	0.5625	36.3673	17.9821
Melanopic irradiance (mW · m <sup>-2</sup> )	0.4162	31.6250	13.1434

## Step 5. Include the full spectral power distribution in your supplementary material.

Where a journal does not offer the capability of making Supplementary Material available, files can be made available on [Figshare](#), the [Open Science Framework](#) or [GitHub](#). Some institutions also offer repositories for research data.

Wavelength [nm]	Spectral irradiance [ $\text{W} \cdot \text{m}^{-2} \cdot \text{nm}^{-1}$ ]		
380	0.00e+00	2.38e-05	4.56e-06
381	0.00e+00	1.57e-05	3.02e-06
382	0.00e+00	4.20e-07	8.07e-08
383	0.00e+00	1.76e-05	2.10e-07
384	0.00e+00	2.35e-05	2.79e-07
385	0.00e+00	6.48e-06	7.71e-08
386	0.00e+00	3.22e-06	0.00e+00
387	0.00e+00	8.23e-06	0.00e+00
388	0.00e+00	3.18e-06	0.00e+00
389	0.00e+00	1.89e-06	0.00e+00
390	0.00e+00	7.45e-06	0.00e+00
391	0.00e+00	5.61e-06	0.00e+00
392	0.00e+00	2.31e-07	0.00e+00
393	0.00e+00	7.01e-07	0.00e+00
394	0.00e+00	9.89e-07	2.07e-07
395	0.00e+00	2.60e-07	8.89e-07
396	0.00e+00	0.00e+00	6.73e-07
397	0.00e+00	0.00e+00	2.53e-08
398	8.87e-08	0.00e+00	0.00e+00
399	1.20e-07	0.00e+00	0.00e+00
400	3.10e-08	0.00e+00	0.00e+00
401	0.00e+00	0.00e+00	5.15e-08
402	0.00e+00	0.00e+00	1.31e-07
403	0.00e+00	0.00e+00	5.13e-07
404	0.00e+00	7.75e-07	6.76e-07
405	0.00e+00	3.22e-06	3.56e-07
406	6.13e-07	5.24e-06	2.43e-07
407	1.54e-06	7.01e-06	2.39e-07
408	1.12e-06	1.11e-05	9.65e-08
409	1.09e-06	1.26e-05	2.35e-08
410	1.88e-06	8.66e-06	9.51e-08
411	1.75e-06	4.36e-06	3.61e-06
412	1.17e-06	1.06e-07	8.63e-06
413	1.02e-06	7.33e-06	4.75e-06
414	8.46e-07	9.29e-06	3.95e-06
415	6.35e-07	2.11e-06	8.51e-06
416	3.77e-07	1.70e-06	8.52e-06
417	1.11e-07	4.03e-06	6.62e-06
418	4.20e-08	4.90e-06	4.59e-06
419	0.00e+00	5.88e-06	4.46e-06
420	0.00e+00	7.03e-06	7.29e-06
421	0.00e+00	4.94e-06	4.43e-06
422	2.51e-08	2.75e-06	0.00e+00
423	3.07e-07	1.14e-05	0.00e+00
424	6.82e-07	1.39e-05	0.00e+00

Wavelength [nm]	Spectral irradiance [W · m <sup>-2</sup> · nm <sup>-1</sup> ]		
425	1.18e-06	8.61e-06	0.00e+00
426	1.40e-06	9.66e-06	0.00e+00
427	1.55e-06	1.25e-05	0.00e+00
428	1.69e-06	1.55e-05	0.00e+00
429	1.57e-06	1.64e-05	4.63e-06
430	1.14e-06	1.51e-05	1.42e-05
431	1.35e-06	1.93e-05	1.21e-05
432	1.72e-06	2.49e-05	7.98e-06
433	2.19e-06	3.21e-05	5.66e-06
434	2.48e-06	4.32e-05	8.65e-06
435	2.60e-06	5.76e-05	1.62e-05
436	2.67e-06	6.86e-05	1.94e-05
437	2.78e-06	8.12e-05	2.26e-05
438	3.05e-06	1.00e-04	2.78e-05
439	2.88e-06	1.23e-04	2.74e-05
440	2.39e-06	1.48e-04	2.29e-05
441	2.45e-06	1.82e-04	3.41e-05
442	2.56e-06	2.16e-04	4.41e-05
443	2.71e-06	2.50e-04	4.81e-05
444	2.64e-06	3.04e-04	5.45e-05
445	2.46e-06	3.67e-04	6.22e-05
446	2.81e-06	4.18e-04	6.71e-05
447	2.98e-06	4.73e-04	7.55e-05
448	2.77e-06	5.39e-04	9.14e-05
449	3.14e-06	6.08e-04	1.04e-04
450	3.77e-06	6.76e-04	1.15e-04
451	3.27e-06	7.49e-04	1.26e-04
452	2.98e-06	8.08e-04	1.36e-04
453	3.00e-06	8.43e-04	1.43e-04
454	3.32e-06	8.88e-04	1.45e-04
455	3.68e-06	9.32e-04	1.46e-04
456	3.34e-06	9.25e-04	1.47e-04
457	3.36e-06	9.11e-04	1.45e-04
458	3.83e-06	8.89e-04	1.38e-04
459	3.43e-06	8.51e-04	1.33e-04
460	2.93e-06	8.08e-04	1.29e-04
461	3.17e-06	7.56e-04	1.23e-04
462	3.26e-06	7.03e-04	1.15e-04
463	3.20e-06	6.48e-04	1.03e-04
464	3.18e-06	5.96e-04	9.27e-05
465	3.17e-06	5.46e-04	8.48e-05
466	3.10e-06	5.01e-04	8.67e-05
467	2.78e-06	4.60e-04	8.34e-05
468	2.24e-06	4.20e-04	7.58e-05
469	2.53e-06	3.88e-04	6.97e-05
470	2.99e-06	3.58e-04	6.31e-05
471	3.70e-06	3.35e-04	5.48e-05

Wavelength [nm]	Spectral irradiance [W · m <sup>-2</sup> · nm <sup>-1</sup> ]		
472	3.64e-06	3.09e-04	4.80e-05
473	3.10e-06	2.82e-04	4.22e-05
474	3.08e-06	2.63e-04	4.29e-05
475	2.89e-06	2.45e-04	4.19e-05
476	2.33e-06	2.32e-04	3.69e-05
477	3.05e-06	2.13e-04	3.65e-05
478	4.24e-06	1.93e-04	3.81e-05
479	3.91e-06	1.83e-04	3.90e-05
480	3.75e-06	1.73e-04	3.84e-05
481	3.80e-06	1.63e-04	3.59e-05
482	3.56e-06	1.53e-04	3.27e-05
483	3.29e-06	1.43e-04	2.99e-05
484	3.39e-06	1.34e-04	3.10e-05
485	3.62e-06	1.26e-04	3.15e-05
486	3.97e-06	1.20e-04	3.14e-05
487	3.99e-06	1.15e-04	3.25e-05
488	4.10e-06	1.10e-04	3.29e-05
489	4.76e-06	1.06e-04	3.02e-05
490	4.81e-06	1.03e-04	3.35e-05
491	4.41e-06	1.00e-04	4.14e-05
492	4.31e-06	1.02e-04	4.35e-05
493	4.35e-06	1.04e-04	4.53e-05
494	4.66e-06	1.07e-04	4.76e-05
495	4.27e-06	1.10e-04	4.90e-05
496	3.57e-06	1.11e-04	5.02e-05
497	4.11e-06	1.12e-04	6.12e-05
498	4.48e-06	1.19e-04	7.08e-05
499	4.59e-06	1.32e-04	7.79e-05
500	4.37e-06	1.41e-04	8.85e-05
501	4.21e-06	1.49e-04	9.98e-05
502	5.09e-06	1.70e-04	1.08e-04
503	5.25e-06	1.89e-04	1.18e-04
504	4.68e-06	2.07e-04	1.29e-04
505	4.87e-06	2.26e-04	1.42e-04
506	4.89e-06	2.48e-04	1.56e-04
507	3.94e-06	2.77e-04	1.69e-04
508	4.26e-06	3.07e-04	1.89e-04
509	5.46e-06	3.38e-04	2.14e-04
510	5.37e-06	3.58e-04	2.28e-04
511	5.58e-06	3.87e-04	2.46e-04
512	6.50e-06	4.31e-04	2.73e-04
513	6.36e-06	4.68e-04	2.93e-04
514	5.85e-06	5.02e-04	3.12e-04
515	6.66e-06	5.38e-04	3.38e-04
516	6.65e-06	5.70e-04	3.64e-04
517	5.60e-06	5.97e-04	3.89e-04
518	6.17e-06	6.17e-04	4.11e-04

Wavelength [nm]	Spectral irradiance [W · m <sup>-2</sup> · nm <sup>-1</sup> ]		
519	6.90e-06	6.33e-04	4.28e-04
520	6.53e-06	6.43e-04	4.27e-04
521	6.58e-06	6.60e-04	4.37e-04
522	6.98e-06	6.84e-04	4.59e-04
523	6.58e-06	6.86e-04	4.70e-04
524	6.33e-06	6.86e-04	4.74e-04
525	6.61e-06	6.89e-04	4.67e-04
526	6.93e-06	6.88e-04	4.68e-04
527	7.25e-06	6.86e-04	4.74e-04
528	7.31e-06	6.88e-04	4.68e-04
529	7.52e-06	6.85e-04	4.59e-04
530	7.96e-06	6.73e-04	4.47e-04
531	7.50e-06	6.64e-04	4.43e-04
532	6.99e-06	6.58e-04	4.40e-04
533	7.70e-06	6.53e-04	4.31e-04
534	8.22e-06	6.46e-04	4.18e-04
535	8.57e-06	6.35e-04	4.03e-04
536	8.66e-06	6.14e-04	3.84e-04
537	8.79e-06	5.94e-04	3.69e-04
538	9.14e-06	5.80e-04	3.63e-04
539	9.56e-06	5.66e-04	3.56e-04
540	1.00e-05	5.53e-04	3.49e-04
541	1.03e-05	5.29e-04	3.36e-04
542	1.08e-05	5.04e-04	3.22e-04
543	1.17e-05	4.76e-04	3.04e-04
544	1.14e-05	4.57e-04	2.97e-04
545	1.09e-05	4.41e-04	2.91e-04
546	1.11e-05	4.21e-04	2.77e-04
547	1.11e-05	4.01e-04	2.61e-04
548	1.10e-05	3.81e-04	2.43e-04
549	1.02e-05	3.61e-04	2.37e-04
550	9.69e-06	3.42e-04	2.32e-04
551	9.94e-06	3.21e-04	2.21e-04
552	1.02e-05	3.06e-04	2.05e-04
553	1.05e-05	2.93e-04	1.86e-04
554	1.01e-05	2.78e-04	1.82e-04
555	9.82e-06	2.64e-04	1.77e-04
556	9.69e-06	2.52e-04	1.71e-04
557	9.75e-06	2.39e-04	1.64e-04
558	9.87e-06	2.25e-04	1.59e-04
559	9.99e-06	2.14e-04	1.58e-04
560	1.03e-05	2.06e-04	1.53e-04
561	1.07e-05	2.02e-04	1.42e-04
562	1.04e-05	1.92e-04	1.34e-04
563	1.02e-05	1.84e-04	1.28e-04
564	1.07e-05	1.79e-04	1.26e-04
565	1.08e-05	1.73e-04	1.25e-04

Wavelength [nm]	Spectral irradiance [W · m <sup>-2</sup> · nm <sup>-1</sup> ]		
566	1.06e-05	1.66e-04	1.24e-04
567	1.08e-05	1.61e-04	1.22e-04
568	1.09e-05	1.56e-04	1.18e-04
569	1.10e-05	1.50e-04	1.13e-04
570	1.11e-05	1.46e-04	1.09e-04
571	1.13e-05	1.43e-04	1.07e-04
572	1.17e-05	1.39e-04	1.11e-04
573	1.19e-05	1.35e-04	1.12e-04
574	1.22e-05	1.31e-04	1.11e-04
575	1.19e-05	1.34e-04	1.11e-04
576	1.17e-05	1.36e-04	1.10e-04
577	1.22e-05	1.33e-04	1.12e-04
578	1.26e-05	1.31e-04	1.14e-04
579	1.30e-05	1.28e-04	1.16e-04
580	1.26e-05	1.30e-04	1.24e-04
581	1.27e-05	1.36e-04	1.31e-04
582	1.34e-05	1.45e-04	1.37e-04
583	1.39e-05	1.46e-04	1.46e-04
584	1.43e-05	1.46e-04	1.56e-04
585	1.46e-05	1.51e-04	1.66e-04
586	1.48e-05	1.61e-04	1.79e-04
587	1.50e-05	1.74e-04	1.95e-04
588	1.54e-05	1.80e-04	2.10e-04
589	1.57e-05	1.88e-04	2.26e-04
590	1.60e-05	1.99e-04	2.42e-04
591	1.64e-05	2.13e-04	2.61e-04
592	1.67e-05	2.29e-04	2.82e-04
593	1.64e-05	2.52e-04	3.15e-04
594	1.63e-05	2.73e-04	3.44e-04
595	1.65e-05	2.90e-04	3.69e-04
596	1.71e-05	3.15e-04	3.98e-04
597	1.76e-05	3.42e-04	4.29e-04
598	1.78e-05	3.69e-04	4.68e-04
599	1.79e-05	3.97e-04	5.04e-04
600	1.80e-05	4.26e-04	5.37e-04
601	1.83e-05	4.57e-04	5.72e-04
602	1.86e-05	4.89e-04	6.10e-04
603	1.92e-05	5.21e-04	6.52e-04
604	1.94e-05	5.47e-04	6.86e-04
605	1.94e-05	5.72e-04	7.16e-04
606	1.98e-05	5.96e-04	7.45e-04
607	2.01e-05	6.19e-04	7.72e-04
608	2.03e-05	6.41e-04	7.97e-04
609	2.11e-05	6.56e-04	8.21e-04
610	2.19e-05	6.67e-04	8.44e-04
611	2.29e-05	6.70e-04	8.62e-04
612	2.29e-05	6.71e-04	8.74e-04

Wavelength [nm]	Spectral irradiance [W · m <sup>-2</sup> · nm <sup>-1</sup> ]		
613	2.25e-05	6.71e-04	8.83e-04
614	2.26e-05	6.66e-04	8.82e-04
615	2.29e-05	6.61e-04	8.81e-04
616	2.35e-05	6.56e-04	8.78e-04
617	2.32e-05	6.47e-04	8.61e-04
618	2.28e-05	6.34e-04	8.42e-04
619	2.32e-05	6.16e-04	8.27e-04
620	2.38e-05	5.95e-04	8.05e-04
621	2.47e-05	5.71e-04	7.77e-04
622	2.48e-05	5.63e-04	7.61e-04
623	2.48e-05	5.51e-04	7.43e-04
624	2.48e-05	5.33e-04	7.23e-04
625	2.46e-05	5.17e-04	7.03e-04
626	2.44e-05	5.02e-04	6.82e-04
627	2.43e-05	4.94e-04	6.61e-04
628	2.44e-05	4.80e-04	6.39e-04
629	2.48e-05	4.59e-04	6.15e-04
630	2.51e-05	4.53e-04	5.94e-04
631	2.51e-05	4.46e-04	5.75e-04
632	2.46e-05	4.36e-04	5.60e-04
633	2.43e-05	4.23e-04	5.42e-04
634	2.40e-05	4.11e-04	5.23e-04
635	2.38e-05	4.06e-04	5.05e-04
636	2.41e-05	4.00e-04	4.88e-04
637	2.53e-05	3.93e-04	4.69e-04
638	2.50e-05	3.81e-04	4.57e-04
639	2.46e-05	3.68e-04	4.45e-04
640	2.47e-05	3.54e-04	4.30e-04
641	2.48e-05	3.43e-04	4.17e-04
642	2.48e-05	3.36e-04	4.05e-04
643	2.44e-05	3.26e-04	3.87e-04
644	2.39e-05	3.14e-04	3.72e-04
645	2.31e-05	2.99e-04	3.62e-04
646	2.39e-05	2.95e-04	3.48e-04
647	2.46e-05	2.90e-04	3.35e-04
648	2.39e-05	2.78e-04	3.28e-04
649	2.37e-05	2.65e-04	3.17e-04
650	2.38e-05	2.52e-04	3.04e-04
651	2.40e-05	2.46e-04	2.94e-04
652	2.40e-05	2.38e-04	2.84e-04
653	2.37e-05	2.25e-04	2.75e-04
654	2.34e-05	2.23e-04	2.70e-04
655	2.32e-05	2.22e-04	2.64e-04
656	2.28e-05	2.12e-04	2.51e-04
657	2.26e-05	2.04e-04	2.43e-04
658	2.26e-05	1.98e-04	2.38e-04
659	2.33e-05	1.90e-04	2.30e-04

Wavelength [nm]	Spectral irradiance [W · m <sup>-2</sup> · nm <sup>-1</sup> ]		
660	2.38e-05	1.82e-04	2.22e-04
661	2.39e-05	1.73e-04	2.12e-04
662	2.35e-05	1.66e-04	2.05e-04
663	2.31e-05	1.59e-04	1.97e-04
664	2.40e-05	1.52e-04	1.83e-04
665	2.39e-05	1.46e-04	1.78e-04
666	2.31e-05	1.43e-04	1.80e-04
667	2.34e-05	1.38e-04	1.77e-04
668	2.34e-05	1.34e-04	1.72e-04
669	2.29e-05	1.30e-04	1.67e-04
670	2.32e-05	1.23e-04	1.59e-04
671	2.37e-05	1.17e-04	1.50e-04
672	2.33e-05	1.21e-04	1.47e-04
673	2.32e-05	1.20e-04	1.45e-04
674	2.34e-05	1.14e-04	1.44e-04
675	2.36e-05	1.12e-04	1.35e-04
676	2.36e-05	1.10e-04	1.30e-04
677	2.33e-05	1.06e-04	1.32e-04
678	2.34e-05	1.06e-04	1.28e-04
679	2.37e-05	1.05e-04	1.23e-04
680	2.36e-05	9.88e-05	1.15e-04
681	2.35e-05	9.38e-05	1.11e-04
682	2.34e-05	9.03e-05	1.11e-04
683	2.37e-05	9.23e-05	1.13e-04
684	2.40e-05	9.43e-05	1.12e-04
685	2.41e-05	9.51e-05	1.07e-04
686	2.35e-05	9.20e-05	1.04e-04
687	2.29e-05	8.77e-05	1.01e-04
688	2.33e-05	8.61e-05	9.69e-05
689	2.35e-05	8.23e-05	9.15e-05
690	2.35e-05	7.66e-05	8.55e-05
691	2.34e-05	7.67e-05	9.00e-05
692	2.31e-05	7.69e-05	9.16e-05
693	2.26e-05	7.66e-05	8.54e-05
694	2.29e-05	7.39e-05	8.14e-05
695	2.33e-05	7.10e-05	7.80e-05
696	2.25e-05	7.27e-05	7.34e-05
697	2.21e-05	7.13e-05	7.20e-05
698	2.21e-05	6.73e-05	7.34e-05
699	2.18e-05	6.45e-05	7.49e-05
700	2.17e-05	6.19e-05	7.50e-05
701	2.19e-05	5.94e-05	7.27e-05
702	2.15e-05	5.84e-05	6.68e-05
703	2.10e-05	5.78e-05	6.09e-05
704	2.10e-05	5.72e-05	6.05e-05
705	2.08e-05	5.68e-05	6.11e-05
706	2.06e-05	5.64e-05	6.25e-05



Wavelength [nm]	Spectral irradiance [W · m <sup>-2</sup> · nm <sup>-1</sup> ]		
707	2.06e-05	5.12e-05	6.16e-05
708	2.04e-05	4.75e-05	5.94e-05
709	2.00e-05	4.66e-05	5.53e-05
710	1.99e-05	4.68e-05	5.38e-05
711	1.96e-05	4.77e-05	5.30e-05
712	1.87e-05	5.02e-05	5.16e-05
713	1.83e-05	4.80e-05	4.97e-05
714	1.82e-05	4.25e-05	4.75e-05
715	1.77e-05	3.97e-05	4.50e-05
716	1.73e-05	3.86e-05	4.24e-05
717	1.69e-05	4.00e-05	3.98e-05
718	1.65e-05	3.87e-05	3.88e-05
719	1.61e-05	3.74e-05	3.85e-05
720	1.56e-05	3.91e-05	3.90e-05
721	1.54e-05	3.65e-05	3.88e-05
722	1.54e-05	3.12e-05	3.81e-05
723	1.49e-05	2.98e-05	3.24e-05
724	1.45e-05	2.92e-05	3.03e-05
725	1.42e-05	2.94e-05	3.33e-05
726	1.38e-05	3.10e-05	3.43e-05
727	1.33e-05	3.13e-05	3.40e-05
728	1.29e-05	2.66e-05	3.07e-05
729	1.27e-05	2.49e-05	2.90e-05
730	1.27e-05	2.48e-05	2.85e-05
731	1.25e-05	2.40e-05	3.11e-05
732	1.19e-05	2.31e-05	3.05e-05
733	1.11e-05	2.19e-05	2.60e-05
734	1.10e-05	2.27e-05	2.66e-05
735	1.10e-05	2.37e-05	2.72e-05
736	1.10e-05	2.44e-05	2.55e-05
737	1.04e-05	2.30e-05	2.45e-05
738	9.69e-06	2.05e-05	2.37e-05
739	9.96e-06	1.74e-05	2.01e-05
740	9.80e-06	1.72e-05	1.80e-05
741	9.20e-06	1.98e-05	1.73e-05
742	9.18e-06	1.91e-05	1.45e-05
743	8.96e-06	1.88e-05	1.45e-05
744	8.26e-06	2.00e-05	2.04e-05
745	8.45e-06	1.73e-05	2.03e-05
746	8.74e-06	1.44e-05	1.85e-05
747	7.97e-06	1.65e-05	1.77e-05
748	7.78e-06	1.57e-05	1.78e-05
749	7.99e-06	1.29e-05	1.85e-05
750	7.51e-06	1.41e-05	1.36e-05
751	7.28e-06	1.50e-05	1.16e-05
752	7.41e-06	1.56e-05	1.37e-05
753	7.17e-06	1.40e-05	1.46e-05

Wavelength [nm]	Spectral irradiance [ $\text{W} \cdot \text{m}^{-2} \cdot \text{nm}^{-1}$ ]		
754	6.78e-06	1.28e-05	1.44e-05
755	6.22e-06	1.38e-05	1.13e-05
756	5.95e-06	1.39e-05	1.15e-05
757	5.83e-06	1.36e-05	1.34e-05
758	5.80e-06	1.21e-05	1.59e-05
759	5.29e-06	1.10e-05	1.60e-05
760	4.34e-06	1.04e-05	1.38e-05
761	5.26e-06	1.34e-05	9.99e-06
762	5.78e-06	1.43e-05	7.67e-06
763	5.41e-06	1.10e-05	8.25e-06
764	5.54e-06	1.16e-05	7.74e-06
765	5.67e-06	1.15e-05	7.13e-06
766	5.29e-06	5.51e-06	7.12e-06
767	4.59e-06	4.23e-06	8.23e-06
768	3.88e-06	5.62e-06	9.95e-06
769	4.17e-06	1.01e-05	1.21e-05
770	4.76e-06	1.26e-05	8.29e-06
771	5.55e-06	1.36e-05	1.80e-07
772	4.98e-06	8.36e-06	4.56e-06
773	4.58e-06	5.42e-06	6.58e-06
774	4.35e-06	5.13e-06	5.87e-06
775	4.21e-06	5.11e-06	7.91e-06
776	4.09e-06	4.49e-06	8.95e-06
777	4.00e-06	2.51e-06	7.13e-06
778	4.06e-06	8.05e-06	6.65e-06
779	4.19e-06	1.39e-05	6.24e-06
780	4.45e-06	8.88e-06	4.24e-06

## Step 6. Share an online version of this report.

<https://luox.app/u/spd1,380,1,wi,-61,AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAADxEYCOAAAAAAAAAJ5PrNXNMRUQtNqM>

Click above to copy the URL to your clipboard