

# Highly regioselective 1,3-dipolar cycloaddition of nitrilimines and thioaurones towards spiro-2-pyrazolines: Synthesis, characterization, and mechanistic study

Mohamed Bakhouch <sup>1,\*</sup>, Bouchra Es-Sounni <sup>1</sup>, Ayoub Ouaddi <sup>1</sup>, Khaoula Oudghiri <sup>2</sup>, Mohammed Chalkha <sup>3</sup>, La-houcine Bahsis <sup>4</sup>, Taoufiq Benali <sup>5</sup>, Mohamed Bourass <sup>6</sup>, Rabiaa Fdil <sup>1</sup>, Mohamed Akhazzane <sup>7</sup>, and Mohamed El Yazidi <sup>7</sup>

<sup>1</sup>Bioorganic Chemistry Team, Department of Chemistry, Faculty of Sciences, Chouaïb Doukkali University, El Jadida 24000, Morocco.

<sup>2</sup>Laboratoire de Recherche en Développement Durable et Santé, Faculté des Sciences et Techniques de Marrakech, Université Cadi Ayyad, Marrakech 40000, Morocco

<sup>3</sup>Laboratory of Materials Engineering for the Environment and Natural Resources, Faculty of Sciences and Techniques, University of Moulay Ismail of Meknes, B.P 509, Boutalamine, Errachidia 52000, Morocco.


<sup>4</sup>Laboratoire de Chimie Analytique et Moléculaire, LCAM, Faculté Poly disciplinaire de Safi, Université Cadi Ayyad, 4162 Safi, Morocco.

<sup>5</sup>Environment and Health Team, Polydisciplinary Faculty of Safi, Cadi Ayyad University, Safi, 46030, Morocco.


<sup>6</sup>Cy Cergy Paris Université, Laboratoire de physicochimie des polymères et des interfaces (LCCI), 5 mail Gay Lussac, Cer-gy-Pontoise, Cedex 95031, France.

<sup>7</sup>Engineering Laboratory of Organometallic, Molecular Materials and Environment, Faculty of Sciences Dhar EL Mahraz, University Sidi Mohamed Ben Abdellah, P.O. Box 1796 (Atlas), 30000, Fez, Morocco.

\*Corresponding author: bakhouch.m@ucd.ac.ma




**Figure S1.** ATR-IR spectrum of spiropyrazoline 3aa.




**Figure S2.**  $^1\text{H}$  NMR (300 MHz,  $\text{CDCl}_3$ ) spectrum of spiropyrazoline **3aa**.


BM81.2.fid  
Spectre 13C de BM81 (CDCl<sub>3</sub>) EL YAZIDI




**Figure S3.** <sup>13</sup>C-APT NMR (75 MHz, CDCl<sub>3</sub>) spectrum of spiropyrazoline **3aa**.




**Figure S4.** ESI+ spectrum of spiropyrazoline **3aa**.




**Figure S5.** ATR-IR spectrum of spiropyrazoline **3ab**.




**Figure S2.**  $^1\text{H}$  NMR (300 MHz,  $\text{CDCl}_3$ ) spectrum of spiropyrazoline **3ab**.



**Figure S7.** <sup>13</sup>C-APT NMR (75 MHz, CDCl<sub>3</sub>) spectrum of spiropyrazoline **3ab**.




**Figure S8.** ESI+ spectrum of spiropyrazoline **3ab**.




**Figure S9.** ATR-IR spectrum of spiropyrazoline **3ba**.

BM 83.1.fid  
Spectre 1H de BM 83 (CDCl<sub>3</sub>) EL YAZIDI




**Figure S10.** <sup>1</sup>H NMR (300 MHz, CDCl<sub>3</sub>) spectrum of spiropyrazoline **3ba**.

BM 83.2.fid  
Spectre 13C de BM 83 (CDCl<sub>3</sub>) EL YAZIDI




**Figure S3.** <sup>13</sup>C-APT NMR (75 MHz, CDCl<sub>3</sub>) spectrum of spiropyrazoline **3ba**.




**Figure S12.** ESI+ spectrum of spiropyrazoline **3ba**.

Peak Mass	Display Formula	Delta [ppm]	Theo. mass	# Matched Iso.
447.15258	C <sub>29</sub> H <sub>23</sub> ON <sub>2</sub> <sup>32</sup> S	0.05	447.15256	7




**Figure S13.** ATR-IR spectrum of spiropyrazoline **3ca**.



**Figure S14.**  $^1\text{H}$  NMR (300 MHz,  $\text{CDCl}_3$ ) spectrum of spiropyrazoline **3ac**.

BM 91.2.fid


Spectre 13C de BM 91 (CDCl<sub>3</sub>) EL YAZIDI



**Figure S15.** <sup>13</sup>C-APT NMR (75 MHz, CDCl<sub>3</sub>) spectrum of spiropyrazoline **3ca**.

## Theoretical calculations

### ELF basin attractor positions



**Figure S46.** ELF basin attractor positions of all intermediates in the 1,3-DC reaction between **1a** and **2a**.