



Figure S1. Pictures of all 20 cultivated taxa observed within the ‘Difunta Correa’ shrine in Almería (Spain). (A) *Agave* sp.; (B) *Aloe vera*; (C) *Artemisia arborescens*; (D) *Cereus hildmannianus*; (E) *Crassula ovata*; (F) *Delosperma echinatum*; (G) *Dracaena trifasciata*; (H) *Ficus benjamina*; (I) *Ficus carica*; (J) *Haemanthus albiflos*; (K) *Kalanchoe blossfeldiana*; (L) *Kalanchoe* × *houghtonii*; (M) *Kroenleinia grusonii*; (N) *Lonicera* cf. *japonica*; (O) *Menta* × *rotundifolia*; (P) *Mesembryanthemum* × *vascosilvae*; (Q) *Nerium oleander*; (R) *Opuntia ficus-indica*; (S) *Opuntia monacantha*; and (T) *Pelargonium* × *hybridum*.



Figure S1 (Cont.). Pictures of all 20 cultivated taxa observed within the 'Difunta Correa' shrine in Almería (Spain). (A) *Agave* sp.; (B) *Aloe vera*; (C) *Artemisia arborescens*; (D) *Cereus hildmannianus*; (E) *Crassula ovata*; (F) *Delosperma echinatum*; (G) *Dracaena trifasciata*; (H) *Ficus benjamina*; (I) *Ficus carica*; (J) *Haemanthus albiflos*; (K) *Kalanchoe blossfeldiana*; (L) *Kalanchoe × houghtonii*; (M) *Kroenleinia grusonii*; (N) *Lonicera* cf. *japonica*; (O) *Menta × rotundifolia*; (P) *Mesembryanthemum × vascosilvae*; (Q) *Nerium oleander*; (R) *Opuntia ficus-indica*; (S) *Opuntia monacantha*; and (T) *Pelargonium × hybridum*.



Figure S1 (Cont.). Pictures of all 20 cultivated taxa observed within the 'Difunta Correa' shrine in Almería (Spain). (A) *Agave* sp.; (B) *Aloe vera*; (C) *Artemisia arborescens*; (D) *Cereus hildmannianus*; (E) *Crassula ovata*; (F) *Delosperma echinatum*; (G) *Dracaena trifasciata*; (H) *Ficus benjamina*; (I) *Ficus carica*; (J) *Haemanthus albiflos*; (K) *Kalanchoe blossfeldiana*; (L) *Kalanchoe × houghtonii*; (M) *Kroenleinia grusonii*; (N) *Lonicera* cf. *japonica*; (O) *Menta × rotundifolia*; (P) *Mesembryanthemum × vascosilvae*; (Q) *Nerium oleander*; (R) *Opuntia ficus-indica*; (S) *Opuntia monacantha*; and (T) *Pelargonium × hybridum*.