



Oasification and Desertification under the Framework of Land Degradation Neutrality[†]

Jaime Martínez-Valderrama^{1,2,*}, Dongwei Gui³ and Zeeshan Ahmed³

¹ Estación Experimental de Zonas Áridas, Consejo Superior de Investigaciones Científicas, Crtra. Sacramento s/n, La Cañada de San Urbano, 04120 Almería, Spain

² Instituto Multidisciplinar para el Estudio del Medio, Universidad de Alicante, San Vicente del Raspeig, 03690 Alicante, Spain

³ Xinjiang Institute of Ecology and Geography, Chinese Academy of Sciences, Urumqi 830011, China; guidwei@ms.xjb.ac.cn (D.G.); zeeshan@ms.xjb.ac.cn (Z.A.)

* Correspondence: jaimonides@eeza.csic.es

† Presented at the 7th International Electronic Conference on Water Sciences, 15–30 March 2023; Available online: <https://ecws-7.sciforum.net>.

Abstract: To meet population growth, the excessive abstraction of water resources for irrigating water-intensive crops has become an increasing crisis in arid regions of Northwest China. This contains the perennial contradiction between development and desertification, typical of drylands, which we also find within the United Nations Convention to combat Desertification (UNCCD), where some interpret it as a developmentalist convention and others as a conservationist one. The Land Degradation Neutrality (LDN) concept has been set up as the main tool to combat desertification by the UNCCD and is included in SDG 15.3. LDN refers to a state of zero net land degradation, where “the amount and quality of land resources necessary to support ecosystem functions and services and enhance food security remain stable or increase within specified temporal and spatial scales and ecosystems”. Under the LDN framework, we apply two of its main pillars, prevention and land planning. The aim is to understand the underlying biophysical and socio-economic mechanisms of oasis expansion in NW China, a phenomenon known as oasification. The objective is to detect under what conditions oasification tackles desertification and when it triggers land and economic degradation. From this knowledge, it will be possible to propose guidelines of action to balance land use and comply with LDN.

Keywords: oases; cash crops; irrigated agriculture; land-use planning; causal diagrams; system dynamics; NW China



Citation: Martínez-Valderrama, J.; Gui, D.; Ahmed, Z. Oasification and Desertification under the Framework of Land Degradation Neutrality. *Environ. Sci. Proc.* **2023**, *25*, 94. <https://doi.org/10.3390/ECWS-7-14238>

Academic Editor: Athanasios Loukas

Published: 16 March 2023



Copyright: © 2023 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).

1. Introduction

China is one of the countries affected seriously by desertification [1]. China has 6.6 million km² of drylands (expanded by 8.3% during 1980–2015 [2]) that support approximately 580 million people [3]. It is in this vast territory where desertification occurs, i.e., the degradation of drylands due to climate variations and inadequate human activity [4]. Desertification affects seven main dryland provinces and autonomous regions (Xinjiang, Inner Mongolia, Tibet, Qinghai, Gansu, Ningxia and Sha’anxi) and 12 main deserts and sandy lands [1]. Although the ambiguity of this complex problem makes it difficult to assess and map [5,6], it is estimated that the direct annual economic loss caused by desertification is RMB 33.1–94.9 × 10⁹ [7]. In addition to these effects, the irreversible nature of desertification narrows the development options of a territory [8], and poverty will be exacerbated [9].

In NW China, the most recognizable expression of desertification is serious water scarcity [10]. The increasing water gap results both from the falling supply of water, and the rising demand for water. The former is related to the effects of climate change. Climate

projections in China point to a greater risk of extreme events and aridification in arid and semi-arid regions. In addition, changing snowmelt patterns [11] are a serious threat to the region's oases, which have historically depended on this water flow [12].

The latter is explained by the fast transition from food crops to cash crops. The change in land use was triggered in the early 1980s, when farmers were given more autonomy in land use [13]. In the least developed regions, farmers have few choices for increasing their income (i.e., their opportunity cost is low) besides expanding their agricultural scale [14]. Hence, this oasisification process—the natural or artificial expanding the boundaries of oases—has a double edge, as it can tackle or favor desertification. Oasisification leads to greater vegetation cover in places that, due to low rainfall, it is very sparse or inexistent. In addition, the quality and quantity of the soil is improved, as shown by various indicators (e.g., soil organic carbon). However, oasisification can result in extensive lands being abandoned due to water shortage [15], threatening its very survival. We are, therefore, faced with an archetypal problem in drylands: it is necessary to promote economic development and try to take advantage of water resources to green the landscape, but poor management of these resources can cause the whole system to collapse (i.e., lead to desertification).

This is the ambiguity of the concept of desertification, which basically stems from all that the definition of desertification [16]—recall that it is the degradation of drylands—includes in the word degradation: “the reduction or loss of the biological or economic productivity, complexity of ecosystems, and biodiversity” [4]. This controversy explains why the UNCCD has been so ineffective, and embodied the conflicting expectations of parties: developing countries regard it mainly as a development convention, while developed countries regard it as an environmental convention [17]. This dilemma is not only found in desertification, but also in the Sustainable Development Goals (SDGs), where there are important (and irresolvable) trade-offs between environmental goals (e.g., SDGs 13 or 15) and economic growth goals (e.g., SDGs 1, 2, and 8). The answer to this dilemma can be provided by Land Degradation Neutrality (LDN), with which the UNCCD could re-energize international action on desertification and regain lost protagonism [18].

LDN is defined as “a state whereby the amount and quality of land resources necessary to support ecosystem functions and services and enhance food security remain stable or increase within specified temporal and spatial scales and ecosystems”. LDN has been set up as the main tool to combat desertification in SDG 15.3. LDN is pragmatic because it links “development” and its implicit, associated economic benefits to restoration commitments, including offsets. It could be achieved by: (a) managing land more sustainably, which would reduce the rate of degradation; and (b) increasing the rate of restoration of degraded land, so that the two trends converge to give a zero net rate of land degradation.

This research will delve into the socio-economic drivers of oasisification, where a research gap has been detected [16]. To this end, causal diagrams—one of the first stages of System Dynamics (SD) modeling [19]—will be used to understand the mechanisms underpinning oasisification processes by detecting feedback loops, nonlinearities, and delays between variables. Gaining an in-depth comprehension of the functioning of the socioecosystem paves the way for proposing solutions in the framework of LDN [20].

2. Methods

Modeling can be an important technique in analyzing and describing processes of desertification change in addition to furthering our understanding of the relationship between the socio-economic and ecological factors involved and their effects on desertification [21]. SD is a suitable tool for this challenge. SD is a modeling methodology grounded on the theories of nonlinear dynamical systems and feedback control developed in mathematics, physics, and engineering. SD states that the main, but easily overlooked, cause of the behavior of a complex system lies in its underlying structure of relationships, which includes feedback loops, non-linear relations, delays and decision rules. Formally, an SD model is a set of first-order ordinary differential equations that makes a stock-and-flow representation of the studied system; stock variables show the state of the system over

time, and flow variables represent the processes that change the stocks [19,22]. The main advantages of SD are [23,24]: (i) it improves system understanding, and develops system thinking skills, even from the first stage of its development as causal or sketch diagrams; (ii) SD models can incorporate empirical and process-based approaches, and help integrate interdisciplinary knowledge, (iii) the SD literature provides abundant information about related methodologies; and (iv) user-friendly software platforms allow easy access for non-modeler users.

In this paper, we stress the usefulness of causal diagrams (see Sterman (2000) [22] for details). They are built by establishing the relationships between explanatory and explained variables. The polarity between the independent variables (x) and the dependent variables (y) can be (i) direct (+) when x and y move in the same direction, i.e., as x increases, y increases, or as x decreases, y decreases; or (ii) negative—or inverse—(−) when x and y move in the opposite direction, i.e., more x and less y or vice versa. The concatenation of the causal relationships between the variables gives rise to a network of feedback loops. The sign of the feedback loops illustrates their behavior: positive feedback is self-reinforcing and behind the explosive or exponential behaviour systems; negative feedback loops are self-correcting and represent the stable performance of the system. An even number of negative arrows or their absence gives rise to a positive feedback loop; an odd number of negative arrows gives rise to a negative feedback loop.

3. Results and Discussion

Causal diagrams are very useful tools for channeling associative thinking that needs to be structured into a tangible hypothesis [25]. In this process of concreteness, operational variables, i.e., those that can be measured and have a real counterpart, coexist with ambiguous or imprecise concepts. This is the case of Figure 1A, where we show some of the relationships established in the exploitation of groundwater resources in NW China. As we can see, ‘climate change’ is a concept that allows us to reflect on the fact that snowmelt inputs are going to decrease. As the model becomes more concrete, we will have several options to make this idea fully functional. On the one hand, we will be able to develop a whole climate model that explains the dynamics of this snowmelt. On the other hand, we can implement different climate change scenarios that are reflected in different snowmelt volumes.




Figure 1. Causal diagrams to illustrate some of the elements of the oases dynamics in NW China. (A) Stabilizing behavior associated with negative feedback loops; non-linear relationship between water endowment and agricultural productivity. (B) Explosive behavior of a positive feedback loop.

The main idea that this diagram wants to convey is that feedback loops emerge from the various links between variables, which have different types of behavior associated with them. In this case, the loop is negative and has a stabilizing behavior. The water reserve

will tend towards an equilibrium (which may be zero) whose value depends on various circumstances. For example, as the water table is deeper, the cost of pumping is higher and therefore discourages activity [26]. To what extent it discourages it will depend on the profitability per cubic meter, the cost of energy or the opportunity cost. It is also relevant to consider that the value of this balance is not irrelevant. When certain thresholds are crossed, processes, such as aquifer subsidence, marine intrusion, or desiccation of surrounding systems, can be triggered [27]. Note that the stabilization of the water reserve is associated with another equilibrium, that of the irrigated area.

In complex systems, such as socioecological systems, different types of loops coexist. In Figure 1B we show a positive one, which results in exponential growth (or decay) of the variables (typical behavior of the Anthropocene [28]). Indeed, as the profitability of a certain type of crop increases, in this case, cash crops, and the other alternatives are very unprofitable (i.e., low opportunity cost), more and more farmers opt for this alternative, which leads to an increase in the irrigated area. This leads to more profits and new farmland, leading to exponential growth in cash crop area. As it is easy to understand, this exponential behavior, towards infinity, cannot be sustained over time, but it allows us to see that, in isolation, there are parts of the system that for a time behave in a threatening way, putting the sustainability of the whole system at risk.

In addition to holistically understanding this structure, SD has specific tools to highlight the delays between cause and effect (e.g., farmers' decision-making time [29]), and the nonlinear nature of many of the system relationships (e.g., water productivity is not linear, but starts from zero, grows first exponentially and then linearly, and then saturates, reaching a maximum). These considerations, which lead us to more elaborate phases of the SD model, are what explain the counter-intuitive nature of the system in the face of certain solutions that try to alleviate water scarcity. Thus, for example, improving the efficiency of irrigation systems often leads to higher water consumption [30,31].

4. Conclusions

The dynamic behavior of a system depends on what kind of loops drive it. When it is a positive one, it tends to behave more abruptly, while if negative ones dominate, it tends to stabilize. Therefore, understanding how these loops arise, how they are activated and how they interact, gives us clues about the sustainability or collapse (i.e., desertification) of a given system. In this sense, SD is an exploratory rather than a predictive tool. That is, the interesting thing is to qualitatively interpret outputs that respond to different 'what if' questions that are processed by differential equations (i.e., the SD model, a quantitative method).

The power of SD lies in the fact that it is easy for people who have no previous experience in conceptualizing complex problems, such as the search for sustainable development. The confrontation between the need to create wealth and well-being and maintain the stock of natural resources that provide a series of fundamental services for nature to continue to function requires holistic tools in which various stakeholders, academics or decision makers participate. In a short time, causal diagrams conceptualizing this debate are put up, highlighting the trade-offs, contradictions, and multiple points of view of the participants. With a little more effort, these diagrams translate the discussion into models that can be simulated so that very simple experiments with counterfactual situations can be implemented to analyze what would have happened under various scenarios (e.g., climate and land-use change).

This approach fits very well with the implementation of LDN, which should be based on land planning and governance. What LDN aims to do is to channel existing plans, so that there are no contradictions or overlaps, and the impact of the various economic activities is counterbalanced by restoring measures. The results should lead us to a neutral human footprint, allowing the coexistence of human societies and nature.

Author Contributions: Conceptualization, J.M.-V. and D.G.; methodology, J.M.-V.; software, J.M.-V.; formal analysis, J.M.-V. and D.G.; investigation, J.M.-V., D.G. and Z.A.; writing—original draft preparation, J.M.-V.; writing—review and editing, J.M.-V., D.G. and Z.A.; visualization, J.M.-V.; supervision, J.M.-V. and D.G.; funding acquisition, J.M.-V. and D.G. All authors have read and agreed to the published version of the manuscript.

Funding: This research was funded by MICINN through European Regional Development Fund [SUMHAL, LIFEWATCH-2019-09- CSIC-4, POPE 2014-2020] and the regional collaborative innovation project for Xinjiang Uygur Autonomous Region (Shanghai Cooperation Organization Science and Technology Partnership project), grant number 2021E01016.

Institutional Review Board Statement: Not applicable.

Informed Consent Statement: Not applicable.

Data Availability Statement: No new data were created or analyzed in this study. Data sharing is not applicable to this article.

Conflicts of Interest: The authors declare no conflict of interest.

References

1. Ci, L.; Yang, X. *Desertification and Its Control in China*; Springer: Beijing, China, 2010; ISBN 9787040257977.
2. Abatzoglou, J.T.; Dobrowski, S.Z.; Parks, S.A.; Hegewisch, K.C. TerraClimate, a High-Resolution Global Dataset of Monthly Climate and Climatic Water Balance from 1958–2015. *Sci. Data* **2018**, *5*, 170191. [[CrossRef](#)] [[PubMed](#)]
3. Li, C.; Wang, S.; Stringer, L.C.; Wang, Y. Drivers and Impacts of Changes in China’s Drylands. *Nat. Rev. Earth Environ.* **2021**, *2*, 858–873. [[CrossRef](#)]
4. UN (United Nations). *United Nations Convention to Combat Desertification in Countries Experiencing Serious Drought and/or Desertification, Particularly in Africa. Document A/AC. 241/27, 12. 09. 1994 with Annexe*; United Nations: New York, NY, USA, 1994.
5. Cherlet, M.; Hutchinson, C.; Reynolds, J.; Hill, J.; Sommer, S.; von Maltitz, G. (Eds.) *World Atlas of Desertification*; Publication Office of the European Union: Luxembourg, 2018; ISBN 978-92-79-75350-3.
6. Reynolds, J.F. Desertification Is a Prisoner of History: An Essay on Why Young Scientists Should Care. *Ecosistemas* **2021**, *30*, 2302. [[CrossRef](#)]
7. Cheng, L.; Lu, Q.; Wu, B.; Yin, C.; Bao, Y.; Gong, L. Estimation of the Costs of Desertification in China: A Critical Review. *Land Degrad. Dev.* **2018**, *29*, 975–983. [[CrossRef](#)]
8. del Barrio, G.; Sanjuán, M.E.; Martínez-Valderrama, J.; Ruiz, A.; Puigdefábregas, J. Land Degradation Means a Loss of Management Options. *J. Arid Environ.* **2021**, *189*, 104502. [[CrossRef](#)]
9. Feng, Q.; Ma, H.; Jiang, X.; Wang, X.; Cao, S. What Has Caused Desertification in China? *Sci. Rep.* **2015**, *5*, 15998. [[CrossRef](#)]
10. Wang, J.; Huang, J.; Rozelle, S.; Huang, Q.; Zhang, L. Understanding the Water Crisis in Northern China: What the Government and Farmers Are Doing. *Int. J. Water Resour. Dev.* **2009**, *25*, 141–158. [[CrossRef](#)]
11. Qin, Y.; Abatzoglou, J.T.; Siebert, S.; Huning, L.S.; AghaKouchak, A.; Mankin, J.S.; Hong, C.; Tong, D.; Davis, S.J.; Mueller, N.D. Agricultural Risks from Changing Snowmelt. *Nat. Clim. Chang.* **2020**, *10*, 459–465. [[CrossRef](#)]
12. Gui, D.; Xue, J.; Liu, Y.; Lei, J.; Zeng, F. Should Oasification Be Ignored When Examining Desertification in Northwest China? *Solid Earth Discuss.* **2017**, 1–24. [[CrossRef](#)]
13. Zhang, X.; Zhang, L.; He, C.; Li, J.; Jiang, Y. Quantifying the Impacts of Land Use/Land Cover Change on Groundwater Depletion in Northwestern China—A Case Study of the Dunhuang Oasis. *Agric. Water Manag.* **2014**, *146*, 270–279. [[CrossRef](#)]
14. Zhou, D.; Wang, X.; Shi, M. Human Driving Forces of Oasis Expansion in Northwestern China Durin the Last Decade—A Case Study of the Heihe River Basin. *Land Degrad. Dev.* **2016**, *28*, 412–420. [[CrossRef](#)]
15. Gui, D.; Wu, Y.; Zeng, F.; Lei, J. Study on the Oasification Process and Its Effects on Soil Particle Distribution in the South Rim of the Tarim Basin, China in Recent 30 Years. *Procedia Environ. Sci.* **2011**, *3*, 69–74. [[CrossRef](#)]
16. Liu, Y.; Xue, J.; Gui, D.; Lei, J.; Sun, H.; Lv, G.; Zhang, Z. Agricultural Oasis Expansion and Its Impact on Oasis Landscape Patterns in the Southern Margin of Tarim Basin, Northwest China. *Sustainability* **2018**, *10*, 1957. [[CrossRef](#)]
17. Ortiz, E.F.; Tang, G. *Review of the Management, Administration and Activities of the Secretariat of the United Nations Convention to Combat Desertification (UNCCD)*; United Nations: Geneva, Switzerland, 2005.
18. Grainger, A. Is Land Degradation Neutrality Feasible in Dry Areas ? *J. Arid Environ.* **2015**, *112*, 14–24. [[CrossRef](#)]
19. Forrester, J.W. *Industrial Dynamics*; The MIT Press: Cambridge, MA, USA, 1961.
20. Martínez-Valderrama, J.; Olcina, J.; Delacámara, G.; Guirado, E.; Maestre, F.T. Complex Policy Mixes Are Needed to Cope with Agricultural. *Water Resour. Econ.* **2023**, *6*. [[CrossRef](#)]
21. Danfeng, S.; Dawson, R.; Baoguo, L. Agricultural Causes of Desertification Risk in Minqin, China. *J. Environ. Manag.* **2006**, *79*, 348–356. [[CrossRef](#)]

22. Sterman, J.D. *Business Dynamics: Systems Thinking and Modeling for a Complex World*; Mc Graw Hill: New York, NY, USA, 2000; ISBN 0-07-231135-5.
23. Davies, E.G.R.; Simonovic, S.P. Global Water Resources Modeling with an Integrated Model of the Social-Economic-Environmental System. *Adv. Water Resour.* **2011**, *34*, 684–700. [[CrossRef](#)]
24. Kelly, R.A.; Jakeman, A.J.; Barreteau, O.; Borsuk, M.E.; ElSawah, S.; Hamilton, S.H.; Henriksen, H.J.; Kuikka, S.; Maier, H.R.; Rizzoli, A.E.; et al. Selecting among Five Common Modelling Approaches for Integrated Environmental Assessment and Management. *Environ. Model. Softw.* **2013**, *47*, 159–181. [[CrossRef](#)]
25. Martínez-Valderrama, J.; Ibáñez, J. System Dynamics Tools to Study Mediterranean Rangeland’s Sustainability. *Land* **2023**, *12*, 206. [[CrossRef](#)]
26. Martínez-Valderrama, J.; Ibáñez, J.; Alcalá, F.J.; Dominguez, A.; Yassin, M.; Puigdefábregas, J. The Use of a Hydrological-Economic Model to Assess Sustainability in Groundwater-Dependent Agriculture in Drylands. *J. Hydrol.* **2011**, *402*, 80–91. [[CrossRef](#)]
27. Margat, J.; van der Gun, J. *Groundwater around the World. A Geographic Synopsis*; CRC Press (Taylor & Francis): Boca Raton, FL, USA, 2013; ISBN 9780203772140.
28. Steffen, W.; Broadgate, W.; Deutsch, L.; Gaffney, O.; Ludwig, C. The Trajectory of the Anthropocene: The Great Acceleration. *Anthr. Rev.* **2015**, *2*, 81–98. [[CrossRef](#)]
29. Ibáñez, J.; Martínez-Valderrama, J. Global Effectiveness of Group Decision-Making Strategies in Coping with Forage and Price Variabilities in Commercial Rangelands: A Modelling Assessment. *J. Environ. Manag.* **2018**, *217*, 531–541. [[CrossRef](#)] [[PubMed](#)]
30. Di Baldassarre, G.; Wanders, N.; AghaKouchak, A.; Kuil, L.; Rangelcroft, S.; Veldkamp, T.I.E.; Garcia, M.; van Oel, P.R.; Breinl, K.; Van Loon, A.F. Water Shortages Worsened by Reservoir Effects. *Nat. Sustain.* **2018**, *1*, 617–622. [[CrossRef](#)]
31. Sears, L.; Caparelli, J.; Lee, C.; Pan, D.; Strandberg, G.; Vuu, L.; Lawell, C.Y.C.L. Jevons’ Paradox and Efficient Irrigation Technology. *Sustainability* **2018**, *10*, 1590. [[CrossRef](#)]

Disclaimer/Publisher’s Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.