

Table S20 Probability of identity estimated using Gimlet version 1.3.3 (Valière, 2002) of Asian elephant (*Elephas maximus*, Linnaeus, 1758) individuals in Baan Chang Elephant Park, based on 18 microsatellite loci. Detailed information on all individuals is presented in Table S1.

Locus	Unbias/loc.	Prod(unbias)
LaT06	4.341e-03	4.341e-03
LaT08	8.174e-03	3.548e-05
LaT16	6.774e-02	2.403e-06
LaT13	1.629e-02	3.916e-08
LaT17	1.199e-01	4.697e-09
LaT24	3.259e-02	1.531e-10
LaT18	3.542e-02	5.423e-12
LaT25	1.514e-01	8.209e-13
LaT26	1.469e-03	1.206e-15
FH1	8.309e-02	1.002e-16
FH19	6.325e-02	6.336e-18
FH48	3.331e-02	2.110e-19
FH65	4.709e-01	9.939e-20
FH67	2.630e-01	2.613e-20
FH71	8.771e-02	2.292e-21
FH94	9.748e-02	2.234e-22
FH102	7.239e-02	1.617e-23
FH103	2.525e-01	4.085e-24
Mean	1.033e-01	2.43 e-04
S.D.	1.191e-01	1.023e-3

Linnaeus, C. *Systema Naturae per regna tria naturae: secundum classes, ordines, genera, species, cum characteribus, differentiis, synonymis, locis*; apud JB Delamollere: Sweden, Stockholm, 1758.

Valière, N. GIMLET: a computer program for analysing genetic individual identification data. *Mol. Ecol. Notes* 2002, 2, 377–379. <https://doi.org/10.1046/j.1471-8286.2002.00228.x-i2>.