

12

[illegible]

B.-Differences between replication curves (2 ways ANOVA)

[illegible]

C.-Differences between replication curves (Average difference between time points titers)

EPC																		
AvTD SD	WT[H]			DD224[L]			NV-R116Y[H]			NV-R116S[M]			N-K46[L]			NV_N[L]		
	Intr	Extr	Prog	Intr	Extr	Prog	Intr	Extr	Prog	Intr	Extr	Prog	Intr	Extr	Prog	Intr	Extr	Prog
<u>WT[H]</u>																		
Intr	-	1.38*	0.65	0.34	-	-	0.38	-	-	0.67	-	-	1.32*	-	-	2.77*	-	-
Extr	0.92	-	1.28*	-	0.45	-	-	0.50	-	-	0.59	-	-	1.63*	-	-	2.76*	-
Prog	0.23	1.26	-	-	-	0.53	-	-	0.32	-	-	0.43	-	-	2.59*	-	-	3.75*
<u>DD[L]</u>																		
Intr	0.24	-	-	-	0.86	0.61	0.25	-	-	0.48	-	-	1.41*	-	-	2.52*	-	-
Extr	-	0.32	-	0.92	-	1.44*	-	0.32	-	-	0.21	-	-	1.39*	-	-	2.31*	-
Prog	-	-	0.30	0.38	0.98	-	-	-	0.70	-	-	0.59	-	-	2.10*	-	-	3.38*
<u>116Y[H]</u>																		
Intr	0.33	-	-	0.11	-	-	-	0.75	0.44	0.33	-	-	1.35*	-	-	2.52*	-	-
Extr	-	0.55	-	-	0.21	-	1.10	-	1.08*	-	0.51	-	-	1.55*	-	-	2.41*	-
Prog	-	-	0.17	-	-	0.46	0.28	1.41	-	-	0.00	0.70	-	-	2.70*	-	-	3.94*
<u>116S[M]</u>																		
Intr	0.34	-	-	0.32	-	-	0.28	-	-	-	0.96	0.37	1.17*	-	-	2.41*	-	-
Extr	-	0.27	-	-	0.15	-	-	0.26	-	0.81	-	0.86	-	5.25*	-	-	2.66*	-
Prog	-	-	0.45	-	-	0.44	-	-	0.39	0.30	1.13	-	-	-	2.42*	-	-	3.72*
<u>N-K46[L]</u>																		
Intr	0.90	-	-	1.01	-	-	0.91	-	-	0.76	-	-	-	1.73*	1.87*	2.50*	-	-
Extr	-	1.20	-	-	0.91	-	-	1.03	-	-	1.91	-	1.28	-	2.87*	-	1.26*	-
Prog	-	-	1.07	-	-	0.69	-	-	1.23	-	-	1.40	0.64	1.48	-	-	-	2.30*
<u>NV_N[L]</u>																		
Intr	1.58	-	-	1.57	-	-	1.66	-	-	1.47	-	-	2.47	-	-	-	0.49	2.6*3
Extr	-	2.71	-	-	2.38	-	-	2.70	-	-	2.34	-	-	1.14	-	0.64	-	2.19*
Prog	-	-	1.30	-	-	1.41	-	-	1.51	-	-	1.35	-	-	1.84	0.19	0.52	-

A.- In the first part of the table, correlation between curves is given by the correlation coefficient values (r), being r=1 the maximum correlation between 2 curves; correlation is confirmed by P≤0.05; *no significant correlation values (r values with P>0.05). B.- In the second part of the table, the results of a SIDAK multiple comparison 2-way ANOVA test was employed (differences considered significant only for values of P≤0.01). C.- The third part shows the average differences of titer in each time point between two curves (average differences higher than 1 Log₁₀ are considered significant and labelled with a *). AvTD: Average titer differences (data in blue color; from 3 replicas); SD: Standard deviation.