

Table S16. Single nucleotide polymorphisms and more than one adverse event.

Gene	SNP	Genotype	N	More than 1 adverse event		χ ²	p-value	OR	IC _{95%}
				NO N (%)	YES (Grado 1-4) N (%)				
ABCC1	rs246240	AA	74	49(66.2)	25(33.8)	-	0.831*	-	-
		AG	24	14(58.3)	10(41.7)				
		GG	3	2(66.7)	1(33.3)				
		A	98	63(64.3)	35(35.7)	-	1*	-	-
		G	27	16(59.3)	11(40.7)	0.417	0.518	-	-
	rs35592	CC	3	2(66.7)	1(33.3)	-	0.924*	-	-
		CT	40	25(62.5)	15(37.5)				
		TT	58	38(65.5)	20(34.5)				
		C	43	27(62.8)	16(37.2)	0.080	0.777	-	-
		T	98	63(64.3)	35(35.7)		1*	-	-
	rs2238476	GG	91	61(67.0)	30(33.0)	-	0.160*	-	-
		AG	10	4(40.0)	6(60.0)				
A		10	4 (40.0)	6(60.0)	-				
ABCG2	rs13120400	TT	53	32(60.4)	21(39.6)	-	0.529*	-	-
		CT	42	28(66.7)	14(33.3)				
		CC	6	5(83.3)	1(16.7)				
		T	95	60(63.2)	35(36.8)	-	0.417*	-	-
		C	48	33(68.8)	15(31.2)	-	0.412*	-	-
FOXP3	rs3761548	GG	32	23 (71.9)	9 (28.1)	6.767	0.034	1.03	0.36-2.91
		GT	29	13 (44.8)	16 (55.2)			3.24	1.20-9.15
		TT	40	29 (72.5)	11 (27.5)			1	-
		G	61	36 (59.0)	25 (41.0)	1.915	0.166	-	-
		T	69	42 (60.9)	27 (39.1)	1.154	0.283	-	-
* p-value for test Fisher's									